

Republika e Kosovës

Republika Kosova - Republic of Kosovo Qeveria - Vlada - Government

Ministria e Shëndëtesisë Ministarstvo Zdravsta - Ministry of Health

Primary Health Care in Kosovo

SUMMARY REPORT

DEÇAN MUNICIPALITY

Quality of Care Study 2018





Accessible Quality Healthcare


Kujdesi Shëndetësor i Qasshëm dhe Cilësor Kvalitetna i Dostupna Zdravstvena Zaštita

SDC project implemented by Swiss TPH and Save the Children

Primary Health Care in Kosovo

Quality of Care Study 2018

Summary Report Deçan Municipality



Swiss Agency for Development and Cooperation SDC



SDC project implemented by Swiss TPH and Save the Children

Contacts



Debra Stevenson Team Leader Accessible Quality Healthcare Project (AQH) debra.stevenson@aqhproject.org http://www.aqhproject.org/



Swiss Tropical and Public Health Institute
Schweizerisches Tropen- und Public Health-Institut
Institut Tropical et de Santé Publique Suisse

Associated Institute of the University of Basel

Swiss Tropical and Public Health Institute Socinstrasse 57 4002 Basel, Switzerland www.swisstph.ch

Manfred Zahorka Project Director Accessibly Quality Healthcare Project (AQH) Swiss Centre for International Health manfred.zahorka@swisstphl.ch

Consortium partner:



Save the Children Schweiz Sihlquai 253 8005 Zürich, Switzerland www.savethechildren.ch

Acknowledgements

We are very thankful to Ms. Debra Stevenson, Dr. Qamile Ramadani and Dr. Merita Shehu and all the AQH staff for providing overall support to the study. We warmly thank our local study coordinator Dr. Pranvera Krasniqi and Dr. Myvedete Tershnjaku from the National Institute of Public Health Kosovo for their commitment and support in the implementation and quality assurance of the study. We would also like to thank Ms. Fetije Huruglica, Ms. Fekrije Hasani and Mr. Srdjan Simonović who supported in collecting the data relevant for the sampling of the study. Further, we are grateful to Applicable Research Solutions and its staff for ensuring a smooth implementation of data collection and field supervision. Specifically we would like to highlight the excellent work from our data collectors. Lastly we would like to express our gratitude to all participants in our survey including facility managers, doctors and patients.

Table of Contents

1	Back	ground	5				
2	Methodology						
	2.1	1 Study design					
	2.2	Study	area & target population	6			
	2.3	Sample	e size and sampling strategy	7			
	2.4	Data c	ollection and analysis	7			
	2.5	Limitations					
	2.6	Ethical	considerations	9			
3	Resu	10					
	3.1	Summa	10				
		3.1.1	Infrastructure	10			
		3.1.2	Clinical observation	10			
		3.1.3	Exit Interviews	10			
	3.2	Detaile	ed information on results	11			
		3.2.1	Overall assessment of municipalities	11			
		3.2.2	Number of observations and overall assessment	12			
		3.2.3	Infrastructure	12			
		3.2.4	Clinical Observations	19			
		3.2.5	Exit Interviews	24			
4	Refe	rences		26			
Appendix A: Abbreviations							

Overview on tables

Table 1 Overview rank of all municipalities in Kosovo, 2018	11
Table 2 Number of observations and overall assessment in Deçan municipality	12
Table 3 Detailed score of municipality Deçan	12
Table 4 Services offered	12
Table 5 Facility infrastructure and overall cleanliness and maintenance	13
Table 6 Hygiene	14
Table 7 Public accountability items	15
Table 8 Availability of guidelines and information materials	15
Table 9 Availability of general medical equipment	15
Table 10 Availability of Gynaecological service equipment	16
Table 11 Availability of advanced equipment	17
Table 12 Availability of equipment to assess and monitor child growth	17
Table 13 Availability of medical products	17
Table 14 Clinical observations overview table	19
Table 15 Adherence to principles of history and physical examination	19
Table 16 Infection prevention and control	20
Table 17 Patients with diabetes	20
Table 18 Patients with hypertension	21
Table 19 Patients consulting for other reasons than diabetes or hypertension	22
Table 20 Patients consulting for referrals	23
Table 21 Socio-demographic attributes among respondents of exit interviews	24
Table 22 Frequency and reason of visit of exit interviews	24
Table 23 Overall satisfaction with health services - exit interviews	25
Table 24 Satisfaction with different aspects of health service - exit interviews	25
Table 25 Payment for health service - exit interviews	25

1 Background & Objectives

The Accessible Quality Healthcare (AQH) project in Kosovo is funded by the Swiss Agency for Development and Cooperation (SDC) and implemented by a Consortium comprising Swiss Tropical and Public Health Institute (Swiss TPH) and Save the Children. The overall goal of the AQH project is to ensure that the health of the population of Kosovo has improved, with strengthened healthcare providers and managers able to meet the needs of the patients (especially vulnerable groups), who are more aware of their rights and needs.

At the request of the Ministry of Health, the AQH project conducted the first national **facility-based Quality of Care (QoC) study** from August to October 2018.

The objective of the study was to measure the quality of care related to structural and procedural aspects, as well as selected outcomes, in Primary Health Care (PHC) in all 38 municipalities in Kosovo.

The specific objectives of this study were to provide PHC service providers with information to:

- Assess the quality of health services provided in several PHC centres in each municipality, including specific structural and procedural aspects.
- Allow comparison of different aspects of quality of care between all municipalities.
- Determine to what degree health providers have infrastructure and consumables available as outlined in the national PHC norms or, where these are unavailable, those outlined in WHO standards.
- Assess patient satisfaction with the services provided at PHC centres.

For this study we considered an operational definition of the quality of health services based on the concept of quality of care presented by Donabedian (1988, 1990), which has frequently been used in similar studies (Boller and Wyss et al., 2003; Matthys, 2013; Kiefer and Kadesha, 2015; Lechthaler, 2015; AQH, 2016). This is characterized by three dimensions:

- 1) <u>Structural attributes</u> relate to the setting where health care is provided. These attributes mostly refer to the organizational structure, human and financial resources, as well as availability of technical resources such as clinical protocols and guidelines.
- <u>2) Process attributes</u> relate to the provider-client interaction, for example professional conduct and technical competence, as well as interpersonal relations/client satisfaction.
- 3) Outcome attributes relate to the effect of care delivery on the health status of populations. Outcomes result from the structural and process attributes, for example, survival and recovery of patients or, more indirectly, patient satisfaction.

This operational definition is based on the assumption that the three dimensions are connected to each other and ultimately to service quality: good structure increases the likelihood of good processes and good process increases the likelihood of good outcomes, although outcomes are a consequence rather than a component of the quality of services.

2 Methodology

2.1 Study design

The QoC study is designed as a facility-based cross sectional survey to measure aspects of the quality of care of PHC service. It captures the overall quality of the facility infrastructure (structural aspects), the quality of provider-patient interactions (process aspects) and patient satisfaction after consultation (outcome). The study assesses quality of care provided to all patient groups but particularly focuses on patients with diabetes and hypertension.

The modules for the QoC survey are based on a mix of indicators from the WHO Service Availability and Readiness Assessment (SARA) and the "Tool to Improve Quality of Health Care" within the "ACCESS" program supported by the Novartis Foundation for Sustainable Development (2014), as relevant. The modules were adapted to the Kosovo local context thereby taking into consideration the national PHC norms or, where these are unavailable, the WHO norms established in the Package of Essential Non Communicable Diseases (NCDs) Interventions.

2.2 Study area & target population

The survey was implemented in all municipalities. The QoC survey targets PHC facilities in both rural and urban areas. During the survey data was collected at three different levels: 1) the health facility, 2) the health provider and 3) the patients.

Inclusion criteria for the baseline assessment

Inclusion criteria for the health facilities were as follows:

- Main Family Medicine Centre (MFMC) or Family Medicine Centre (FMC)
- At least one medical doctor assigned to the facility for at least one day per week

Inclusion criteria for <u>health providers</u> of the selected facilities for provider-patient observations were:

- Doctors providing PHC services
- Patients (18 years or older, or children accompanied by a legal representative) accessing the facility and receiving a consultation from a health provider
- Oral informed consent provided by the provider
- Oral informed consent provided by the patient or his/her legal representative (mother/father/caretaker)

Inclusion criteria for patients accessing the selected facilities and receiving consultation were:

- Patients (18 years or older, or children accompanied by a legal representative) accessing the facility and receiving a consultation from a health provider
- Oral informed consent provided by the patient or his/her legal representative (mother/father/caretaker)
- Accessing the facility to receive services either for themselves or their accompanying minors.

2.3 Sample size and sampling strategy

Sampling of health facilities

We applied a random proportional-to-size sampling procedure for each of the domains assuming that the facilities will be allocated to urban and rural areas proportional to the size of urban and rural populations in the region. The number of daily visits in June 2018 is considered a proxy of daily attendances.

Sampling of providers for provider-client observations

<u>All</u> provider-patient consultations, for which informed consent could be obtained from the patient or their legal representative, were observed in each health facility "Provider" hereby only refers to medical doctors (see inclusion criteria). A healthcare provider could but did not have to be observed repeatedly.

Sampling of patients for exit interviews

For the exit interviews, <u>all</u> patients that received care for themselves, or for a child in their care, at the facility were interviewed for the exit interview, provided they gave consent¹. The patients included for exit interviews did not necessarily need to be the same as for the provider-patient observation (see inclusion criteria).

2.4 Data collection and analysis

Data collection

Before data collection, relevant authorities, specifically Directors for Health and Social Welfare (DHSW), mayors as well as managers of all selected facilities in all surveyed Municipalities were informed about the study, its purpose and its schedule at a meeting hosted by the Ministry of Health on 5th July 2018.

The data collection team consisted of 23 data collectors, divided into 10 sub-teams. Most data collectors had a background in medical training and public health and previous survey experience. Each data collection team was assigned to a set of designated facilities where they conducted the assessments. The data collection teams were closely monitored by the local study coordinator and supervisors. Data collection in the field took place from 10 September 2018 until 05 October 2018.

The following procedures were followed at each facility:

- 1) Introduction of purpose and procedures of the survey to the targeted service providers.
- 2) Data collection
 - Starting with provider-patient observations and exit interviews with patients conducted at the facility.
 - Exit interviews with clients were conducted in an appropriate location ensuring privacy and confidentiality.
 - Structural attributes related to infrastructure and management were assessed after the consultation hours in the afternoon.

Data collection was performed electronically using the Open Data Kit (ODK)² software on tablets. During and after each day of data collection, the local study coordinator and the supervisors conducted quality assurance.

Data analysis

¹ Depending on the capacity of the data collectors.

² Open Data Kit (ODK) is a free and open-source set of tools for mobile data collection solutions. https://opendatakit.org/

During the analysis of the obtained data, full confidentiality of respondents was assured. Data was analysed using Stata Statistical Software/SE v15.0.

Additive index: The overall scores were calculated as additive indices to indicate the achieved percentage score. For a certain set of questions, e.g. infection prevention and control measures the additive index counts the answers/criteria which were fulfilled or not fulfilled. Questions/criteria which are not applicable were not considered. The number of positive answers is then divided by the total of valid answers (ratio). This way a percentage score is obtained for **each patient**.

Example: For infection prevention and control measures we measured five different aspects. For the first patient none of the aspects we measured was relevant, e.g. no examinations were done.

For the second patient only two of the five aspects were relevant: hand washing before and after the examination. Both actions were not observed. Hence this person had two valid answers but did not achieve any score. So the percentage score achieved for this person was 0.

For the third patient all five actions related to infection prevention and control measures were relevant. However, none of the five actions were observed. So the percentage score is yet once more 0.

The fourth patient was examined and instruments were used. Thus three aspects were relevant, but only one aspect (disinfection of instruments) observed. Hence 1 out of 3 were achieved, translating to a percentage score of 33%.

For the fifth patient all five aspects were considered relevant and all were also adhered to by the doctor. Hence for this person a percentage score of 100% was achieved.

The average index **for the facility** for infection and prevention measures would be calculated as 133/4=33%

Patient	Washed hands before	Washed hands after	Disinfected instruments	used gloves as required	used mask as required	Number of valid answers	Number of positive answers	Ratio (positive/valid answers)
1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
2	no	no	n/a	n/a	n/a	2	0	0
3	no	no	no	no	no	5	0	0
4	no	no	yes	n/a	n/a	3	1	33
5	yes	yes	yes	yes	yes	5	5	100
						Facil	ity Score	133/4=33

Yes/no: as observed; n/a: action was not needed, e.g. no examination conducted

95% - CI: A 95% confidence interval (CI) is used to analyse the data presented in Tables 15 - 20 whereby the average is a range with an upper and lower number calculated from a sample. Because the true population average is unknown, this range describes possible values that the mean could be. If multiple samples were drawn from the same population and a 95% CI calculated for each sample, we would expect the population mean to be found within 95% of these CIs. CIs are sensitive to variability in the population (spread of values) and sample size. We could say: we are confident that the real value lies somewhere within this value range. A confidence interval cannot be estimated if there is only one observation or if there is no variation of values.

n: number of observations in the sample

Rank: The rank provides an indication on the position of the municipality related to certain aspects. In other words: how does the municipality perform in comparison to the other 37 municipalities. In case of ties (=municipalities achieving the same score) the average rank is calculated and assigned, e.g. achievement scores are for two facilities 90, then their potential ranks 8 and 9 and are taken together and divided by 2. This results in the rank 8.5. Hence there is no rank 8 or 9 assigned and the next municipality would be assigned the rank 10.

2.5 Limitations

Sample size

The study was designed as a nationwide survey. Hence, in comparison to a census, only randomly selected facilities were included in the study. Due to the different sizes of the municipalities, but also the different utilization patterns in the different municipalities, some municipalities had more facilities included than others. Some of the municipalities had only the MFMC and 1 FMC included. This limits our ability to show possible wider variations in these municipalities.

In addition some facilities had only a few visits from patients on the day(s) of the survey. Thus the numbers of observations or exit interviews varies substantially between the facilities.

Interviewer bias

Interviewers were trained and received clear instructions on the data collection, nevertheless variations between interviewers cannot be completely ruled-out.

Clinical observations

The observations protocols for diabetic and hypertensive patients were very detailed in comparison to other illnesses. Hence, this might partially explain achievement differences between those illnesses and all other.

2.6 Ethical considerations

Before the interviews and observations, participants were given an information leaflet and asked for their consent. For this, participants were informed that a) their participation is voluntary, b) they can withdraw from participation at any time without any consequences, c) non-participation will not have any negative effects. Participants were also informed how the data will be used and that confidentiality is ensured as no names or other identifying aspects will be collected.

Ethical clearance was obtained from the Kosovo Medical Chamber on 3rd of August, 2018 (Reference Number: 04/2018).

3 Results

3.1 Summary of results for municipality Deçan

3.1.1 Infrastructure

- Two facilities were part of the study.
- The MFMC facility offered a good range of services although neither facility offers obstetric and newborn care.
- The MFMC facility scored better than the FMC facility for infrastructure, cleanliness and hygiene.
- Clinical waste management at the FMC is poor.
- Public accountability items, information and guidelines were well represented in the MFCM but some were lacking at the FMC facility.
- A significant number of items of basic PHC equipment are not available in either facility, or they are available but not functional.
- The FMC does not have any equipment for gynaecological examination, or equipment to assess and monitor child growth.
- Several items of medication were not available in both facilities. There were no items for patient testing available.

3.1.2 Clinical observation

- In total, 12 clinical observations were conducted (8 at the MFMC and 4 at the FMC).
- Six patients presented for other medical problems, three for hypertension, and three consulted for referral to another health care facility.
- The FMC did better than the MFMC in treating patients with medical problems other than hypertension and diabetes (66.7% vs. 55%).
- In terms of adherence to principles of history and physical examination the MFMC scored slightly lower than the FMC.
- Infection prevention and control was not satisfactory. In both facilities hand washing or other disinfecting procedures were not observed.
- For both facilities, all three aspects (questioning/history taking, conducting an examination and giving advice) for patients with hypertension had some potential to improve.

3.1.3 Exit Interviews

A total of 7 patients were interviewed, one of whom was a women.

- Three of the patients had visited the health care facility at least once in the last three months, and two even had paid a visit between 1-3 times during that period.
- The patients who had visited the MFMC and the FMC were either satisfied of very satisfied with their visit.
- All patients who had to pay for their visit had received a receipt.

10

3.2 Detailed information on results

3.2.1 Overall assessment of municipalities

Table 1 Overview rank of all municipalities in Kosovo, 2018

		Infrastructure		Clinical Consultation		Exit Interview	
Municipaliti es	Number of facilities	Infrastruct ure Score (%)	Infrastruct ure Rank	Clinical Consultatio n Score (%)	Clinical Consultatio n rank	Exit Interview Score (%)	Exit Interview rank
Partes/Pasj ane	1	85	1	84	1	97	1.5
Mitrovica North	1	80	2	68	20	77	34.5
Zvecan	1	78	3	54	34	73	38
Prishtinë	5	77	4	59	30.5	88	21
Strpce	1	76	5	78	8.5	94	5
Zubin Potok	1	73	6	67	22	79	32.5
Mamusha	1	68	7.5	77	10	89	18
Leposavic	1	68	7.5	61	29	75	36
lstog	2	65	10	78	8.5	97	1.5
Kaçanik	2	65	10	75	12	92	10
Gracanica	3	65	10	55	33	79	32.5
Prizren	8	64	13	83	2.5	91	14
Mitrovicë	6	64	13	81	4	87	23
Fushë Kosovë	3	64	13	70	18.5	84	28.5
Obiliq	2	63	15.5	83	2.5	85	26.5
Viti	2	63	15.5	67	22	88	21
Dardanë	2	62	19	79	6.5	93	7.5
Peja	3	62	19	72	17	94	5
Hani I Elezit	1	62	19	67	22	91	14
Rahovec	3	62	19	52	35	93	7.5
Gjakovë	5	62	19	46	36	89	18
Junik	1	61	22	42	37	88	21
Ranilug	1	60	24	75	12	86	24.5
Novo Brdo	2	60	24	75	12	77	34.5
Shtime	2	60	24	74	14.5	89	18
Ferizaj	4	59	26.5	74	14.5	85	26.5
Gjilan	5	59	26.5	64	25	82	30
Dragash	2	58	28	73	16	91	14
Skenderaj	3	57	29.5	80	5	94	5
Therandë	3	57	29.5	65	24	80	31
Klinë	2	56	31	79	6.5	92	10
Drenas	3	55	32.5	63	27	91	14
Vushtrri	3	55	32.5	59	30.5	74	37
Malishevë	3	53	34	63	27	91	14
Podujevë	2	51	35	56	32	84	28.5
Lipjan	5	49	36.5	70	18.5	86	24.5
Deçan	2	49	36.5	41	38	95	3
Klokot	1	44	38	63	27	92	10

3.2.2 Number of observations and overall assessment

Table 2 Number of observations and overall assessment in Deçan municipality

	Name of the facility	No. of clinical observations	No. of Exit interviews
1	MFMC	8	5
2	FMC - Strellc	4	2

Table 3 Detailed score of municipality Deçan

	MFMC	FMC - Strellc
Infrastructure score (structural quality)	63%	35%
Clinical score (process quality)	36%	51%
Exit score(outcome quality)	93%	100%

3.2.3 Infrastructure

Table 4 Services offered

	MFMC	FMC - Strellc
Family planning	yes	no
Antenatal care	yes	yes
Obstetric and newborn care	no	no
Immunization	yes	no
Child care	yes	yes
Adolescent health	yes	yes
STI services	no	yes
Tuberculosis services	yes	yes
NCD services	yes	yes
Surgery	yes	no
Outreach activities (mother, newborn and child health)	yes	yes
Lab services	yes	no
X-ray	yes	no
Physician present.	5 or more days per week	5 or more days per week

Table 5 Facility infrastructure and overall cleanliness and maintenance

F . 104	115110	510 0/ "
Facility	MFMC	FMC - Strellc
The facility and immediate surroundings (facility yard, waiting area outside) are free from long grass, paper debris and solid waste.	yes	yes
The facility has a rubbish bin which is properly used and not overflowing.	yes	no
There is a designated waiting room for patients.	yes	yes
The current waiting area is mopped, free of dust, trash; dirt, spider webs, and generally tidy.	yes	no
There is at least one designated consulting room for women.	yes	no
There is at least one designated consulting room for children.	no	no
All examination room(s) ensure(s) privacy/confidentiality (door, window blind, curtain).	yes	yes
All examination rooms are mopped, free of dust, trash; dirt, spider webs, and the rooms are generally tidy.	yes	no
All examination rooms are well illuminated.	yes	yes
The facility has electricity	yes	yes
During the past 7 working days, did you have any power cuts of more than 1 hour during opening hours.	yes	yes
Is there routinely a time of year when this facility has a severe shortage or lack of power?	yes	yes
If yes, specify:	Somertimes but they have generator	Gjate veres me shume, por edhe gjate dimrit kur ka bore
The facility has a functional generator	yes	no
If the health facility has a functional generator: is fuel available today for the generator?	yes	not applicable
The facility has a functional heating system.	yes	no
If yes, specify:	Fuel boiler for central heating	not applicable
Has the facility a functional communication equipment (functional landline telephone or cell phone) available (either private phone or facility phone)?	yes	yes
What type of phone do you have available?	Cell phone of facility	Private cell phone of staff
The facility has functional computer.	yes	no
The facility has a functional printer.	yes	no
The facility has internet access.	no	no
During the past 7 working days did you have internet for at least 1 hour every day?	not applicable	not applicable
The administration shelf is filed and in order.	yes	no
Does the facility have a patient record system?	yes	no
In which year was the patient record system introduced?	2006	not applicable
Are there sufficient empty patient record cards available?	yes	not applicable

Table 6 Hygiene

	MFMC	FMC - Strellc
There is running water in the facility (out of the tap).	yes	yes
There is warm water available (out of the tap).	yes	no
Is there routinely a time of year when this facility has a severe shortage or lack of water (out of the tap)?	no	no
If yes, SPECIFY when:	not applicable	not applicable
If yes: In case there is a severe shortage or lack of water (out of the tap), where do you fetch water?	not applicable	not applicable
Functional washing points exist in examination rooms and/or entrance hall, and soap or hand disinfectants and water are available.	yes	yes
Labelled containers for medical waste disposal are available in all required areas (e.g. examination rooms).	yes	no
The facility has adequate and safe disposal of sharps (sharps box/container).	yes	no
The facility has adequate and safe disposal of infectious waste.	yes	no
Sharps waste is temporary stored at a protected place.	yes	no
There is regular and appropriate collection for infectious waste.	yes	no
There is regular and appropriate collection for sharps waste.	yes	no
The facility has essential disinfectants and antiseptics.	yes	yes
The facility has chlorine solution or other disinfectants to disinfect contaminated instruments in all required areas (e.g. in examination rooms).	yes	yes
The facility has at least one accessible and functional toilet for patients.	yes	yes
The facility has at least one accessible and functional toilet for staff.	yes	no
The toilet(s) or latrine is clean.	yes	no
A washing point is available near the toilet or latrine.	yes	yes
Soap and water are available at the washing point near toilet or latrine.	yes	yes

Table 7 Public accountability items

	MFMC	FMC - Strellc
Facility visibly displayed	yes	no
Opening hours visible	yes	no
Phone number displayed	yes	no
Tariffs displayed	yes	yes
Ministry of Health (MoH) complaints number displayed	yes	yes
Flyer about MoH complaints number available	yes	no
Tobacco laws displayed	yes	yes
Patient's rights and responsibilities displayed	yes	no
Logos of pharmaceutical industries showing	no	no
Mechanisms to give public opinion on the service	yes	yes
Mechanisms for referrals available	yes	no
Year of last quality inspection by the Ministry	2017	2017

Table 8 Availability of guidelines and information materials

	MFMC	FMC - Strellc
Therapeutic standard guideline for PHC	yes	no
List of essential drugs	yes	no
Calendar for health promotion	yes	no
Vaccination calendar	yes	no
Are awareness materials based on standard package info	no	no

Table 9 Availability of general medical equipment

Facility	MFMC	FMC - Strellc
Microsurgery	available, functional	available, functional
Nebulizer	available, functional	not available
Ambu mask	available, functional	not available
Strong source of light in good condition (portable)	available, functional	not available
Nasal speculum	not available	not available
Otoscope	not available	not available
Ophthalmoscope	not available	not available
Doppler	not available	not available
Glucometer	not available	not available
Peak flow meter	not available	not available
Tape measure	not available	not available
Pen light	available, functional	not available
Head light	not available	not available
Neurological hammer	not available	not available

Facility	MFMC	FMC - Strellc
Weight scale for adults	not available	not available
Weight scale for children (over 2 years old)	not available	not available
Weight scale for infants and toddlers (up to 2 years old)	not available	not available
Sphygmomanometer for children	not available	not available
Sphygmomanometer for adults	not available	available, functional
Stethoscope for children	not available	available, functional
Stethoscope for adults	available, functional	available, functional
Obstetrical stethoscope/Fetoscope	not available	not available
Pelvimeter	not available	not available
Sterilization equipment and anti-septical protocol	available, functional	not available
Pulse oximeter	not available	not available
Refrigerator	available, functional	available, functional
Vaccine refrigerator/portable	available, functional	available, not functional
Height meter board for children (up to two years old)	not available	not available
Meter for height measuring (children over two years of age)	available, functional	not available
Thermometer	not available	available, functional
Tuning fork	not available	not available
Table for vision testing	not available	not available
Ear syringe	available, not functional	not available
Scissors	available, not functional	available, functional
Timer	not available	available, functional
Snellen eye chart	not available	not available
Children growth chart	not available	not available
Tongue depressor	available	available

Table 10 Availability of Gynaecological service equipment

	MFMC	FMC - Strellc
Gynaecological bed	available, functional	not available
Gynaecological instruments	available, functional	not available
Oxygen tank (tube)	available, functional	not available
Vaginal speculum, small size	available	not available
Vaginal speculum, medium size	available	not available
Vaginal speculum, large size	available	not available
Pap smear materials: (brush, spatula, holder)	not available	not available
Gloves (latex)	available	available
Masks for doctors	available	not available

Table 11 Availability of advanced equipment

	MFMC	FMC - Strellc
EKG machine	available, functional	not available
Sterilizer/Autoclave	available, functional	available, functional
Photometer	not available	not available
Centrifuge	not available	available, not functional
X-ray	not available	not available
Defibrillator	available, functional	not available
Ultrasound machine	available, functional	not available
Microscope	available, functional	available, functional

Table 12 Availability of equipment to assess and monitor child growth

	MFMC	FMC - Strellc
Box of blocks in different colours	no	no
Rattle, small red ball hung in a piece of thread	no	no
Book with simple illustrations or some sheets of colour paper with illustrations, i.e. a flower, a girl, a car, a cat, etc.	yes	no
Large and thin pencils, sheets of paper for drawings	no	no
Doll	no	no
Hairbrush	yes	no
Small plate and spoon	no	no
Cups	no	no
Simple puzzles with 2-3 pieces	no	no
Sheet with stripes and shapes	no	no

Table 13 Availability of medical products

Facility	MFMC	FMC - Strellc
Vaccines	yes	no
Water for injections	no	yes
Atropine sulphate	yes	no
Dextrose solution	yes	yes
Manitol solution	no	no
Diazepam	yes	yes
Adrenaline / epinephrine	yes	yes
Furosemid	yes	yes
Natrium chloride solution	yes	yes
Glyceryl trinitrate/nitroglycerin	no	no
Dexamethason	yes	yes
Antitetanus serum	no	no
Antivenom imunoglobulin/antivipera serum	no	no

Facility	MFMC	FMC - Strellc
Oral rehydratation salt/tresol (o.r.s)	no	no
Benzylpenicillin/ bipenicillin	yes	no
Metoclopramide/ methochopramid	yes	yes
Paracetamol/acetaminophen	no	yes
Morphine sulphate	no	no
Diclofenac	yes	yes
Salbutamol (nebulizer)	yes	no
Hydrocortisone	no	no
Contraceptives: oral (COC, POP), Injectables, DIU, Condoms	no	no
Emergency conceptive pill/levonorgestrel	no	no
Plastic syringes	yes	yes
Needles for syringes	yes	yes
Povidon jod/iodine solution	yes	yes
Surgical gloves	yes	yes
Amoxicillin/erythromycin	no	yes
Chloropiramine/chlorfeniramin (oral antihistamine)	yes	yes
Acid acetylsalicylic/aspirin	yes	yes
Atenolol/metoprolol	no	yes
Sol. glucose	yes	yes
Hyoscine butylbromide/buscopan	yes	no
Folic acid	no	no
Oxygen	yes	no
Bandages	yes	yes
Gauze	yes	yes
Hydrogen peroxide	yes	no
Hydrophilic cotton	yes	yes
Plastic perfusion system	yes	no
Spiritus aethylicus 70% (alcohol)	yes	yes
Ranitidine	yes	yes
Magnesium sulphate	no	no
Suture/thread for stitching wounds	no	no
Kalium (potassium) iodine	no	no
Test strips for Glucometer	no	no
Urine protein test strips	no	no
Urine ketones test strips	no	no
Urine microalbuminuria test strips	no	no
Fluorescein strips	no	no
Blood cholesterol assay	yes	no

Facility	MFMC	FMC - Strellc
Lipid profile	yes	no
Serum creatinine assay	yes	no

3.2.4 Clinical Observations

Table 14 Clinical observations overview table

	MFMC % (n=8)	FMC – Strellc % (n=4)
Number of observations (patients)	100%	100%
- women	75% (6)	25% (1)
Observations by type of doctors		
- Family Medical Specialist	100% (8)	100% (4)
- General Practitioner	0% (0)	0% (0)
- Other Specialist	0% (0)	0% (0)
Age of patients		
- <5	0% (0)	0% (0)
- 5 - 18	0% (0)	0% (0)
- 19 - 49	38% (3)	25% (1)
- 50 - 65	25% (2)	25% (1)
- >65	38% 93)	50% (2)
Reason for visit		
- Hypertension	25% (2)	25% (1)
- Diabetes	0% (0)	0% (0)
- Other	50% (4)	50% (2)
-Referral	25% (2)	25% (1)

Table 15 Adherence to principles of history and physical examination

	MFMC (n=8)	FMC – Strellc (n=4)
The medical doctor adheres to principles of history and physical examination, i.e Greets the client Sees the client in privacy/confidentiality Makes the client comfortable (e.g. Seat offered) Asks the client about concerns, allows client to explain his/her health issue Has the patient record Uses the patient record during consultation Documents consultation in patient record (of all who have the patient record) Closed politely the consultation	67% (Not available)	72% (62% - 82%)

Table 16 Infection prevention and control

	MFMC (n=8)	FMC – Strellc (n=4)
The medical doctor pays attention to infection prevention and control, i.e - Washes hands before the procedure - Washes hands after procedure - Applied proper decontamination procedures - Puts on gloves where required - Puts on a mask where required	0% (Not available)	0% (Not available)

Table 17 Patients with diabetes

Diabetes	MFMC (n=0)	FMC - Strellc (n=0)	
The medical doctor	The medical doctor		
Asks questions, about - Any specific health complaints - General weakness - Urine discharge - Vulvovaginitis or pruritus - Appetite - Eye-sight - Visit to opthalmalogist - Alcohol - Smoking - Using other medicine - Sedentary way of life - Adherence with diabetes treatment (if applicable)	Not applicable	Not applicable	
Conducts examinations, i.e - Checks blood pressure - Weight measurement / calculation of body-mass index - Of skin, mucus membranes, nodes of lymph, ears, nose, thyroid glands - Of eyes - Of chest, auscultation of lungs - Auscultation of heart - Of abdomen, palpation of liver and signs of percussion - Perfusion of legs (veins and feeling of legs) - And gives clear explanations to the client concerning the purpose of tests and procedures.	Not applicable	Not applicable	

Diabetes	MFMC (n=0)	FMC - Strellc (n=0)
Advices, explains and instructs, about Results of examinations The situation and diagnosis The prognosis About needed examinations - Nutrition, i.e. Food intake and weight decrease On the prevention and treatment of hypoglycaemia and other acute and chronic complications of diabetes On self-monitoring - glycemia control and prevention of hypoglycaemia About alcohol About smoking About physical exercise Right ways of care of legs Potential complication of the illness Potential risks if illness is not treated Importance of adherence to treatment About follow-up visit About the referral (if applicable) On prescribed medicines/treatment (if applicable)	Not applicable	Not applicable
Overall Score	Not applicable	Not applicable

Table 18 Patients with hypertension

Hypertension	MFMC (n=2)	FMC - Strellc (n=1)
The medical doctor	•	
Asks questions, about Any specific health complaints - Headache - The use of medicine other than for hypertension - The use of contraceptives - Eye-sight - Visit to ophthalmologist - Alcohol - Smoking - Sedentary way of life - High blood pressure (if applicable) - Adherence with hypertension treatment (if applicable)	29% (8% - 51%)	40% (Not available)
Conducts examinations, i.e - Checks blood pressure - Weight measurement / calculation of body-mass index - Of skin, mucus membranes, nodes of lymph, ears, nose, thyroid glands - Of eyes - Of chest, auscultation of lungs - Auscultation of heart - Of abdomen, palpation of liver and signs of percussion, palpation of kidneys - Perfusion of legs (pulse and perfusion of legs) - And gives clear explanations to the client concerning the purpose of tests and procedures. Checks blood pressure	17% (6% - 28%)	11% (Not available)

Hypertension	MFMC (n=2)	FMC - Strellc (n=1)
Advices, explains and instructs, about Results of examinations The situation and diagnosis The prognosis About needed examinations About signs of extreme hypertension About what to do when signs of extreme hypertension occur Nutrition, i.e. food intake About alcohol About smoking About physical exercise About oral contraceptives Potential complication of the illness Potential risks if illness is not treated Importance of adherence to treatment About follow-up visit About the referral (if applicable) On prescribed medicines/treatment (if applicable)	12% (11% - 13%)	50% (Not available)
Overall Score	18% (9% - 27%)	37% (Not available)

Table 19 Patients consulting for other reasons than diabetes or hypertension

Other diseases	MFMC (n=4)	FMC - Strellc (n=2)
The medical doctor		
Asks questions, about - Takes patient history (general history, specific to disease) - Asks open ended questions during history taking - Asks about any prescriptions the client is currently taking. - Listens to the client and responds to client questions.	88% (73% - 100%)	100% (Not available)
Conducts examinations, i.e Performs medical examinations and other investigations as individually required Gives clear explanations to the patient concerning the purpose of medical examinations and other investigations.	63% (38% - 87%)	0% (Not available)
Advices, explains and instructs, about Results of examinations - The situation and diagnosis - The prognosis - About needed examinations - About follow-up visit - About the referral (if applicable) - On prescribed medicines/treatment (if applicable) - On risks factors/health education (if applicable)	38% (20% - 55%)	57% (29% - 85%)
Overall Score	55% (42% - 69%)	67% (50% - 83%)

Table 20 Patients consulting for referrals

Referrals	MFMC (n=2)	FMC - Strellc (n=1)
The medical doctor		
Asks questions, about - Takes patient history (general history, specific to disease) - Asks open ended questions during history taking - Asks about any prescriptions the client is currently taking. - Listens to the client and responds to client questions.	38% (13% - 62%)	100% (Not available)
Conducts examinations, i.e Performs medical examinations and other investigations as individually required Gives clear explanations to the patient concerning the purpose of medical examinations and other investigations.	0% (Not available)	50% (Not available)
Advices, explains and instructs, about Results of examinations - The situation and diagnosis - The prognosis - About needed examinations - About follow-up visit - About the referral (if applicable) - On prescribed medicines/treatment (if applicable) - On risks factors/health education (if applicable)	14% (Not available)	63% (Not available)
Overall Score	21% (13% - 29%)	71% (Not available)

3.2.5 Exit Interviews

Table 21 Socio-demographic attributes among respondents of exit interviews

	MFMC % (n=5)	FMC – Strellc % (n=2)
Number of interviews	100%	100%
- Women	20% (1)	0% (0)
Education		•
- Never attended school	20% (1)	0% (0)
- Completed lower primary school	0% (0)	0% (0)
- Completed primary school	0% (0)	50% (1)
- Completed high school	20% (1)	50% (1)
- Completed college / university	40% (2)	0% (0)
- Other	20% (1)	0% (0)
Occupation		·
- Farmer	0% (0)	0% (0)
- Employed	20% (1)	50% (1)
- Self-employed	20% (1)	0% (0)
- Housewife	20% (1)	0% (0)
- Governmental employee	0% (0)	0% (0)
- Unemployed	0% (0)	0% (0)
- Pensioner	40% (2)	50% (1)
- Pupil/Student	0% (0)	0% (0)
- Other	0% (0)	0% (0)
Economic or social aid	0% (0)	50% (1)

Table 22 Frequency and reason of visit of exit interviews

	MFMC % (n=5)	FMC – Strellc % (n=2)
Excluding today: how often did you access this HC ov	er the past 3 month?	•
- Did not access this HC in the past 3 months	40% (2)	0% (0)
- 1-3 times	20% (1)	50% (1)
- More than 3 times	40% (2)	50% (1)
What was the reason for your consultation today?		
- Chronic condition	40% (2)	0% (0)
- Antenatal care	0% (0)	0% (0)
- Child health	0% (0)	0% (0)
- Immunisation	0% (0)	0% (0)
- Other	60% (3)	100% (2)

Table 23 Overall satisfaction with health services - exit interviews

	MFMC % (n=5)	FMC - Strellc % (n=2)
Overall: How satisfied were you with the services you re	eceived today	
Very unsatisfied	20% (1)	0% (0)
Unsatisfied	20% (1)	0% (0)
Satisfied	40% (2)	20% (1)
Very satisfied	20% (1)	80% (1)

Table 24 Satisfaction with different aspects of health service - exit interviews

	MFMC % (n=5)	FMC - Strellc % (n=2)
Patient was given the opportunity to explain the health problem	100% (5)	100% (2)
Patients privacy was ensured	60% (3)	100% (2)
Doctor explained the questioning and physical examinations and the health problem*	100% (4)	100% (2)
Doctor explained the intake of prescribed medicine**	100% (5)	100% (2)
Doctor asked if patient currently takes prescriptions	100% (5)	100% (2)
Patient was given chance to ask questions about the investigation, health problem and treatment	100% (5)	100% (2)
Doctor listened carefully to patients concerns and questions and gave satisfactory answers	100% (5)	100% (2)
Patient got advice on health problem	80% (4)	100% (2)
Medical doctor was polite during consultation	100% (5)	100% (2)

^{*} relevant only when examination was conducted; ** only relevant if medicine were prescribed

Table 25 Payment for health service - exit interviews

	MFMC % (n=5)	FMC – Strellc % (n=2)
Did you pay today for your health consultation?	60% (3)	50% (1)
Did you get a receipt for your payment?	100% (3)	100% (1)

4 References

Accessible Quality Healthcare (AQH) (2016). "Quality of Care Study 2016 – Technical Report of the Baseline Study." Swiss Tropical and Public Health Institute, Basel.

Boller, C., Wyss, K., et al. (2003). "Quality and comparison of antenatal care in public and private providers in the United Republic of Tanzania." Bull World Health Organization 81(2): 116-122.

Donabedian, A. (1988). "The quality of care. How can it be assessed?" JAMA 260(12): 1743-1748.

Donabedian, A. (1990). "The seven pillars of quality." Archives of pathology & laboratory medicine 114 (November): 1115-1118.

Foundation for Sustainable Development (2014). Quality as the missing link between access to healthcare and improved patient outcomes. Express Newsletter 3/14, URL: http://www.novartisfoundation.org/_file/205/newsletter-3-14.pdf (Access: 11 February 2015).

Kiefer, S. and Kadesha, B. (2015). Report on the Assessment of Quality of Care in Primary Health Care Facilities in the two Pilot Regions, Health for All project, Albania. Study report. Basel: Swiss TPH.

Lechthaler, F. (2015). Study Protocol on the Quality of Care Study in Chad. Unpublished.

Matthys, B. (2013). Assessment of quality of care in primary health care facilities in two pilot rayons of project Sino. Study report. Basel: Swiss TPH.

World Health Organization (2010). Package of Essential Noncommunicable (PEN) Disease Interventions for Primary Health Care in Low-Resource Settings. Geneva: WHO.

World Health Organization (2015). Service Availability and Readiness Survey (SARA). An annual monitoring system for service delivery. Version 2.2. Geneva: WHO.

Appendix A: Abbreviations

AQH Accessible Quality Healthcare

CI Confidence interval

DHSW Directors of Health and Social Welfare

FM Family Medicine

FMC Family Medicine Centre
GP General Practitioner

MFMC Main Family Medicine Centre

MoH Ministry of Health ODK Open Data Kit

PHC Primary Health Care

QoC Quality of Care

SARA Service Availability and Readiness Assessment (SARA)

SDC Swiss Agency for Development and Cooperation

Swiss TPH Swiss Tropical and Public Health Institute

WHO World Health Organisation

Appendix B: Questionnaire

Quality of Care Assessment - Infrastructure Assessment	Answers
,	
Interviewer_ID	
IMEI (International Mobile Equipment Identity)	
Date of interview	
Start time of interview	
Name of municipality	
Name of facility	
Oral consent given by interviewee	yes
	no
Which services do you provide at this facility?	
, .	
Family planning	yes
	no
Antenatal care	yes
	no
Obstetric and newborn care	yes
	no
In a surior stice	
Immunization	yes
Child preventative and curative care	yes
	no
Adolescent health	yes
	no
Sexually transmitted infections	yes
	no
Tuberculosis	yes
	no
Non-communicable diseases	yes
Tron continuincubic discuses	no
Surgery	yes no
Do you provide any outreach activities?	yes
	no
If yes, SPECIFY	
Do you have laboratory services?	yes
	no

Do you have X-ray facilities?	yes
	no
How many days of the working week is at least one doctor present to provide general primary health care services?	1-2 days per week
	3-4 days per week
	5 or more days per week
Facility infrastructure and overall cleanliness and maintenance	
The facility and immediate surroundings (facility yard, waiting area	yes
outside) are free from long grass, paper debris and solid waste.	no
The facility has a rubbish bin which is properly used and not overflowing.	yes
The facility has a rubbish bill which is properly used and not overnowing.	no
There is a designated waiting room for patients.	yes
There is a designated watting room for patients.	no
The current waiting area is mopped, free of dust, trash; dirt, spider webs,	yes
and generally tidy.	no
There is at least one designated consulting room for women.	yes
There is at reast one designated consulting room for women.	no
There is at least one designated consulting room for children.	yes
The second secon	no
All examination room(s) ensure(s) privacy/confidentiality (door, window	yes
blind, curtain).	no
All examination rooms are mopped, free of dust, trash; dirt, spider webs,	yes
and the rooms are generally tidy.	no
All examination rooms are well illuminated.	yes
All examination rooms are well infilmated.	no
The facility has electricity	yes
	no
During the past 7 working days, did you have any power cuts of more	yes
than 1 hour during opening hours.	no
Is there routinely a time of year when this facility has a severe shortage	yes
or lack of power?	no
If yes, SPECIFY:	
The facility has a functional generator	yes
,	no
If the health facility has a functional generator: is fuel available today for	yes
the generator?	no
The facility has a functional heating system.	yes
and the state of t	no

If yes, SPECIFY:	
Has the facility a functional communication equipment (functional landline telephone or cell phone) available (either private phone or facility phone)?	yes no
What type of phone do you have available?	private cell phone of staff
	cell phone of facility
	landline of facility
The facility has functional computer.	yes no
The facility has a functional printer.	yes no
The facility has internet access.	yes no
During the past 7 working days did you have internet for at least 1 hour every day?	yes no
The administration shelf is filed and in order.	yes no
Does the facility have a patient record system?	yes no
In which year was the patient record system introduced?	
Are there sufficient empty patient record cards available?	yes no
Are minimum hygiene and safety standards in the facility ensured?	
There is running water in the facility (out of the tap).	yes no
There is warm water available (out of the tap).	yes no
Is there routinely a time of year when this facility has a severe shortage or lack of water (out of the tap)?	yes no
If yes: In case there is a severe shortage or lack of water (out of the tap), where do you fetch water?	well (protected)
	bottled water
	water tank/storage
	other
If other, please SPECIFY:	

Labelled containers for medical waste disposal are available in all required areas (e.g. examination rooms). The facility has adequate and safe disposal of sharps (sharps box(container). The facility has adequate and safe disposal of infectious waste. The facility has adequate and safe disposal of infectious waste. The facility has adequate and safe disposal of infectious waste. The facility has adequate and safe disposal of infectious waste. The facility has adequate and safe disposal of infectious waste. There is regular and appropriate collection for infectious waste. There is regular and appropriate collection for sharps waste. There is regular and appropriate collection for sharps waste. The facility has essential disinfectants and antiseptics. The facility has chlorine solution or other disinfectants to disinfect contaminated instruments in all required areas (e.g. in examination rooms). The facility has at least one accessible and functional toilet for patients. The facility has at least one accessible and functional toilet for staff. The facility has at least one accessible and functional toilet for staff. A washing point is available near the toilet or latrine. Public accountability Is the facility opening hours visibly displayed to the public? Yes no Is a contact phone number visibly displayed to the public? Yes no		1
Labelled containers for medical waste disposal are available in all required areas (e.g. examination rooms). The facility has adequate and safe disposal of sharps (sharps box/container). The facility has adequate and safe disposal of infectious waste. The facility has adequate and safe disposal of infectious waste. The facility has adequate and safe disposal of infectious waste. Infectious waste is temporary stored at a protected place. Sharps waste is temporary stored at a protected place. There is regular and appropriate collection for infectious waste. There is regular and appropriate collection for sharps waste. The facility has essential disinfectants and antiseptics. The facility has essential disinfectants and antiseptics. The facility has chlorine solution or other disinfectants to disinfect contaminated instruments in all required areas (e.g. in examination rooms). The facility has at least one accessible and functional toilet for patients. The facility has at least one accessible and functional toilet for staff. The toilet(s) or latrine is clean. A washing point is available near the toilet or latrine. Soap and water are available at the washing point near toilet or latrine. Public accountability Is the facility location visible displayed in public? yes no Is a contact phone number visibly displayed to the public? yes	Functional washing points exist in examination rooms and/or entrance	yes
required areas (e.g. examination rooms). The facility has adequate and safe disposal of sharps (sharps box/container). The facility has adequate and safe disposal of infectious waste. The facility has adequate and safe disposal of infectious waste. Infectious waste is temporary stored at a protected place. Sharps waste is temporary stored at a protected place. Yes no There is regular and appropriate collection for infectious waste. Yes no There is regular and appropriate collection for sharps waste. Yes no The facility has essential disinfectants and antiseptics. Yes no The facility has chlorine solution or other disinfectants to disinfect contaminated instruments in all required areas (e.g. in examination rooms). The facility has at least one accessible and functional toilet for patients. The facility has at least one accessible and functional toilet for staff. Yes no The toilet(s) or latrine is clean. A washing point is available near the toilet or latrine. Soap and water are available at the washing point near toilet or latrine. Public accountability Is the facility location visible displayed in public? Yes no Are the facility opening hours visibly displayed to the public? Yes no	hall, and soap or hand disinfectants and water are available.	no
required areas (e.g. examination rooms). The facility has adequate and safe disposal of sharps (sharps box/container). The facility has adequate and safe disposal of infectious waste. The facility has adequate and safe disposal of infectious waste. Infectious waste is temporary stored at a protected place. Sharps waste is temporary stored at a protected place. Yes no There is regular and appropriate collection for infectious waste. Yes no There is regular and appropriate collection for sharps waste. Yes no The facility has essential disinfectants and antiseptics. Yes no The facility has chlorine solution or other disinfectants to disinfect contaminated instruments in all required areas (e.g. in examination rooms). The facility has at least one accessible and functional toilet for patients. The facility has at least one accessible and functional toilet for staff. Yes no The toilet(s) or latrine is clean. A washing point is available near the toilet or latrine. Soap and water are available at the washing point near toilet or latrine. Public accountability Is the facility location visible displayed in public? Yes no Are the facility opening hours visibly displayed to the public? Yes no		
required areas (e.g. examination rooms). The facility has adequate and safe disposal of sharps (sharps box/container). The facility has adequate and safe disposal of infectious waste. The facility has adequate and safe disposal of infectious waste. Infectious waste is temporary stored at a protected place. Sharps waste is temporary stored at a protected place. Yes no There is regular and appropriate collection for infectious waste. Yes no There is regular and appropriate collection for sharps waste. Yes no The facility has essential disinfectants and antiseptics. Yes no The facility has chlorine solution or other disinfectants to disinfect contaminated instruments in all required areas (e.g. in examination rooms). The facility has at least one accessible and functional toilet for patients. The facility has at least one accessible and functional toilet for staff. Yes no The toilet(s) or latrine is clean. A washing point is available near the toilet or latrine. Soap and water are available at the washing point near toilet or latrine. Public accountability Is the facility location visible displayed in public? Yes no Are the facility opening hours visibly displayed to the public? Yes no		
required areas (e.g. examination rooms). The facility has adequate and safe disposal of sharps (sharps box/container). The facility has adequate and safe disposal of infectious waste. The facility has adequate and safe disposal of infectious waste. Infectious waste is temporary stored at a protected place. Sharps waste is temporary stored at a protected place. Yes no There is regular and appropriate collection for infectious waste. Yes no There is regular and appropriate collection for sharps waste. Yes no The facility has essential disinfectants and antiseptics. Yes no The facility has chlorine solution or other disinfectants to disinfect contaminated instruments in all required areas (e.g. in examination rooms). The facility has at least one accessible and functional toilet for patients. The facility has at least one accessible and functional toilet for staff. Yes no The toilet(s) or latrine is clean. A washing point is available near the toilet or latrine. Soap and water are available at the washing point near toilet or latrine. Public accountability Is the facility location visible displayed in public? Yes no Are the facility opening hours visibly displayed to the public? Yes no		
The facility has adequate and safe disposal of sharps (sharps bow/container). The facility has adequate and safe disposal of infectious waste. The facility has adequate and safe disposal of infectious waste. Infectious waste is temporary stored at a protected place. Sharps waste is temporary stored at a protected place. There is regular and appropriate collection for infectious waste. There is regular and appropriate collection for sharps waste. The facility has essential disinfectants and antiseptics. The facility has chlorine solution or other disinfectants to disinfect yes no The facility has at least one accessible and functional toilet for patients. The facility has at least one accessible and functional toilet for staff. The facility has at least one accessible and functional toilet for staff. Yes no The facility has at least one accessible and functional toilet for staff. Yes no The toilet(s) or latrine is clean. A washing point is available near the toilet or latrine. Soap and water are available at the washing point near toilet or latrine. Public accountability Is the facility location visible displayed in public? Yes no Are the facility opening hours visibly displayed to the public? yes	Labelled containers for medical waste disposal are available in all	yes
The facility has adequate and safe disposal of sharps (sharps bow/container). The facility has adequate and safe disposal of infectious waste. The facility has adequate and safe disposal of infectious waste. Infectious waste is temporary stored at a protected place. Sharps waste is temporary stored at a protected place. There is regular and appropriate collection for infectious waste. There is regular and appropriate collection for sharps waste. The facility has essential disinfectants and antiseptics. The facility has chlorine solution or other disinfectants to disinfect yes no The facility has at least one accessible and functional toilet for patients. The facility has at least one accessible and functional toilet for staff. The facility has at least one accessible and functional toilet for staff. Yes no The facility has at least one accessible and functional toilet for staff. Yes no The toilet(s) or latrine is clean. A washing point is available near the toilet or latrine. Soap and water are available at the washing point near toilet or latrine. Public accountability Is the facility location visible displayed in public? Yes no Are the facility opening hours visibly displayed to the public? yes	required areas (e.g. examination rooms).	no
box/container). The facility has adequate and safe disposal of infectious waste. The facility has adequate and safe disposal of infectious waste. Infectious waste is temporary stored at a protected place. Sharps waste is temporary stored at a protected place. Yes no There is regular and appropriate collection for infectious waste. Yes no There is regular and appropriate collection for sharps waste. Yes no The facility has essential disinfectants and antiseptics. Yes no The facility has chlorine solution or other disinfectants to disinfect contaminated instruments in all required areas (e.g. in examination rooms). The facility has at least one accessible and functional toilet for patients. The facility has at least one accessible and functional toilet for staff. Yes no The toilet(s) or latrine is clean. A washing point is available near the toilet or latrine. Soap and water are available at the washing point near toilet or latrine. Public accountability Is the facility location visible displayed in public? Yes no Are the facility opening hours visibly displayed to the public? yes	,	
box/container). The facility has adequate and safe disposal of infectious waste. The facility has adequate and safe disposal of infectious waste. Infectious waste is temporary stored at a protected place. Sharps waste is temporary stored at a protected place. Yes no There is regular and appropriate collection for infectious waste. Yes no There is regular and appropriate collection for sharps waste. Yes no The facility has essential disinfectants and antiseptics. Yes no The facility has chlorine solution or other disinfectants to disinfect contaminated instruments in all required areas (e.g. in examination rooms). The facility has at least one accessible and functional toilet for patients. The facility has at least one accessible and functional toilet for staff. Yes no The toilet(s) or latrine is clean. A washing point is available near the toilet or latrine. Soap and water are available at the washing point near toilet or latrine. Public accountability Is the facility location visible displayed in public? Yes no Are the facility opening hours visibly displayed to the public? yes		
The facility has adequate and safe disposal of infectious waste. Infectious waste is temporary stored at a protected place. Sharps waste is temporary stored at a protected place. Sharps waste is temporary stored at a protected place. There is regular and appropriate collection for infectious waste. There is regular and appropriate collection for sharps waste. The facility has essential disinfectants and antiseptics. The facility has essential disinfectants and antiseptics. The facility has chlorine solution or other disinfectants to disinfect contaminated instruments in all required areas (e.g. in examination rooms). The facility has at least one accessible and functional toilet for patients. The facility has at least one accessible and functional toilet for staff. Yes no The toilet(s) or latrine is clean. A washing point is available near the toilet or latrine. Soap and water are available at the washing point near toilet or latrine. Public accountability Is the facility opening hours visibly displayed to the public? yes no Is a contact phone number visibly displayed to the public? yes	The facility has adequate and safe disposal of sharps (sharps	yes
Infectious waste is temporary stored at a protected place. Sharps waste is temporary stored at a protected place. Sharps waste is temporary stored at a protected place. Yes no There is regular and appropriate collection for infectious waste. Yes no There is regular and appropriate collection for sharps waste. Yes no The facility has essential disinfectants and antiseptics. Yes no The facility has chlorine solution or other disinfectants to disinfect contaminated instruments in all required areas (e.g. in examination rooms). The facility has at least one accessible and functional toilet for patients. Yes no The facility has at least one accessible and functional toilet for staff. Yes no The toilet(s) or latrine is clean. A washing point is available near the toilet or latrine. Yes no Soap and water are available at the washing point near toilet or latrine. Yes no Public accountability Is the facility location visible displayed in public? Yes no Are the facility opening hours visibly displayed to the public? Yes	box/container).	no
Infectious waste is temporary stored at a protected place. Sharps waste is temporary stored at a protected place. Sharps waste is temporary stored at a protected place. There is regular and appropriate collection for infectious waste. There is regular and appropriate collection for sharps waste. Yes no The facility has essential disinfectants and antiseptics. The facility has chlorine solution or other disinfectants to disinfect contaminated instruments in all required areas (e.g. in examination rooms). The facility has at least one accessible and functional toilet for patients. The facility has at least one accessible and functional toilet for staff. The toilet(s) or latrine is clean. A washing point is available near the toilet or latrine. Soap and water are available at the washing point near toilet or latrine. Public accountability Is the facility location visible displayed in public? yes no Are the facility opening hours visibly displayed to the public? yes no Is a contact phone number visibly displayed to the public? yes		
Infectious waste is temporary stored at a protected place. Sharps waste is temporary stored at a protected place. Sharps waste is temporary stored at a protected place. Yes no There is regular and appropriate collection for infectious waste. Yes no There is regular and appropriate collection for sharps waste. Yes no The facility has essential disinfectants and antiseptics. Yes no The facility has chlorine solution or other disinfectants to disinfect contaminated instruments in all required areas (e.g. in examination rooms). The facility has at least one accessible and functional toilet for patients. Yes no The facility has at least one accessible and functional toilet for staff. Yes no The toilet(s) or latrine is clean. A washing point is available near the toilet or latrine. Yes no Soap and water are available at the washing point near toilet or latrine. Yes no Public accountability Is the facility location visible displayed in public? Yes no Are the facility opening hours visibly displayed to the public? Yes	The facility has adequate and safe disposal of infectious waste	1/05
Infectious waste is temporary stored at a protected place. Sharps waste is temporary stored at a protected place. There is regular and appropriate collection for infectious waste. There is regular and appropriate collection for sharps waste. There is regular and appropriate collection for sharps waste. The facility has essential disinfectants and antiseptics. The facility has chlorine solution or other disinfectants to disinfect contaminated instruments in all required areas (e.g. in examination rooms). The facility has at least one accessible and functional toilet for patients. The facility has at least one accessible and functional toilet for staff. The toilet(s) or latrine is clean. Yes no A washing point is available near the toilet or latrine. Soap and water are available at the washing point near toilet or latrine. Public accountability Is the facility location visible displayed in public? yes no Are the facility opening hours visibly displayed to the public? yes	The facility has adequate and safe disposal of infectious waste.	·
Sharps waste is temporary stored at a protected place. Sharps waste is temporary stored at a protected place. There is regular and appropriate collection for infectious waste. There is regular and appropriate collection for sharps waste. There is regular and appropriate collection for sharps waste. The facility has essential disinfectants and antiseptics. The facility has chlorine solution or other disinfectants to disinfect contaminated instruments in all required areas (e.g. in examination rooms). The facility has at least one accessible and functional toilet for patients. The facility has at least one accessible and functional toilet for staff. The toilet(s) or latrine is clean. A washing point is available near the toilet or latrine. Soap and water are available at the washing point near toilet or latrine. Public accountability Is the facility location visible displayed in public? Yes no Are the facility opening hours visibly displayed to the public? yes no Is a contact phone number visibly displayed to the public? yes		no
Sharps waste is temporary stored at a protected place. Sharps waste is temporary stored at a protected place. There is regular and appropriate collection for infectious waste. There is regular and appropriate collection for sharps waste. There is regular and appropriate collection for sharps waste. The facility has essential disinfectants and antiseptics. The facility has chlorine solution or other disinfectants to disinfect contaminated instruments in all required areas (e.g. in examination rooms). The facility has at least one accessible and functional toilet for patients. The facility has at least one accessible and functional toilet for staff. The toilet(s) or latrine is clean. A washing point is available near the toilet or latrine. Soap and water are available at the washing point near toilet or latrine. Public accountability Is the facility location visible displayed in public? Yes no Are the facility opening hours visibly displayed to the public? yes no Is a contact phone number visibly displayed to the public? yes		
Sharps waste is temporary stored at a protected place. There is regular and appropriate collection for infectious waste. There is regular and appropriate collection for sharps waste. There is regular and appropriate collection for sharps waste. The facility has essential disinfectants and antiseptics. The facility has chlorine solution or other disinfectants to disinfect contaminated instruments in all required areas (e.g. in examination rooms). The facility has at least one accessible and functional toilet for patients. The facility has at least one accessible and functional toilet for staff. The toilet(s) or latrine is clean. A washing point is available near the toilet or latrine. Soap and water are available at the washing point near toilet or latrine. Public accountability Is the facility location visible displayed in public? yes no Is a contact phone number visibly displayed to the public? yes yes	Infectious waste is temporary stored at a protected place.	yes
There is regular and appropriate collection for infectious waste. There is regular and appropriate collection for sharps waste. There is regular and appropriate collection for sharps waste. The facility has essential disinfectants and antiseptics. The facility has chlorine solution or other disinfectants to disinfect contaminated instruments in all required areas (e.g. in examination rooms). The facility has at least one accessible and functional toilet for patients. The facility has at least one accessible and functional toilet for staff. The toilet(s) or latrine is clean. A washing point is available near the toilet or latrine. Soap and water are available at the washing point near toilet or latrine. Public accountability Is the facility location visible displayed in public? Yes no Are the facility opening hours visibly displayed to the public? yes no Is a contact phone number visibly displayed to the public? yes		no
There is regular and appropriate collection for infectious waste. There is regular and appropriate collection for sharps waste. There is regular and appropriate collection for sharps waste. The facility has essential disinfectants and antiseptics. The facility has chlorine solution or other disinfectants to disinfect contaminated instruments in all required areas (e.g. in examination rooms). The facility has at least one accessible and functional toilet for patients. The facility has at least one accessible and functional toilet for staff. Yes no The toilet(s) or latrine is clean. A washing point is available near the toilet or latrine. Soap and water are available at the washing point near toilet or latrine. Public accountability Is the facility location visible displayed in public? Yes no Are the facility opening hours visibly displayed to the public? yes no		
There is regular and appropriate collection for infectious waste. There is regular and appropriate collection for sharps waste. There is regular and appropriate collection for sharps waste. The facility has essential disinfectants and antiseptics. The facility has chlorine solution or other disinfectants to disinfect contaminated instruments in all required areas (e.g. in examination rooms). The facility has at least one accessible and functional toilet for patients. The facility has at least one accessible and functional toilet for staff. Yes no The toilet(s) or latrine is clean. A washing point is available near the toilet or latrine. Soap and water are available at the washing point near toilet or latrine. Public accountability Is the facility location visible displayed in public? Yes no Are the facility opening hours visibly displayed to the public? yes no	Sharps waste is temporary stored at a protected place.	ves
There is regular and appropriate collection for infectious waste. There is regular and appropriate collection for sharps waste. The facility has essential disinfectants and antiseptics. The facility has chlorine solution or other disinfectants to disinfect contaminated instruments in all required areas (e.g. in examination rooms). The facility has at least one accessible and functional toilet for patients. The facility has at least one accessible and functional toilet for staff. The toilet(s) or latrine is clean. A washing point is available near the toilet or latrine. Soap and water are available at the washing point near toilet or latrine. Public accountability Is the facility location visible displayed in public? Are the facility opening hours visibly displayed to the public? yes no Is a contact phone number visibly displayed to the public? yes no	1 2 2 2 2 2 7 2 2 2 2 2 2 2 2 2 2 2 2 2	•
There is regular and appropriate collection for sharps waste. The facility has essential disinfectants and antiseptics. The facility has chlorine solution or other disinfectants to disinfect contaminated instruments in all required areas (e.g. in examination rooms). The facility has at least one accessible and functional toilet for patients. The facility has at least one accessible and functional toilet for staff. The facility has at least one accessible and functional toilet for staff. The toilet(s) or latrine is clean. A washing point is available near the toilet or latrine. Soap and water are available at the washing point near toilet or latrine. Public accountability Is the facility location visible displayed in public? Are the facility opening hours visibly displayed to the public? yes no Is a contact phone number visibly displayed to the public? yes		
There is regular and appropriate collection for sharps waste. The facility has essential disinfectants and antiseptics. The facility has chlorine solution or other disinfectants to disinfect contaminated instruments in all required areas (e.g. in examination rooms). The facility has at least one accessible and functional toilet for patients. The facility has at least one accessible and functional toilet for staff. The facility has at least one accessible and functional toilet for staff. The toilet(s) or latrine is clean. A washing point is available near the toilet or latrine. Soap and water are available at the washing point near toilet or latrine. Public accountability Is the facility location visible displayed in public? Are the facility opening hours visibly displayed to the public? yes no Is a contact phone number visibly displayed to the public? yes	There is regular and appropriate collection for infectious waste	Ves
There is regular and appropriate collection for sharps waste. The facility has essential disinfectants and antiseptics. The facility has chlorine solution or other disinfectants to disinfect contaminated instruments in all required areas (e.g. in examination rooms). The facility has at least one accessible and functional toilet for patients. The facility has at least one accessible and functional toilet for staff. The toilet(s) or latrine is clean. A washing point is available near the toilet or latrine. Soap and water are available at the washing point near toilet or latrine. Public accountability Is the facility location visible displayed in public? Are the facility opening hours visibly displayed to the public? yes no Is a contact phone number visibly displayed to the public? yes	There is regular and appropriate collection for infectious waste.	*
The facility has essential disinfectants and antiseptics. The facility has chlorine solution or other disinfectants to disinfect contaminated instruments in all required areas (e.g. in examination rooms). The facility has at least one accessible and functional toilet for patients. The facility has at least one accessible and functional toilet for staff. The facility has at least one accessible and functional toilet for staff. The toilet(s) or latrine is clean. A washing point is available near the toilet or latrine. Soap and water are available at the washing point near toilet or latrine. Public accountability Is the facility location visible displayed in public? Are the facility opening hours visibly displayed to the public? yes no Is a contact phone number visibly displayed to the public? yes		no
The facility has essential disinfectants and antiseptics. The facility has chlorine solution or other disinfectants to disinfect contaminated instruments in all required areas (e.g. in examination rooms). The facility has at least one accessible and functional toilet for patients. The facility has at least one accessible and functional toilet for staff. The facility has at least one accessible and functional toilet for staff. The toilet(s) or latrine is clean. A washing point is available near the toilet or latrine. Soap and water are available at the washing point near toilet or latrine. Public accountability Is the facility location visible displayed in public? Are the facility opening hours visibly displayed to the public? yes no Is a contact phone number visibly displayed to the public? yes	There is no mules and common sistence the client for the	1,,,,
The facility has essential disinfectants and antiseptics. The facility has chlorine solution or other disinfectants to disinfect contaminated instruments in all required areas (e.g. in examination rooms). The facility has at least one accessible and functional toilet for patients. The facility has at least one accessible and functional toilet for staff. The facility has at least one accessible and functional toilet for staff. yes no The toilet(s) or latrine is clean. A washing point is available near the toilet or latrine. Soap and water are available at the washing point near toilet or latrine. Public accountability Is the facility location visible displayed in public? Are the facility opening hours visibly displayed to the public? yes no Is a contact phone number visibly displayed to the public? yes	There is regular and appropriate collection for sharps waste.	yes
The facility has chlorine solution or other disinfectants to disinfect contaminated instruments in all required areas (e.g. in examination rooms). The facility has at least one accessible and functional toilet for patients. The facility has at least one accessible and functional toilet for staff. The facility has at least one accessible and functional toilet for staff. The toilet(s) or latrine is clean. A washing point is available near the toilet or latrine. Soap and water are available at the washing point near toilet or latrine. Public accountability Is the facility location visible displayed in public? Are the facility opening hours visibly displayed to the public? yes no Is a contact phone number visibly displayed to the public? yes		no
The facility has chlorine solution or other disinfectants to disinfect contaminated instruments in all required areas (e.g. in examination rooms). The facility has at least one accessible and functional toilet for patients. The facility has at least one accessible and functional toilet for staff. The facility has at least one accessible and functional toilet for staff. The toilet(s) or latrine is clean. A washing point is available near the toilet or latrine. Soap and water are available at the washing point near toilet or latrine. Public accountability Is the facility location visible displayed in public? Are the facility opening hours visibly displayed to the public? yes no Is a contact phone number visibly displayed to the public? yes		
The facility has chlorine solution or other disinfectants to disinfect contaminated instruments in all required areas (e.g. in examination rooms). The facility has at least one accessible and functional toilet for patients. The facility has at least one accessible and functional toilet for staff. The facility has at least one accessible and functional toilet for staff. The toilet(s) or latrine is clean. A washing point is available near the toilet or latrine. Soap and water are available at the washing point near toilet or latrine. Public accountability Is the facility location visible displayed in public? Are the facility opening hours visibly displayed to the public? yes no yes no yes no	The facility has essential disinfectants and antiseptics.	yes
contaminated instruments in all required areas (e.g. in examination rooms). The facility has at least one accessible and functional toilet for patients. The facility has at least one accessible and functional toilet for staff. The facility has at least one accessible and functional toilet for staff. The toilet(s) or latrine is clean. A washing point is available near the toilet or latrine. Soap and water are available at the washing point near toilet or latrine. Public accountability Is the facility location visible displayed in public? Are the facility opening hours visibly displayed to the public? yes no Is a contact phone number visibly displayed to the public? yes		no
contaminated instruments in all required areas (e.g. in examination rooms). The facility has at least one accessible and functional toilet for patients. The facility has at least one accessible and functional toilet for staff. The facility has at least one accessible and functional toilet for staff. The toilet(s) or latrine is clean. A washing point is available near the toilet or latrine. Soap and water are available at the washing point near toilet or latrine. Public accountability Is the facility location visible displayed in public? Are the facility opening hours visibly displayed to the public? yes no Is a contact phone number visibly displayed to the public? yes		
rooms). The facility has at least one accessible and functional toilet for patients. The facility has at least one accessible and functional toilet for staff. The facility has at least one accessible and functional toilet for staff. yes no The toilet(s) or latrine is clean. A washing point is available near the toilet or latrine. Soap and water are available at the washing point near toilet or latrine. Public accountability Is the facility location visible displayed in public? Are the facility opening hours visibly displayed to the public? yes no Is a contact phone number visibly displayed to the public? yes	The facility has chlorine solution or other disinfectants to disinfect	yes
rooms). The facility has at least one accessible and functional toilet for patients. The facility has at least one accessible and functional toilet for staff. The facility has at least one accessible and functional toilet for staff. yes no The toilet(s) or latrine is clean. A washing point is available near the toilet or latrine. Soap and water are available at the washing point near toilet or latrine. Public accountability Is the facility location visible displayed in public? Are the facility opening hours visibly displayed to the public? yes no Is a contact phone number visibly displayed to the public? yes	contaminated instruments in all required areas (e.g. in examination	
The facility has at least one accessible and functional toilet for patients. The facility has at least one accessible and functional toilet for staff. The facility has at least one accessible and functional toilet for staff. yes no The toilet(s) or latrine is clean. A washing point is available near the toilet or latrine. Soap and water are available at the washing point near toilet or latrine. Public accountability Is the facility location visible displayed in public? Are the facility opening hours visibly displayed to the public? yes no Is a contact phone number visibly displayed to the public? yes		
The facility has at least one accessible and functional toilet for staff. The toilet(s) or latrine is clean. A washing point is available near the toilet or latrine. Soap and water are available at the washing point near toilet or latrine. Public accountability Is the facility location visible displayed in public? Are the facility opening hours visibly displayed to the public? yes no Is a contact phone number visibly displayed to the public? yes	Tooms,	
The facility has at least one accessible and functional toilet for staff. The toilet(s) or latrine is clean. A washing point is available near the toilet or latrine. Soap and water are available at the washing point near toilet or latrine. Public accountability Is the facility location visible displayed in public? Are the facility opening hours visibly displayed to the public? yes no Is a contact phone number visibly displayed to the public? yes		
The facility has at least one accessible and functional toilet for staff. The toilet(s) or latrine is clean. A washing point is available near the toilet or latrine. Soap and water are available at the washing point near toilet or latrine. Public accountability Is the facility location visible displayed in public? Are the facility opening hours visibly displayed to the public? yes no Is a contact phone number visibly displayed to the public? yes		
The facility has at least one accessible and functional toilet for staff. The toilet(s) or latrine is clean. A washing point is available near the toilet or latrine. Soap and water are available at the washing point near toilet or latrine. Public accountability Is the facility location visible displayed in public? Are the facility opening hours visibly displayed to the public? yes no Is a contact phone number visibly displayed to the public? yes	The facility has at least one accessible and functional toilet for patients.	yes
The facility has at least one accessible and functional toilet for staff. The toilet(s) or latrine is clean. A washing point is available near the toilet or latrine. Soap and water are available at the washing point near toilet or latrine. Public accountability Is the facility location visible displayed in public? Are the facility opening hours visibly displayed to the public? yes no Is a contact phone number visibly displayed to the public? yes		no
The toilet(s) or latrine is clean. A washing point is available near the toilet or latrine. Soap and water are available at the washing point near toilet or latrine. Public accountability Is the facility location visible displayed in public? Are the facility opening hours visibly displayed to the public? yes no Is a contact phone number visibly displayed to the public? yes		
The toilet(s) or latrine is clean. A washing point is available near the toilet or latrine. Soap and water are available at the washing point near toilet or latrine. Public accountability Is the facility location visible displayed in public? Are the facility opening hours visibly displayed to the public? yes no Is a contact phone number visibly displayed to the public? yes	The facility has at least one accessible and functional toilet for staff.	ves
The toilet(s) or latrine is clean. A washing point is available near the toilet or latrine. Soap and water are available at the washing point near toilet or latrine. Public accountability Is the facility location visible displayed in public? Are the facility opening hours visibly displayed to the public? yes no Are the facility opening hours visibly displayed to the public? yes no	, ,	
A washing point is available near the toilet or latrine. Soap and water are available at the washing point near toilet or latrine. Public accountability Is the facility location visible displayed in public? Are the facility opening hours visibly displayed to the public? yes no Yes no Yes no Yes no Yes no Yes yes yes yes yes yes yes		110
A washing point is available near the toilet or latrine. Soap and water are available at the washing point near toilet or latrine. Public accountability Is the facility location visible displayed in public? Are the facility opening hours visibly displayed to the public? yes no Yes no Yes no Yes no Yes no Yes yes yes yes yes yes yes	The toilet(s) or latrine is clean	VAS
A washing point is available near the toilet or latrine. Soap and water are available at the washing point near toilet or latrine. Public accountability Is the facility location visible displayed in public? Are the facility opening hours visibly displayed to the public? yes no Yes no Yes no Yes no Yes no Yes no	The tollet(3) of latifie is clean.	
Soap and water are available at the washing point near toilet or latrine. Public accountability Is the facility location visible displayed in public? Are the facility opening hours visibly displayed to the public? Is a contact phone number visibly displayed to the public? yes		110
Soap and water are available at the washing point near toilet or latrine. Public accountability Is the facility location visible displayed in public? Are the facility opening hours visibly displayed to the public? Is a contact phone number visibly displayed to the public? yes	A washing point is available poor the toilet or letring	Vec
Soap and water are available at the washing point near toilet or latrine. Public accountability Is the facility location visible displayed in public? Are the facility opening hours visibly displayed to the public? Is a contact phone number visibly displayed to the public? yes no	A washing point is available fleat the tollet of latifile.	
Public accountability Is the facility location visible displayed in public? Are the facility opening hours visibly displayed to the public? yes no Is a contact phone number visibly displayed to the public? yes		no
Public accountability Is the facility location visible displayed in public? Are the facility opening hours visibly displayed to the public? yes no Is a contact phone number visibly displayed to the public? yes		
Public accountability Is the facility location visible displayed in public? Are the facility opening hours visibly displayed to the public? yes no Is a contact phone number visibly displayed to the public? yes	Soap and water are available at the washing point near toilet or latrine.	
Is the facility location visible displayed in public? Are the facility opening hours visibly displayed to the public? yes no Is a contact phone number visibly displayed to the public? yes		no
Is the facility location visible displayed in public? Are the facility opening hours visibly displayed to the public? yes no Is a contact phone number visibly displayed to the public? yes		
Are the facility opening hours visibly displayed to the public? yes no Is a contact phone number visibly displayed to the public? yes	Public accountability	
Are the facility opening hours visibly displayed to the public? yes no Is a contact phone number visibly displayed to the public? yes		
Are the facility opening hours visibly displayed to the public? yes no Is a contact phone number visibly displayed to the public? yes	Is the facility location visible displayed in public?	yes
Is a contact phone number visibly displayed to the public? yes		no
Is a contact phone number visibly displayed to the public? yes		
Is a contact phone number visibly displayed to the public? yes	Are the facility opening hours visibly displayed to the public?	yes
Is a contact phone number visibly displayed to the public? yes		
	la a santast phono numban visible displayed to the multipa	1,,,,
no	is a contact phone number visibly displayed to the public?	
		no

	T
Are the tariffs visibly displayed to the public/patients?	yes
	no
Are the contact details of the Ministry of Health helpline for citizen	yes
complaints publicly displayed?	no
Are information leaflets about the Ministry of Health helpline for citizens	yes
complaints available at the heath facility?	no
Is information on the violation of the Kosovo law against tobacco	yes
displayed to the public?	no
Is the Charter of Patient's Rights and Responsibilities visibly displayed in	yes
the waiting area?	no
Do any of the leaflets/posters at the facility have a logo/trademark from a	yes
pharmaceutical company?	no
Does the facility have a box/book to get public opinion on the quality of	yes
services?	no
Does the facility have mechanisms to facilitate referral of emergency	yes
patients to the next level?	no
When was the last quality inspection by the health inspectors from the	
Ministry of Health?	
Is there a document or copy available of the following essential	
treatment / management guidelines for different common conditions treated in your health facility?	
Is the booklet on Therapeutic standard guideline for PHC available at	yes
the facility?	no
Is the list of essential drugs available at the facility?	yes
· ·	no
Are the following IEC materials visibly displayed to patients?	
The Calendar of health promotion developed by MOH or IPH	yes
The Calcination House promotion developed by Merrer 1171	no
The Calendar of Vaccination/Immunization	yes
	no
Awareness materials (posters, leaflets) (when counseling) based on	yes
standard package info (children, adults, women and reproductive health, seniors, mental health)	no
Does the facility have the following basic/essential medical equipment and supplies and are they functional?	
General medical equipment	
Microsurgery	available, functional

	available, NOT functional
	not available
Nebulizer	available, functional
	available, NOT functional
	not available
Ambu mask	available, functional
	available, NOT functional
	not available
Strong source of light in good condition (portable)	available, functional
	available, NOT functional
	not available
Nasal speculum	available, functional
	available, NOT functional
	not available
Otoscope	available, functional
	available, NOT functional
	not available
Ophtalmoscope	available, functional
	available, NOT functional
	not available
Doppler	available, functional
	available, NOT functional
	not available
Glucometer	available, functional
	available, NOT functional
	not available
Peak flow meter	available, functional
	available, NOT functional
	not available
Tape measure	available, functional
	available, NOT functional
	not available

available, NOT functional not available Head light Head light Available, functional available, NOT functional not available, NoT functional not available, functional available, functional not available, functional not available Weight scale for adults Weight scale for children (over 2 years old) Weight scale for infants and toddlers (up to 2 yers old) Weight scale for infants and toddlers (up to 2 yers old) Phygrnomanometer for children Sphygrnomanometer for children Sphygrnomanometer for adults Sphygrnomanometer for adults Sphygrnomanometer for adults Stethoscope for children Stethoscope for children Stethoscope for adults Stethoscope for adults Stethoscope for adults Stethoscope/Fetoscope Obstetrical stethoscope/Fetoscope available, functional not available available, functional available, functional not available available, functional available, functional available, functional available, functional available, functional not available Stethoscope for adults Stethoscope for adults Available, functional	Pen light	available, functional
Head light available, NOT functional available, NOT functional not available Neurological hammer available, NOT functional available, NOT functional available, NOT functional not available Weight scale for adults Weight scale for children (over 2 years old) weight scale for children (over 2 years old) available, NOT functional available, NOT functional not available Weight scale for infants and toddlers (up to 2 yers old) available, NOT functional not available Sphygmomanometer for children available, NOT functional not available Sphygmomanometer for adults available, NOT functional not available Sphygmomanometer for adults available, NOT functional not available Stethoscope for children available, NOT functional not available Stethoscope for adults Stethoscope for adults available, NOT functional not available available, NOT functional available, NOT functional available, NOT functional not available available, NOT functional available, NOT functional not available available, NOT functional		available, NOT functional
Neurological hammer Neurological hammer available, functional available, functional available, NOT functional available, NOT functional available Neight scale for adults Weight scale for children (over 2 years old) Weight scale for children (over 2 years old) Weight scale for infants and toddlers (up to 2 yers old) Weight scale for infants and toddlers (up to 2 yers old) Weight scale for infants and toddlers (up to 2 yers old) Sphygmomanometer for children Sphygmomanometer for children available, NOT functional		not available
Neurological hammer Available Availab	Head light	available, functional
Neurological hammer available, functional available, NOT functional not available Weight scale for adults Weight scale for children (over 2 years old) Weight scale for children (over 2 years old) Weight scale for infants and toddlers (up to 2 yers old) Weight scale for infants and toddlers (up to 2 yers old) Weight scale for infants and toddlers (up to 2 yers old) Sphygmomanometer for children Sphygmomanometer for children Sphygmomanometer for adults Sphygmomanometer for adults Stethoscope for children Stethoscope for children Stethoscope for adults Available, NOT functional not available not available Stethoscope for adults Available, NOT functional available, NOT functional not available, NOT functional		available, NOT functional
available, NOT functional not available Weight scale for adults Weight scale for children (over 2 years old) Weight scale for children (over 2 years old) Weight scale for infants and toddlers (up to 2 yers old) Weight scale for infants and toddlers (up to 2 yers old) Sphygmomanometer for children Sphygmomanometer for children Sphygmomanometer for adults Sphygmomanometer for adults Stethoscope for children Stethoscope for adults Stethoscope for adults Stethoscope for adults Available, NOT functional available Available, functional available Available, functional available Available, functional available Stethoscope for adults Stethoscope for adults Available, functional available Available, functional available Available, functional available, functional available, functional not available NOT functional available, functional available, functional available, NOT functional not available NOT functional available, NOT functional available, functional avai		not available
Weight scale for adults Weight scale for adults Weight scale for children (over 2 years old) Weight scale for children (over 2 years old) Weight scale for infants and toddlers (up to 2 yers old) Weight scale for infants and toddlers (up to 2 yers old) Sphygmomanometer for children Sphygmomanometer for children Sphygmomanometer for adults Sphygmomanometer for adults Stethoscope for children Stethoscope for adults Stethoscope for adults Stethoscope for adults Obstetrical stethoscope/Fetoscope available, functional available, incitional available, incitional available, NOT functional available, functional available, NOT functional available, functional available, functional available, functional available, functional	Neurological hammer	available, functional
Weight scale for adults available, NOT functional available, NOT functional not available, NOT functional available, NOT functional available, NOT functional not available, NOT functional not available, NOT functional not available, NOT functional available, NOT functional available, NOT functional not available, NOT functional not available, functional available, NOT functional not available, NOT functional not available Sphygmomanometer for adults Sphygmomanometer for adults Stethoscope for children Stethoscope for adults Stethoscope for adults Stethoscope for adults Obstetrical stethoscope/Fetoscope available, functional available, NOT functional available, NOT functional not available available, NOT functional		available, NOT functional
available, NOT functional not available Weight scale for children (over 2 years old) Weight scale for infants and toddlers (up to 2 yers old) Weight scale for infants and toddlers (up to 2 yers old) Sphygmomanometer for children Sphygmomanometer for children Sphygmomanometer for adults Sphygmomanometer for adults Sphygmomanometer for adults Stethoscope for children Stethoscope for adults Obstetrical stethoscope/Fetoscope available, NOT functional available, functional available, functional available, NOT functional available, NO		not available
Weight scale for children (over 2 years old) Weight scale for children (over 2 years old) Weight scale for infants and toddlers (up to 2 yers old) Weight scale for infants and toddlers (up to 2 yers old) Post available, NOT functional available, NOT functional available, NOT functional not available, NOT functional available, NOT functional not available, NOT functional not available, NOT functional available, NOT functional not available, NOT functional available, NOT functional not available, NOT functional not available, NOT functional not available, NOT functional available, NOT functional not available, NOT functional available, NOT functional not available, NOT functional not available, NOT functional not available, NOT functional available, NOT functional not available not available not not ava	Weight scale for adults	available, functional
Weight scale for children (over 2 years old) available, functional available, NOT functional not available, NOT functional available, functional available, functional available, NOT functional not available, NOT functional not available, NOT functional available, NOT functional available, NOT functional not available, NOT functional not available, NOT functional available, NOT functional not available, NOT functional not available, NOT functional not available Stethoscope for children available, functional available, NOT functional not available not available.		available, NOT functional
available, NOT functional not available Weight scale for infants and toddlers (up to 2 yers old) available, functional available, NOT functional not available, functional available, functional available, NOT functional not available Sphygmomanometer for adults available, NOT functional not available, functional available, NOT functional not available Stethoscope for children available, functional available, functional not available available, functional available, functional not available Obstetrical stethoscope/Fetoscope available, functional		not available
Weight scale for infants and toddlers (up to 2 yers old) Weight scale for infants and toddlers (up to 2 yers old) available, functional available, NOT functional not available, functional available, NOT functional not available Sphygmomanometer for adults Sphygmomanometer for adults available, functional available, functional available, NOT functional not available Stethoscope for children Stethoscope for adults Stethoscope for adults Available, NOT functional available available, NOT functional not available Obstetrical stethoscope/Fetoscope available, functional available, NOT functional	Weight scale for children (over 2 years old)	available, functional
Weight scale for infants and toddlers (up to 2 yers old) available, functional available, NOT functional not available, NOT functional available, NOT functional available, NOT functional not available Sphygmomanometer for adults Sphygmomanometer for adults available, functional available, functional not available Stethoscope for children Stethoscope for adults Stethoscope for adults Stethoscope for adults Obstetrical stethoscope/Fetoscope available, functional available, NOT functional not available available, NOT functional not available, NOT functional not available, NOT functional		available, NOT functional
available, NOT functional not available, functional available, functional available, functional available, NOT functional not available, NOT functional not available, NOT functional available, NOT functional available, NOT functional not available Stethoscope for children Stethoscope for adults Stethoscope for adults Stethoscope for adults Obstetrical stethoscope/Fetoscope available, NOT functional available, NOT functional not available, NOT functional available, NOT functional available, NOT functional available, NOT functional not available		not available
Sphygmomanometer for children Sphygmomanometer for children Sphygmomanometer for adults Sphygmomanometer for adults Sphygmomanometer for adults available, functional available, NOT functional not available Stethoscope for children Stethoscope for adults Stethoscope for adults Stethoscope for adults Obstetrical stethoscope/Fetoscope available, functional available, NOT functional	Weight scale for infants and toddlers (up to 2 yers old)	available, functional
Sphygmomanometer for children available, functional available, NOT functional not available Sphygmomanometer for adults available, functional available, NOT functional not available Stethoscope for children available, functional available, NOT functional available, NOT functional available, NOT functional not available Stethoscope for adults available, functional not available, NOT functional available, functional available, functional available, NOT functional available, NOT functional available, NOT functional available, NOT functional not available, NOT functional		available, NOT functional
available, NOT functional not available Sphygmomanometer for adults available, functional available, NOT functional not available, NOT functional not available, functional available, functional available, NOT functional not available, NOT functional not available Stethoscope for adults Stethoscope for adults available, functional available, NOT functional not available, NOT functional available, NOT functional not available Obstetrical stethoscope/Fetoscope available, functional		not available
Sphygmomanometer for adults available, functional available, NOT functional not available Stethoscope for children available, NOT functional available, NOT functional available, NOT functional not available Stethoscope for adults available, NOT functional not available Obstetrical stethoscope/Fetoscope available, functional	Sphygmomanometer for children	available, functional
Sphygmomanometer for adults available, functional available, NOT functional not available Stethoscope for children available, functional available, NOT functional not available Stethoscope for adults available, functional available, functional available, NOT functional available, NOT functional available, NOT functional available, NOT functional not available Obstetrical stethoscope/Fetoscope available, functional		available, NOT functional
available, NOT functional not available Stethoscope for children available, functional available, NOT functional not available Stethoscope for adults available, functional available, NOT functional available, NOT functional available, NOT functional available, NOT functional not available Obstetrical stethoscope/Fetoscope available, functional		not available
Stethoscope for children available, functional available, NOT functional not available Stethoscope for adults available, functional available, functional available, NOT functional available, NOT functional available, NOT functional not available Obstetrical stethoscope/Fetoscope available, functional	Sphygmomanometer for adults	available, functional
Stethoscope for children available, functional available, NOT functional not available Stethoscope for adults available, functional available, functional not available Obstetrical stethoscope/Fetoscope available, functional		available, NOT functional
available, NOT functional not available Stethoscope for adults available, functional available, NOT functional not available Obstetrical stethoscope/Fetoscope available, functional		not available
Stethoscope for adults available, functional available, NOT functional not available Obstetrical stethoscope/Fetoscope available, functional	Stethoscope for children	available, functional
Stethoscope for adults available, functional available, NOT functional not available Obstetrical stethoscope/Fetoscope available, functional		available, NOT functional
available, NOT functional not available Obstetrical stethoscope/Fetoscope available, functional		not available
Obstetrical stethoscope/Fetoscope available, functional	Stethoscope for adults	available, functional
Obstetrical stethoscope/Fetoscope available, functional		available, NOT functional
		not available
available. NOT functional	Obstetrical stethoscope/Fetoscope	available, functional
		available, NOT functional

Pelvimeter available, NOT functional available, NOT functional not available Sterilization equipment and anti-septical protocol available, NOT functional available, NOT functional not available, NOT functional not available Pulse eximeter available, NoT functional not available Refrigerator Available, NoT functional not available available, NoT functional not available Pulse oximeter available, NoT functional not available available, functional available available, functional available available, NOT functional not available Available, NOT functional not available Meter for height measuring (children over two years of age) Available, functional available, NOT functional not available Thermometer available, NOT functional not available Tuning fork available, functional available, NOT functional not available Tuning fork available, functional available, functional not available available, NOT functional not available available, functional available, functional available, functional available, NOT functional not available available, functional available, functional available, functional available, NOT functional not available available, functional available, NOT functional available, NOT functional available, NOT functional available, functional available, functional available, NOT functional		not available
Sterilization equipment and anti-septical protocol available, functional available, NOT functional not available Pulse oximeter Pulse oximeter available, NOT functional available, NOT functional not available Refrigerator available, functional available, functional available, functional not available Vaccine refrigerator/portable available, NOT functional not available, NOT functional not available, functional available, NOT functional not available, NOT functional not available, NOT functional not available, NOT functional not available Meter for height measuring (children over two years of age) Available, functional available, NOT functional not available available, NOT functional not available Thermometer available, functional available, NOT functional not available available, NOT functional not available available, NOT functional not available available, NOT functional not available, NOT functional	Pelvimeter	available, functional
Sterilization equipment and anti-septical protocol available, NOT functional not available, NOT functional not available, NOT functional not available Hight meter board for children (up to two years old) Weter for height measuring (children over two years of age) Thermometer Thermometer available, functional not available Tuning fork available, functional available, functional available, NOT functional not available available, NOT functional		available, NOT functional
Pulse oximeter Pulse oximeter Pulse oximeter Pulse oximeter Refrigerator Refrigerator Puscine refrigerator/portable Vaccine refrigerator/portable Vaccine refrigerator/portable Vaccine refrigerator/portable Pulse oximeter Pulse		not available
Pulse oximeter Pulse oximeter available, functional available, NOT functional not available Refrigerator available, NOT functional available, NOT functional not available, NOT functional not available, NOT functional available, NOT functional not available Meter for height measuring (children over two years of age) Where for height measuring (children over two years of age) Thermometer Thermometer available, NOT functional not available available, NOT functional not available available, NOT functional not available not available available, NOT functional not available, NOT functional not available, NOT functional available, NOT functional available, NOT functional not available, NOT functional available, NOT functional available, NOT functional available, NOT functional not available, NOT functional	Sterilization equipment and anti-septical protocol	available, functional
Pulse oximeter available, functional available, NOT functional not available Refrigerator Refrigerator/portable Vaccine refrigerator/portable Vaccine refrigerator/portable Wallable, NOT functional available, NOT functional available, NOT functional not available Available, NOT functional not available, Available, NOT functional available, NOT functional available, NOT functional not available Thermometer Tuning fork Tuning fork available, functional available, NOT functional not available available, NOT functional not available available, NOT functional available, NOT functional not available, NOT functional available, NOT functional not available, NOT functional not available, NOT functional available, NOT functional not available, NOT functional not available, NOT functional not available, NOT functional available, NOT functional not available, NOT functional not available, NOT functional not available, NOT functional		available, NOT functional
Refrigerator Refrigerator Refrigerator Refrigerator Refrigerator Available, NOT functional Available Refrigerator Not available, NOT functional Available, NOT functional Available Available, NOT functional Available Available, NOT functional Available Available, NOT functional Available, NOT functional Available Available, NOT functional Available Tuning fork Table for vision testing Available, NOT functional Available		not available
Refrigerator Refrigerator Refrigerator Refrigerator Refrigerator Refrigerator Pavailable, functional available, NOT functional not available, NOT functional available, NOT functional available, NOT functional not available Refrigerator/portable Pavailable, NOT functional available, functional available, functional available, NOT functional not available Tuning fork Pavailable, NOT functional available, NOT functional not available Table for vision testing Pavailable, NOT functional available, NOT functional	Pulse oximeter	available, functional
Refrigerator available, functional available, NOT functional not available Vaccine refrigerator/portable Vaccine refrigerator/portable Vaccine refrigerator/portable Vaccine refrigerator/portable Vaccine refrigerator/portable Available, NOT functional available Tuning fork Table for vision testing available, functional available, NOT functional		available, NOT functional
Available, NOT functional not available, NOT functional available, NOT functional available, not available, not available, not available, NOT functional not available, NOT functional available, NOT functional available, NOT functional not available, NOT functional not available, NOT functional not available, NOT functional available, NOT functional available, NOT functional not available Thermometer Tuning fork Tuning fork Table for vision testing available, NOT functional available available, functional available available, NOT functional not available available, NOT functional available, not available available, NOT functional not available available, NOT functional available available, NOT functional not available available, NOT functional available, NOT functional not available, NOT functional available, NOT functional not available, NOT functional available, NOT functional not available, NOT functional not available		not available
Vaccine refrigerator/portable Vaccine refrigerator/portable available, functional available, NOT functional not available Hight meter board for children (up to two years old) Available, NOT functional available, NOT functional not available Meter for height measuring (children over two years of age) Thermometer Thermometer available, NOT functional not available Tuning fork available, NOT functional available, NOT functional available, NOT functional available, NOT functional not available, NOT functional not available, NOT functional not available, NOT functional not available, NOT functional available, NOT functional available, NOT functional available, NOT functional not available, NOT functional	Refrigerator	available, functional
Vaccine refrigerator/portable available, functional available, NOT functional not available, functional available, NOT functional available, NOT functional available, NOT functional not available Neter for height measuring (children over two years of age) Meter for height measuring (children over two years of age) Thermometer available, NOT functional not available, functional available, Functional available, NOT functional not available available, NOT functional not available not available, functional available, NOT functional not available, NOT functional available, NOT functional not available, NOT functional available, NOT functional not available, NOT functional available, NOT functional not available, NOT functional		available, NOT functional
available, NOT functional not available Hight meter board for children (up to two years old) Available, functional available, NOT functional not available, NOT functional available, NOT functional available, functional available, NOT functional not available Thermometer Tuning fork Table for vision testing available, NOT functional available, functional available, functional available, NOT functional not available available, NOT functional available, functional available, NOT functional not available Table for vision testing available, functional available, functional not available, functional not available, NOT functional available, functional not available, NOT functional not available, NOT functional not available		not available
Hight meter board for children (up to two years old) Available, functional available, NOT functional not available Meter for height measuring (children over two years of age) Thermometer Thermometer Tuning fork Tuning fork Table for vision testing Table NOT functional available, NOT functional not available available, NOT functional not available not available, NOT functional available, NOT functional	Vaccine refrigerator/portable	available, functional
Hight meter board for children (up to two years old) available, functional available, NOT functional not available, NOT functional available, NOT functional available, NOT functional available, NOT functional not available, functional available, functional available, functional available, functional available, NOT functional not available Tuning fork available, NOT functional not available, NOT functional available, NOT functional available, NOT functional not available available, NOT functional not available, functional not available, functional not available, NOT functional not available, NOT functional available, NOT functional not available, NOT functional		available, NOT functional
available, NOT functional not available Meter for height measuring (children over two years of age) Thermometer Tuning fork Table for vision testing available, NOT functional available, functional available, NOT functional not available available, functional available available, functional available, functional available, functional available, NOT functional not available, NOT functional not available		not available
Meter for height measuring (children over two years of age) Available, functional available, NOT functional not available, functional available, functional available, functional available, NOT functional not available Tuning fork Available, functional available, functional available, functional available, functional available, NOT functional not available available, NOT functional not available, functional not available, functional available, functional available, NOT functional not available, NOT functional	Hight meter board for children (up to two years old)	available, functional
Meter for height measuring (children over two years of age) available, functional available, NOT functional not available, functional available, NOT functional available, NOT functional not available Tuning fork available, NOT functional available, NOT functional available, NOT functional available, NOT functional not available available, NOT functional not available, NOT functional not available, NOT functional available, NOT functional not available		available, NOT functional
available, NOT functional not available Thermometer available, functional available, NOT functional not available Tuning fork available, functional available, NOT functional available, NOT functional not available Table for vision testing available, NOT functional available, NOT functional not available not available		not available
Thermometer available, functional available, NOT functional not available Tuning fork available, functional available, functional available, NOT functional not available Table for vision testing available, NOT functional available, NOT functional not available, NOT functional available, NOT functional not available	Meter for height measuring (children over two years of age)	available, functional
Thermometer available, functional available, NOT functional not available, functional available, functional available, NOT functional not available Table for vision testing available, functional available, functional not available, NOT functional available, NOT functional not available		available, NOT functional
available, NOT functional not available Tuning fork available, functional available, NOT functional not available Table for vision testing available, functional available, functional available, functional available, NOT functional not available		not available
Tuning fork Tuning fork available, functional available, NOT functional not available Table for vision testing available, functional available, NOT functional available, NOT functional not available	Thermometer	available, functional
Tuning fork available, functional available, NOT functional not available Table for vision testing available, functional available, NOT functional not available not available		available, NOT functional
available, NOT functional not available Table for vision testing available, functional available, NOT functional not available		not available
Table for vision testing available, functional available, NOT functional not available	Tuning fork	available, functional
Table for vision testing available, functional available, NOT functional not available		available, NOT functional
available, NOT functional not available		not available
not available	Table for vision testing	available, functional
		available, NOT functional
Ear syringe available, functional		not available
	Ear syringe	available, functional

	available, NOT functional
	not available
Scissors	available, functional
	available, NOT functional
	not available
Timer	available, functional
	available, NOT functional
	not available
Snellen eye chart	available
	not available
Children growth chart	available
	not available
Tongue depressor	available
	not available
Gynacological service equipment	
Gynecological bed	available, functional
	available, NOT functional
	not available
Gynecological instruments	available, functional
	available, NOT functional
	not available
Oxygen tank (tube)	available, functional
	available, NOT functional
	not available
Vaginal speculum, small size	available
	not available
Vaginal speculum, medium size	available
	not available
Vaginal speculum, large size	available
	not available
Pap smear materials: (brush, spatula, holder)	available
	not available

Gloves (latex)	available
	not available
Masks for doctors	available
	not available
Delivery set: available?	yes
	no not applicable
Delivery set: sterile	yes
Does the delivery set contain	no
Haemostatic pincette	available, functional
	available, NOT functional
	not available
Obstetrical forceps	available, functional
	available, NOT functional
	not available
Scissors	available, functional
	available, NOT functional
	not available
Sterile cat gut	available, functional
	available, NOT functional
	not available
Sterile gauze	available, functional
	available, NOT functional
	not available
Umbilical cordon clip	available
	not available
Needles and needle bearer	available
	not available
Anatomic pincette	available
	not available
Sterile surgical gloves (two pairs)	available
	not available

	I
Surgical coat	available
	not available
Oxytocin ampoule (one) + metergine ampoule (one)	available
	not available
Syringes	available
	not available
Plastic aspiration tubes for newborns	available
	not available
Lydocain (One vial)	available
	not available
Betadine solution (vials)	available
	not available
Oxytocin (vials)	available
	not available
Advanced equipment	
EKG machine	available, functional
	available, NOT functional
	not available
Sterilizer/Autoclave	available, functional
	available, NOT functional
	not available
Photometer	available, functional
	available, NOT functional
	not available
Centrifuge	available, functional
	available, NOT functional
	not available
X-ray	available, functional
	available, NOT functional
	not available
Defibrillator	available, functional
	available, NOT functional
	I .

	not available
Ultrasound machine	available, functional
	available, NOT functional
	not available
Microsope	available, functional
	available, NOT functional
	not available
Necessary tools/materials to assess and monitor child growth	
Box of blocks in different colors	VOC
BOX OF BIOCKS III different colors	yes no
Rattle, small red ball hung in a piece of thread	yes
	no
Book with simple illustrations or some sheets of color paper with	yes
illustrations, i.e. a flower, a girl, a car, a cat, etc.	no
Large and thin pencils, sheets of paper for drawings	yes
	no
Doll	yes
	no
Hairbrush	yes
	no
Small plate and spoon	yes
	no
Cups	yes
	no
Simple puzzles with 2-3 pieces	yes
	no
Sheet with stripes and shapes	yes
	no
Were the following products available the day of the visit?	
Do you have all vaccines available today as foreseen by the calendar of	yes
vaccinations?	no
Water for injections	yes
The state of the s	no
Atropin sulphat	yes
	no

Dextrose solution	yes
	no
Manitol solution	yes
Walled Science	no
Diazepam	yes
	no
ADRENALINE / Epinephrine	yes
	no
Furosemid	yes
	no
Natrium chloride solution	yes
	no
GLYCERYL TRINITRATE/Nitroglycerin	yes
	no
Dexamethason	yes
	no
Antitetanus serum	yes no
	110
ANTIVENOM IMUNOGLOBULIN/Antivipera serum	yes
	110
ORAL REHIDRATATION SALT/Tresol (O.R.S)	yes
	110
BENZYLPENICILLIN/ Bipenicillin	yes
METOCLOPRAMIDE/ Methochopramid	yes no
DADACETAMOL (A catagoria carbons	
PARACETAMOL/Acetaminophen	yes
Morphin sulphate	. Voc
Morphin sulphate	yes no
Diclofenac	yes
Didicitate	no
Salbutamol (nebulizer)	yes
,	no
Hydrocortison	yes
	no
Contraceptives: oral (COC, POP), Injectables, DIU, Condoms	yes
	no
Emergency conceptive pill / LEVONORGESTREL	yes
	no
Plastic syringes	yes
	no

Needles for syringes	yes
	no
POVIDON JOD/lodine solution	yes
	no
Surgical gloves	yes
	no
A many initial / a my the many value	Lyon
Amoxicillin/erythromycin	yes
CHLOROPIRAMINE/Chlorfeniramin (oral antihistaminic)	yes
	no
ACID ACETYLSALICYLIC/Aspirin	yes
	no
Atomolollar stormalal	
Atenolol/metoprolol	yes
	TIO .
Sol.Glucose	yes
	no
HYOSCINE BUTYLBROMIDE/Buscopan	yes
THOSOINE BOTTEBROWNBE/Buddopan	no
Folic acid	yes
	no
Oxygen	yes
	no
Dandagaa	L VOO
Bandages	yes no
Gauze	yes
	no
Hydrogen peroxide	yes
7 3 1	no
11. 1. 1.95	
Hydrophilic cotton	yes
	TIO .
Plastic perfusion system	yes
	no
Spiritus aethylicus 70% (alcohol)	yes
opinios domynoso 1070 (diodnot)	no
Ranitidin	yes
	no
Magnesium Sulphate	yes
	no
CUTUDE /Throad for atitable a	100
SUTURE/Thread for stitching wounds	yes
	TIO TIO
Kalium (potassium) iodine	yes
	no

Test strips for Glucometer	1/00
Test strips for Glucometer	yes no
Urine protein test strips	yes
	no
Urine ketones test strips	yes
	no
Urine microalbuminuria test strips	yes
Office microalbuminuma test strips	no
Fluorescein strips	yes
	no
Blood cholesterol assay	yes
	no
Lipid profile	yes
Lipid promo	no
Serum creatinine assay	yes
	no
Thank you very much for the interview.	
Interviewer comments	
Do you have any indication of cigarette smoke within the premises of the	yes
health facility?	no
End time of interview	
	Annuar
End time of interview Quality of Care Assessment - Clinical observation	Answers
	Answers
Quality of Care Assessment - Clinical observation Interviewer_ID	Answers
Quality of Care Assessment - Clinical observation	Answers
Quality of Care Assessment - Clinical observation Interviewer_ID	Answers
Quality of Care Assessment - Clinical observation Interviewer_ID IMEI (International Mobile Equipment Identity) Date of interview	Answers
Quality of Care Assessment - Clinical observation Interviewer_ID IMEI (International Mobile Equipment Identity)	Answers
Quality of Care Assessment - Clinical observation Interviewer_ID IMEI (International Mobile Equipment Identity) Date of interview	Answers
Quality of Care Assessment - Clinical observation Interviewer_ID IMEI (International Mobile Equipment Identity) Date of interview Start time of interview Name of municipality	Answers
Quality of Care Assessment - Clinical observation Interviewer_ID IMEI (International Mobile Equipment Identity) Date of interview Start time of interview	Answers
Quality of Care Assessment - Clinical observation Interviewer_ID IMEI (International Mobile Equipment Identity) Date of interview Start time of interview Name of municipality	Answers
Quality of Care Assessment - Clinical observation Interviewer_ID IMEI (International Mobile Equipment Identity) Date of interview Start time of interview Name of municipality Name of facility Good morning! My name is [NAME]. We are here on behalf of the Accessible Quality Healthcare Project funded by the Swiss Development	Answers
Quality of Care Assessment - Clinical observation Interviewer_ID IMEI (International Mobile Equipment Identity) Date of interview Start time of interview Name of municipality Name of facility Good morning! My name is [NAME]. We are here on behalf of the Accessible Quality Healthcare Project funded by the Swiss Development Cooperation to conduct a survey of selected health facilities of the	Answers
Quality of Care Assessment - Clinical observation Interviewer_ID IMEI (International Mobile Equipment Identity) Date of interview Start time of interview Name of municipality Name of facility Good morning! My name is [NAME]. We are here on behalf of the Accessible Quality Healthcare Project funded by the Swiss Development Cooperation to conduct a survey of selected health facilities of the project. The objective of this study is to assess the quality of health care	Answers
Quality of Care Assessment - Clinical observation Interviewer_ID IMEI (International Mobile Equipment Identity) Date of interview Start time of interview Name of municipality Name of facility Good morning! My name is [NAME]. We are here on behalf of the Accessible Quality Healthcare Project funded by the Swiss Development Cooperation to conduct a survey of selected health facilities of the project. The objective of this study is to assess the quality of health care services provided in health facilities. The Ministry of Health and ethical	Answers
Quality of Care Assessment - Clinical observation Interviewer_ID IMEI (International Mobile Equipment Identity) Date of interview Start time of interview Name of municipality Name of facility Good morning! My name is [NAME]. We are here on behalf of the Accessible Quality Healthcare Project funded by the Swiss Development Cooperation to conduct a survey of selected health facilities of the project. The objective of this study is to assess the quality of health care	Answers
Quality of Care Assessment - Clinical observation Interviewer_ID IMEI (International Mobile Equipment Identity) Date of interview Start time of interview Name of municipality Name of facility Good morning! My name is [NAME]. We are here on behalf of the Accessible Quality Healthcare Project funded by the Swiss Development Cooperation to conduct a survey of selected health facilities of the project. The objective of this study is to assess the quality of health care services provided in health facilities. The Ministry of Health and ethical review board has approved this study. Your experiences are very important to improve aspects related to	Answers
Quality of Care Assessment - Clinical observation Interviewer_ID IMEI (International Mobile Equipment Identity) Date of interview Start time of interview Name of municipality Name of facility Good morning! My name is [NAME]. We are here on behalf of the Accessible Quality Healthcare Project funded by the Swiss Development Cooperation to conduct a survey of selected health facilities of the project. The objective of this study is to assess the quality of health care services provided in health facilities. The Ministry of Health and ethical review board has approved this study. Your experiences are very important to improve aspects related to quality of care. Information collected from this interview/questionnaire will	Answers
Quality of Care Assessment - Clinical observation Interviewer_ID IMEI (International Mobile Equipment Identity) Date of interview Start time of interview Name of municipality Name of facility Good morning! My name is [NAME]. We are here on behalf of the Accessible Quality Healthcare Project funded by the Swiss Development Cooperation to conduct a survey of selected health facilities of the project. The objective of this study is to assess the quality of health care services provided in health facilities. The Ministry of Health and ethical review board has approved this study. Your experiences are very important to improve aspects related to quality of care. Information collected from this interview/questionnaire will be used by the Accessible Quality Healthcare Project. Summaries of	Answers
Quality of Care Assessment - Clinical observation Interviewer_ID IMEI (International Mobile Equipment Identity) Date of interview Start time of interview Name of municipality Name of facility Good morning! My name is [NAME]. We are here on behalf of the Accessible Quality Healthcare Project funded by the Swiss Development Cooperation to conduct a survey of selected health facilities of the project. The objective of this study is to assess the quality of health care services provided in health facilities. The Ministry of Health and ethical review board has approved this study. Your experiences are very important to improve aspects related to quality of care. Information collected from this interview/questionnaire will	Answers
Quality of Care Assessment - Clinical observation Interviewer_ID IMEI (International Mobile Equipment Identity) Date of interview Start time of interview Name of municipality Name of facility Good morning! My name is [NAME]. We are here on behalf of the Accessible Quality Healthcare Project funded by the Swiss Development Cooperation to conduct a survey of selected health facilities of the project. The objective of this study is to assess the quality of health care services provided in health facilities. The Ministry of Health and ethical review board has approved this study. Your experiences are very important to improve aspects related to quality of care. Information collected from this interview/questionnaire will be used by the Accessible Quality Healthcare Project. Summaries of findings might also be shared with municipal or national authorities. The information collected from you will be kept confidential within the	Answers
Interviewer_ID IMEI (International Mobile Equipment Identity) Date of interview Start time of interview Name of municipality Name of facility Good morning! My name is [NAME]. We are here on behalf of the Accessible Quality Healthcare Project funded by the Swiss Development Cooperation to conduct a survey of selected health facilities of the project. The objective of this study is to assess the quality of health care services provided in health facilities. The Ministry of Health and ethical review board has approved this study. Your experiences are very important to improve aspects related to quality of care. Information collected from this interview/questionnaire will be used by the Accessible Quality Healthcare Project. Summaries of findings might also be shared with municipal or national authorities.	Answers

interested in your disease or disease history but went to absorb a series	1
interested in your disease or disease history but want to observe some aspects on the care that the doctor provides to you. You are free to	
decide whether or not you participate in this study. If you decide not to do it, there will be no negative effect.	
Do I have your agreement to observe your consultation?	yes
	no
Is the patient during the consultation present?	yes no
Patient profile	
	famala
Patients' gender	female
	male
Patients' year of birth	
Mother/father/caretaker with child (child is patient)	yes no
	110
Profile of health staff	
Staff name	
Doctors' gender	female
	male
Doctors' year of birth	
Type of doctor that is observed	family doctor
	general doctor
	specialist
Please specify:	
Adherence of medical doctor to principles of clinical history and physical examination	
The medical doctor	yes
	no
greets the client.	yes no
Also allowable regions of the College	
sees the client in privacy/confidentiality.	yes no

makes the client comfortable (e.g. seat offered)	yes
	no
asks the client about concerns, allows client to explain his/her health	yes
issue.	no
10000.	110
has the patient medical record	yes
has the patient medical record	no
	IIO
uses the patient card for anamnesis	yes
uses the patient eard for anaminesis	
	no
For which illness is the patient seen?	arterial hypertension
	diabetes
	, ,
	referral
	other
Assessment of an adult diabetes mellitus patient - Does the medical	
doctor follow the clinical assessment procedures, investigations	
and treatment guidelines?	
Aska guastiana an tha illness shout	Voc
Asks questions on the illness about	yes
	no
any specific health complaints	yes
arry specific ficulti complaints	no
	110
general weakness	yes
gonoral wouldhood	no
	110
urine discharge	yes
utilie discharge	· ·
	no
vulvovaginitis or pruritus	Ves
varvovaginius or pruntus	yes
	no
annatita	Voo.
appetite	yes
	no
ava elekt	
eye-sight	yes
	no
visit to opthalmalogist	yes
	no
alaahal	VOC
alcohol	yes
	no
cmaking	VOS
smoking	yes
	no
using other medicine	VAS
using other medicine	yes
	no
sedentary way of life	Yes
Sedentary way of the	100
	no

adherence with diabetes treatment	yes
	no
Conducts examination	yes
	no
	not applicable
checks blood pressure	yes
	no
weight measurement / calculation of body-mass index	yes
	no
of skin, mucus membranes, nodes of lymph, ears, nose, thyroid	yes
glands	no
of eyes	yes
	no
of chest, auscultation of lungs	yes
	no
auscultation of heart	yes
	no
of abdomen, palpation of liver and signs of percussion	yes
	no
perfusion of legs (veines and feeling of legs)	yes
	no
and gives clear explanations to the client concerning the purpose of	yes
tests and procedures.	no
Advices, explains, instructs	yes
	no
results of examinations	yes
	no
the situation and diagnosis	yes
	no
the prognosis	yes
	no
about needed examinations	yes
	no
nutrition, i.e. food intake and weight decrease	yes
	no
on the prevention and treatment of hypoglycemia and other acute and	yes
chronic complications of diabetes	no
on selfmonitoring - glycemia control and prevention of hypoglycaemia	yes
	no
about alcohol	yes
	no

about smoking	yes
	no
about physical exercise	yes
about physical exercise	no
right ways of care of legs	yes
	no
potential complication of the illness	yesno
potential risks if illness is not treated	yes
	no
importance of adherence to treatment	yes
'	no
about follow-up visit	yes
	no
Advices, explains, instructs	yes
Advices, explains, instituets	no
	not applicable
about the referral	yes
	no not applicable
	not applicable
on prescribed medicines/treatment	yes
•	no
	not applicable
Assessment of an adult patient with arterial hypertension - Does the medical doctor follow the assessment procedures, investigations	постаррнование
medical doctor follow the assessment procedures, investigations and treatment guidelines?	Тостарриодого
medical doctor follow the assessment procedures, investigations	yes
medical doctor follow the assessment procedures, investigations and treatment guidelines?	
medical doctor follow the assessment procedures, investigations and treatment guidelines? Asks questions on the illness about	yes no
medical doctor follow the assessment procedures, investigations and treatment guidelines?	yes
medical doctor follow the assessment procedures, investigations and treatment guidelines? Asks questions on the illness about any specific health complaints	yes no yes
medical doctor follow the assessment procedures, investigations and treatment guidelines? Asks questions on the illness about	yes no yes
medical doctor follow the assessment procedures, investigations and treatment guidelines? Asks questions on the illness about any specific health complaints	yes no yes no
medical doctor follow the assessment procedures, investigations and treatment guidelines? Asks questions on the illness about any specific health complaints headache	yes no yes no
medical doctor follow the assessment procedures, investigations and treatment guidelines? Asks questions on the illness about any specific health complaints	yes no yes
medical doctor follow the assessment procedures, investigations and treatment guidelines? Asks questions on the illness about any specific health complaints headache the use of medicine other than for hypertension	yes no yes no yes no yes
medical doctor follow the assessment procedures, investigations and treatment guidelines? Asks questions on the illness about any specific health complaints headache	yes no yes no yes no yes
medical doctor follow the assessment procedures, investigations and treatment guidelines? Asks questions on the illness about any specific health complaints headache the use of medicine other than for hypertension	yes no yes no yes no yes no
medical doctor follow the assessment procedures, investigations and treatment guidelines? Asks questions on the illness about any specific health complaints headache the use of medicine other than for hypertension the use of contraceptives	yes no yes no yes no yes no yes no yes no
medical doctor follow the assessment procedures, investigations and treatment guidelines? Asks questions on the illness about any specific health complaints headache the use of medicine other than for hypertension	yes no
medical doctor follow the assessment procedures, investigations and treatment guidelines? Asks questions on the illness about any specific health complaints headache the use of medicine other than for hypertension the use of contraceptives	yes no yes no yes no yes no yes no yes no
medical doctor follow the assessment procedures, investigations and treatment guidelines? Asks questions on the illness about any specific health complaints headache the use of medicine other than for hypertension the use of contraceptives	yes no
medical doctor follow the assessment procedures, investigations and treatment guidelines? Asks questions on the illness about any specific health complaints headache the use of medicine other than for hypertension the use of contraceptives eye-sight	yes no
medical doctor follow the assessment procedures, investigations and treatment guidelines? Asks questions on the illness about any specific health complaints headache the use of medicine other than for hypertension the use of contraceptives eye-sight visit to opthalmalogist	yes no
medical doctor follow the assessment procedures, investigations and treatment guidelines? Asks questions on the illness about any specific health complaints headache the use of medicine other than for hypertension the use of contraceptives eye-sight	yes no yes no
medical doctor follow the assessment procedures, investigations and treatment guidelines? Asks questions on the illness about any specific health complaints headache the use of medicine other than for hypertension the use of contraceptives eye-sight visit to opthalmalogist	yes no
medical doctor follow the assessment procedures, investigations and treatment guidelines? Asks questions on the illness about any specific health complaints headache the use of medicine other than for hypertension the use of contraceptives eye-sight visit to opthalmalogist	yes no yes no
medical doctor follow the assessment procedures, investigations and treatment guidelines? Asks questions on the illness about any specific health complaints headache the use of medicine other than for hypertension the use of contraceptives eye-sight visit to opthalmalogist alcohol	yes no yes no

sedentary way of life	yes
	no
Asks questions on the illness about	yes
	no
	not applicable
high blood pressure	yes
	no
	not applicable
adherence with hypertension treatment	yes
	no
	not applicable
Conducts examination	yes
	no
checks blood pressure	yes
	no
	110
weight measurement / calculation of body-mass index	yes
	no
of skin, mucus membranes, nodes of lymph, ears, nose, thyroid	yes
glands	no
of eyes	yes
	no
of chest, auscultation of lungs	yes
	no
auscultation of heart	yes
	no
of abdomen, palpation of liver and signs of percussion, palpation of	yes
kidneys	no
perfusion of legs (pulse and perfusion of legs)	yes
	no
and gives clear explanations to the client concerning the purpose of	yes
tests and procedures.	no
Advices, explains, instructs	yes
	no
results of examinations	yes
	no
the situation and diagnosis	yes
	no
the prognosis	yes
	no
about needed examinations	yes
	no

-h d -i f d hi	T
about signs of extreme hypertension	yes
	no
about what to do when signs of extreme hypertension occur	yes
,,	no
nutrition, i.e. food intake	yes
	no
about alcohol	yes
	no
about smoking	yes
	no
about physical exercise	yes
	no
about oral contraceptives	yes
	no
potential complication of the illness	yes
	no
potential risks if illness is not treated	yes
	no
importance of adherence to treatment	yes
	no
about follow-up visit	yes
·	no
Advices, explains, instructs	Yes
	no
	not applicable
about the referral	yes
	no not applicable
	not applicable
on prescribed medicines/treatment	yes
	no not applicable
Assessment of a patient with other condition than diabetes or	
arterial hypertension.	
Asks questions on the illness about	yes
	no
takes patient history (general history, specific to disease)	yes
	no
asks open ended questions during history taking	yes
	no
asks about any prescriptions the client is currently taking.	yes
	no

listens to the client and responds to client questions.	yes
	no
Conducts examination	yes
	no not applicable
	пот аррисаме
performs medical examinations and other investigations as	yes
individually required.	no not applicable
	пот аррпсавіе
gives clear explanations to the patient concerning the purpose of	yes
medical examinations and other investigations.	no
	not applicable
Advices, explains, instructs	yes
	no
results of examinations	yes
	no
the situation and diagnosis	yes
	no
the prognosis	yes
and progression	no
about needed examinations	Vec
about needed examinations	yes
about follow-up visit	yes
	l
	no
Advices, explains, instructs	no yes
Advices, explains, instructs	yes no
Advices, explains, instructs	yes
Advices, explains, instructs about the referral	yes no
	yes no not applicable yes no
	yes no not applicable yes
	yes no not applicable yes no
about the referral	yes no not applicable yes no not applicable yes no not applicable yes no
about the referral	yes no not applicable yes no not applicable yes
about the referral	yes no not applicable yes no not applicable yes no not applicable yes no
about the referral on prescribed medicines/treatment	yes no not applicable yes no not applicable yes no not applicable yes no not applicable
about the referral on prescribed medicines/treatment	yes no not applicable yes no not applicable yes no not applicable yes no not applicable yes no
about the referral on prescribed medicines/treatment	yes no not applicable yes no not applicable yes no not applicable yes no not applicable
about the referral on prescribed medicines/treatment on risks factors/health education Did the medical doctor apply infection prevention and control	yes no not applicable yes no not applicable yes no not applicable yes no not applicable yes no
about the referral on prescribed medicines/treatment on risks factors/health education	yes no not applicable yes no not applicable yes no not applicable yes no not applicable yes no
about the referral on prescribed medicines/treatment on risks factors/health education Did the medical doctor apply infection prevention and control	yes no not applicable yes no not applicable yes no not applicable yes no not applicable yes no
about the referral on prescribed medicines/treatment on risks factors/health education Did the medical doctor apply infection prevention and control measures?	yes no not applicable yes no not applicable yes no not applicable yes no not applicable yes no
about the referral on prescribed medicines/treatment on risks factors/health education Did the medical doctor apply infection prevention and control measures?	yes no not applicable yes no not applicable yes no not applicable yes no not applicable yes no
about the referral on prescribed medicines/treatment on risks factors/health education Did the medical doctor apply infection prevention and control measures? The doctor	yes no not applicable yes no not applicable yes no not applicable yes no not applicable yes no not applicable
about the referral on prescribed medicines/treatment on risks factors/health education Did the medical doctor apply infection prevention and control measures? The doctor	yes no not applicable yes no not applicable yes no not applicable yes no not applicable yes no not applicable

washed hands after the procedure (including use of soap).	yes no not applicable
applied proper decontamination procedures (e.g. soaking contaminated instruments into a bucket with chlorine or any other disinfectant)	yes no not applicable
put on gloves where required.	yes no not applicable
put on a mask where required.	yes no not applicable
closed the consultation politely.	yes no not applicable
Does the doctor document the consultation in the patient card?	yes no
Thank you very much for the interview.	
Interviewer comments	
End time of interview	
Quality of Care Assessment - Exit Interview	Answers
Interviewer_ID	
IMEI (International Mobile Equipment Identity)	
IMEI (International Mobile Equipment Identity) Date of interview	
IMEI (International Mobile Equipment Identity)	
IMEI (International Mobile Equipment Identity) Date of interview	
IMEI (International Mobile Equipment Identity) Date of interview Start time of interview	
IMEI (International Mobile Equipment Identity) Date of interview Start time of interview Name of municipality	
IMEI (International Mobile Equipment Identity) Date of interview Start time of interview Name of municipality Name of facility Good morning! My name is [NAME]. We are here on behalf of the Accessible Quality Healthcare Project funded by the Swiss Development Cooperation to conduct a survey of health facilities in our project area. The objective of this study is to assess the quality of health care services provided in health facilities. The Ministry of Health and the ethical review	
IMEI (International Mobile Equipment Identity) Date of interview Start time of interview Name of municipality Name of facility Good morning! My name is [NAME]. We are here on behalf of the Accessible Quality Healthcare Project funded by the Swiss Development Cooperation to conduct a survey of health facilities in our project area. The objective of this study is to assess the quality of health care services provided in health facilities. The Ministry of Health and the ethical review board has approved this study. We would like to interview people who have today consulted the medical doctor for their own health issues or for a child. Your experiences are very important to improve aspects related to quality of care. Information collected from this interview/questionnaire will be used by Accessible Quality Healthcare Project. Summaries of findings	

Have you been here today for issues related to your own health or the one of a child (child must be with the person)?	Į.
Socio-demographic information	
Patients' gender	
male	
Year of birth	
Mother/father/caretaker older 18 with child (child is patient) yes no	
Satisfaction with health service	
very unsatisfied	
Overall: How satisfied were you with the services you received today?	
satisfied	
very satisfied	
Received services	
Excluding today: How often did you over the past 3 month access this did not access this HC in the 3 months	past
HC?	
more than 3 times	
chronic condition	
antenatal care	
What was the reason for your consultation today? child health	
immunisation	
other	
conduct an examination	
Write you a prescription	
Did the medical doctor Other	
Aspects of todays consultation	
At the beginning of the consultation, were you given the opportunity to explain your health problem? yes no	
During your visit today, did the medical doctor ensure your privacy? yes no	
Did the medical doctor explain the questioning and physical examinations and your health problem?	
Did the medical doctor clearly explain the intake of prescribed medicines to you?	
Did the medical doctor ask if you are currently taking any (other) prescriptions? yes no	
During consultation were you given a chance to ask questions about the investigations and your health problem and treatment? yes no	
Did the medical doctor listen carefully to your concerns and questions and did he/she give satisfactory answers?	
During consultation, did you get any advice on your health problem? yes no	
Was the medical doctor polite in general during consultation? yes no	
We would now also like to ask you a few questions on your knowledge and opinion on health. Are you willing to continue the interview with me for some more questions?	
and opinion on health. Are you willing to continue the interview with me for	

	difficult or fast breathing
	fever
	chest in drawing
	chest pain especially when
	breathing deeply
	blue lips and nail beds (cyanosis)
	seizures
	inability to swallow
In your opinion, what are symptoms that children with Acute Respiratory Infections (ARI) have?	inability to drink or breastfeed
milestone (MM) nave:	vomiting after each drinking or breastfeeding
	irritation
	dehydration
	comorbidities/polyorganic
	deficiency
	blood streaked sputum
	don't know
	other
PLEASE SPECIFY	
	air droplets
	fomites
In your opinion, how do people get infected with ARI?	dirty hands
	other
	don't know
PLEASE SPECIFY	
	every day
	several days a week
How often do people smoke in the same room where your child is	several days a month
present?	once a month or less
	never
	don't know
	strongly agree
	agree
Knowing the symptoms and warning signs of ARI will help to visit the	neither agree, nor disagree
doctor in time.	disagree
	strongly disagree
	strongly agree
	agree
Smoky surroundings (due to tobacco smoking, fires, etc) have no effect	neither agree, nor disagree
on whether a baby catches pneumonia.	disagree
	strongly disagree
	drinking dirty water
	eating contaminated food by
What do you think are causes of diarrhea?	unwashed hands after defecation
	eating contaminated food
	food allergies
	other
	don't know
PLEASE SPECIFY	
	drinking clean water
How can you prevent diarrhea?	protect drinking water from contamination
	washing hands before preparing
	and eating food

	safe disposal feces by using safe
	latrine
	other
	don't know
PLEASE SPECIFY	
	visited doctor/family medicine center tried applying traditional therapy
What did you do when your child last had diarrhea?	at home
	nothing specific
	other
	don't know
PLEASE SPECIFY	
Do you give liquids to your child when he or she has diarrhea?	yes no
	medical prescription
	your own decision
How do you get the medication to treat diarrhea?	pharmacist recommendation
	other
PLEASE SPECIFY	-
TELAGE OF EOIL T	Any infant formula (baby food) [CERELAC, HIPP, NAN, VINNY, NESTOGENE] Any bread, rice, noodles, biscuits,
	cookies, or any other foods made from grains? Any dark green, leafy vegetables
	like parsley, spinach, or coriander?
Child's food diversity during the last 24 hours: Did you child eat any of the	Any vegetables/ cucumbers, eggplant, onion, tomato, pumpkins, carrots, potatoes?
following food items within the last 24 hours?	Any fruits/ apricot, apples, strawberry, bananas?
	Any meat/ beef, pork, lamb, chicken, fish?
	Any eggs?
	Any foods made from beans,
	peas, or lentils? Any cheese, yogurt or cottage cheese?
	Any food made with oil, fat, or butter?
	Any other food?
PLEASE SPECIFY	
	strongly agree
	agree
How much do you agree with the following statement: Unsafe water, poor	neither agree, nor disagree
sanitation and hygiene can cause the diarrhea but not ARI	disagree
	strongly disagree
Non-communicable diseases	
	diabetes
	high blood pressure
	obesity
Which risk factors for cardiovascular disease do you know?	smoking/tobacco use (Nos)
	high cholesterol/high blood fat
	unhealthy diet
	physical inactivity
	family history/genetics

which of the following is a typical symptom of a heart attack? Which of the following is not a typical symptom caused by diabetes? Which of the following is not a typical symptom caused by diabetes? age stress other don't know headache feeling thirsty pain in the legs don't know frequent need to urinate lower back pain tiredness unexplained weight loss don't know strongly agree
which of the following is a typical symptom of a heart attack? Which of the following is a typical symptom of a heart attack? Eeling thirsty pain in the legs don't know frequent need to urinate lower back pain tiredness unexplained weight loss don't know strongly agree
Which of the following is a typical symptom of a heart attack? Which of the following is a typical symptom of a heart attack? Ieft-sided chest pain headache feeling thirsty pain in the legs don't know frequent need to urinate lower back pain tiredness unexplained weight loss don't know strongly agree
which of the following is a typical symptom of a heart attack? Which of the following is a typical symptom of a heart attack? feeling thirsty pain in the legs don't know frequent need to urinate lower back pain tiredness unexplained weight loss don't know strongly agree
Which of the following is a typical symptom of a heart attack? Which of the following is a typical symptom of a heart attack? feeling thirsty pain in the legs don't know frequent need to urinate lower back pain tiredness unexplained weight loss don't know strongly agree
Which of the following is a typical symptom of a heart attack? headache feeling thirsty pain in the legs don't know
Which of the following is a typical symptom of a heart attack? feeling thirsty pain in the legs don't know frequent need to urinate lower back pain tiredness unexplained weight loss don't know strongly agree
pain in the legs don't know frequent need to urinate lower back pain tiredness unexplained weight loss don't know strongly agree
don't know frequent need to urinate lower back pain tiredness unexplained weight loss don't know strongly agree
Which of the following is not a typical symptom caused by diabetes? Which of the following is not a typical symptom caused by diabetes? Unexplained weight loss don't know strongly agree
Which of the following is not a typical symptom caused by diabetes? Ilower back pain tiredness unexplained weight loss don't know strongly agree
Which of the following is not a typical symptom caused by diabetes? tiredness unexplained weight loss don't know strongly agree
unexplained weight loss don't know strongly agree
don't know strongly agree
strongly agree
llow much do you gave a with the fallowing statement. Our muciely poorle
How much do you agree with the following statement: Overweight people are healthier.
disagree
strongly disagree
strongly agree
agree
How much do you agree with the following statement: Smoking does not neither agree, nor disagree
disagree
strongly disagree
strongly agree
agree
How much do you agree with the following statement: Changing my
lifestyle today will not affect my health later. disagree disagree
strongly disagree
strongly agree
agree
How much do you agree with the following statement: I cannot influence
my health because it depends on the doctors. disagree disagree
strongly disagree
no, not at the moment
Are you currently taking measures to have a healthy lifestyle?
yes, sometimes
yes frequently
not motivated
How motivated are you to change your lifestlye?
rather motivated
motivated
do more physical exercise
lose weight
eat less fat
What have you already changed in your life to decrease your risk of
What have you already changed in your life to decrease your risk of eat more fruits and vegetables getting cardiovascular disease? (do not read responses)
getting cardiovascular disease? (do not read responses) stop smoking /stop using Nos
getting cardiovascular disease? (do not read responses) stop smoking /stop using Nos control my diabetes more actively
getting cardiovascular disease? (do not read responses) stop smoking /stop using Nos

	I have never tried
Now a few last questions	
Basic information	
Did you pay today for your health consultation?	yes no
If no, why not?	benefitting from any economic or social aid scheme
	health insurance
	other
Please, SPECIFY	
Did you get a receipt for your payment?	yes no
Are you benefitting from any economic or social aid scheme?	yes no
This following questions concern the person who answered	
	never attended school
	completed lower primary school (max 5 years)
What school level did you complete?	completed primary school (9 years)
	completed high school (12 years)
	completed college/university
	other
PLEASE SPECIFY	
	farmer
	employed
	self-employed business
MIL-1 is seen assessed a seem of see O	housewife
What is your current occupation?	governmental employee, teacher, administrative / professional,
	unemployed
	pensioner
	Other
PLEASE SPECIFY	
Thank you very much for the interview.	
Interviewer comments	
End time of interview	

