

#### Republika e Kosovës

Republika Kosova - Republic of Kosovo Qeveria - Vlada - Government

Ministria e Shëndëtesisë Ministarstvo Zdravsta - Ministry of Health

# Primary Health Care in Kosovo

# SUMMARY REPORT

## KLOKOT MUNICIPALITY

# Quality of Care Study 2018





Accessible Quality Healthcare


Kujdesi Shëndetësor i Qasshëm dhe Cilësor Kvalitetna i Dostupna Zdravstvena Zaštita

SDC project implemented by Swiss TPH and Save the Children

## Primary Health Care in Kosovo

# **Quality of Care Study 2018**

Summary Report Klokot Municipality



Swiss Agency for Development and Cooperation SDC



SDC project implemented by Swiss TPH and Save the Children

## **Contacts**



Debra Stevenson Team Leader Accessible Quality Healthcare Project (AQH) debra.stevenson@aqhproject.org http://www.aqhproject.org/



Swiss Tropical and Public Health Institute Schweizerisches Tropen- und Public Health-Institut Institut Tropical et de Santé Publique Suisse

Associated Institute of the University of Basel

Swiss Tropical and Public Health Institute Socinstrasse 57 4002 Basel, Switzerland www.swisstph.ch

Manfred Zahorka Project Director Accessibly Quality Healthcare Project (AQH) Swiss Centre for International Health manfred.zahorka@swisstphl.ch

Consortium partner:



Save the Children Schweiz Sihlquai 253 8005 Zürich, Switzerland www.savethechildren.ch

## **Acknowledgements**

We are very thankful to Ms. Debra Stevenson, Dr. Qamile Ramadani and Dr. Merita Shehu and all the AQH staff for providing overall support to the study. We warmly thank our local study coordinator Dr. Pranvera Krasniqi and Dr. Myvedete Tershnjaku from the National Institute of Public Health Kosovo for their commitment and support in the implementation and quality assurance of the study. We would also like to thank Ms. Fetije Huruglica, Ms. Fekrije Hasani and Mr. Srdjan Simonović who supported in collecting the data relevant for the sampling of the study. Further, we are grateful to Applicable Research Solutions and its staff for ensuring a smooth implementation of data collection and field supervision. Specifically we would like to highlight the excellent work from our data collectors. Lastly we would like to express our gratitude to all participants in our survey including facility managers, doctors and patients.

## **Table of Contents**

1	Bac	kgroun	d & Objectives	5
2	Met	hodolog	зу	6
	2.1	Study	design	6
	2.2	Study	area & target population	6
	2.3	Sampl	e size and sampling strategy	6
	2.4	Data c	collection and analysis	7
	2.5	Limitat	tions	9
	2.6	Ethica	l considerations	9
3	Res	ults		10
	3.1	Summ	ary of results for municipality Klokot	10
		3.1.1	Infrastructure	10
		3.1.2	Clinical observation	10
		3.1.3	Exit Interviews	10
	3.2	Detaile	ed information on results	11
		3.2.1	Overall assessment of municipalities	11
		3.2.2	Number of observations and overall assessment	12
		3.2.3	Infrastructure	12
		3.2.4	Clinical Observations	20
		3.2.5	Exit Interviews	24
4	Ref	erences		26
Appendix A: Abbreviations				
Apr	endix	B: Que	estionnaire	28

## **Overview on tables**

Table 1 Overview rank of all municipalities in Kosovo, 2018	11
Table 2 Number of observations and overall assessment in Klokot Municipality	12
Table 3 Overall quality scores for Klokot Municipality	12
Table 4 Services offered	12
Table 5 Facility infrastructure and overall cleanliness and maintenance	13
Table 6 Hygiene	14
Table 7 Public accountability items	15
Table 8 Availability of guidelines and information materials	15
Table 9 Availability of general medical equipment	16
Table 10 Availability of Gynaecological service equipment	
Table 11 Availability of advanced equipment	17
Table 12 Availability of equipment to assess and monitor child growth	17
Table 13 Availability of medical products	
Table 14 Clinical observations overview table	20
Table 15 Adherence to principles of history and physical examination	20
Table 16 Infection prevention and control	20
Table 17 Patients with diabetes	21
Table 18 Patients with hypertension	22
Table 19 Patients consulting for other reasons than diabetes or hypertension	23
Table 20 Patients consulting for referrals	23
Table 21 Socio-demographic attributes among respondents of exit interviews	24
Table 22 Frequency and reason of visit of exit interviews	24
Table 23 Overall satisfaction with health services - exit interviews	25
Table 24 Satisfaction with different aspects of health service - exit interviews	25
Table 25 Payment for health service - exit interviews	25

## 1 Background & Objectives

The Accessible Quality Healthcare (AQH) project in Kosovo is funded by the Swiss Agency for Development and Cooperation (SDC) and implemented by a Consortium comprising Swiss Tropical and Public Health Institute (Swiss TPH) and Save the Children. The overall goal of the AQH project is to ensure that the health of the population of Kosovo has improved, with strengthened healthcare providers and managers able to meet the needs of the patients (especially vulnerable groups), who are more aware of their rights and needs.

At the request of the Ministry of Health, the AQH project conducted the first national **facility-based Quality of Care (QoC) study** from August to October 2018.

The objective of the study was to measure the quality of care related to structural and procedural aspects, as well as selected outcomes, in Primary Health Care (PHC) in all 38 municipalities in Kosovo.

The specific objectives of this study were to provide PHC service providers with information to:

- Assess the quality of health services provided in several PHC centres in each municipality, including specific structural and procedural aspects.
- Allow comparison of different aspects of quality of care between all municipalities.
- Determine to what degree health providers have infrastructure and consumables available as outlined in the national PHC norms or, where these are unavailable, those outlined in WHO standards.
- Assess patient satisfaction with the services provided at PHC centres.

For this study we considered an operational definition of the quality of health services based on the concept of quality of care presented by Donabedian (1988, 1990), which has frequently been used in similar studies (Boller and Wyss et al., 2003; Matthys, 2013; Kiefer and Kadesha, 2015; Lechthaler, 2015; AQH, 2016). This is characterized by three dimensions:

- 1) <u>Structural attributes</u> relate to the setting where health care is provided. These attributes mostly refer to the organizational structure, human and financial resources, as well as availability of technical resources such as clinical protocols and guidelines.
- <u>2) Process attributes</u> relate to the provider-client interaction, for example professional conduct and technical competence, as well as interpersonal relations/client satisfaction.
- <u>3) Outcome attributes</u> relate to the effect of care delivery on the health status of populations. Outcomes result from the structural and process attributes, for example, survival and recovery of patients or, more indirectly, patient satisfaction.

This operational definition is based on the assumption that the three dimensions are connected to each other and ultimately to service quality: good structure increases the likelihood of good processes and good process increases the likelihood of good outcomes, although outcomes are a consequence rather than a component of the quality of services.

## 2 Methodology

#### 2.1 Study design

The QoC study is designed as a facility-based cross sectional survey to measure aspects of the quality of care of PHC service. It captures the overall quality of the facility infrastructure (structural aspects), the quality of provider-patient interactions (process aspects) and patient satisfaction after consultation (outcome). The study assesses quality of care provided to all patient groups but particularly focuses on patients with diabetes and hypertension.

The modules for the QoC survey are based on a mix of indicators from the WHO Service Availability and Readiness Assessment (SARA) and the "Tool to Improve Quality of Health Care" within the "ACCESS" program supported by the Novartis Foundation for Sustainable Development (2014), as relevant. The modules were adapted to the Kosovo local context thereby taking into consideration the national PHC norms or, where these are unavailable, the WHO norms established in the Package of Essential Non Communicable Diseases (NCDs) Interventions.

## 2.2 Study area & target population

The survey was implemented in all municipalities. The QoC survey targets PHC facilities in both rural and urban areas. During the survey data was collected at three different levels: 1) the health facility, 2) the health provider and 3) the patients.

#### Inclusion criteria for the baseline assessment

Inclusion criteria for the health facilities were as follows:

- Main Family Medicine Centre (MFMC) or Family Medicine Centre (FMC)
- At least one medical doctor assigned to the facility for at least one day per week

Inclusion criteria for <u>health providers</u> of the selected facilities for provider-patient observations were:

- Doctors providing PHC services
- Patients (18 years or older, or children accompanied by a legal representative) accessing the facility and receiving a consultation from a health provider
- Oral informed consent provided by the provider
- Oral informed consent provided by the patient or his/her legal representative (mother/father/caretaker)

Inclusion criteria for patients accessing the selected facilities and receiving consultation were:

- Patients (18 years or older, or children accompanied by a legal representative) accessing the facility and receiving a consultation from a health provider
- Oral informed consent provided by the patient or his/her legal representative (mother/father/caretaker)
- Accessing the facility to receive services either for themselves or their accompanying minors.

## 2.3 Sample size and sampling strategy

#### Sampling of health facilities

We applied a random proportional-to-size sampling procedure for each of the domains assuming that the facilities will be allocated to urban and rural areas proportional to the size of

urban and rural populations in the region. The number of daily visits in June 2018 is considered a proxy of daily attendances.

#### Sampling of providers for provider-client observations

<u>All</u> provider-patient consultations, for which informed consent could be obtained from the patient or their legal representative, were observed in each health facility "Provider" hereby only refers to medical doctors (see inclusion criteria). A healthcare provider could but did not have to be observed repeatedly.

#### Sampling of patients for exit interviews

For the exit interviews, <u>all</u> patients that received care for themselves, or for a child in their care, at the facility were interviewed for the exit interview, provided they gave consent<sup>1</sup>. The patients included for exit interviews did not necessarily need to be the same as for the provider-patient observation (see inclusion criteria).

## 2.4 Data collection and analysis

#### Data collection

Before data collection, relevant authorities, specifically Directors for Health and Social Welfare (DHSW), mayors as well as managers of all selected facilities in all surveyed Municipalities were informed about the study, its purpose and its schedule at a meeting hosted by the Ministry of Health on 5<sup>th</sup> July 2018.

The data collection team consisted of 23 data collectors, divided into 10 sub-teams. Most data collectors had a background in medical training and public health and previous survey experience. Each data collection team was assigned to a set of designated facilities where they conducted the assessments. The data collection teams were closely monitored by the local study coordinator and supervisors. Data collection in the field took place from 10 September 2018 until 05 October 2018.

The following procedures were followed at each facility:

- 1) Introduction of purpose and procedures of the survey to the targeted service providers.
- 2) Data collection
  - Starting with provider-patient observations and exit interviews with patients conducted at the facility.
  - Exit interviews with clients were conducted in an appropriate location ensuring privacy and confidentiality.
  - Structural attributes related to infrastructure and management were assessed after the consultation hours in the afternoon.

Data collection was performed electronically using the Open Data Kit (ODK)<sup>2</sup> software on tablets. During and after each day of data collection, the local study coordinator and the supervisors conducted quality assurance.

#### Data analysis

During the analysis of the obtained data, full confidentiality of respondents was assured. Data was analysed using Stata Statistical Software/SE v15.0.

**Additive index**: The overall scores were calculated as additive indices to indicate the achieved percentage score. For a certain set of questions, e.g. infection prevention and control measures the additive index counts the answers/criteria which were fulfilled or not fulfilled. Questions/criteria which are not applicable were not considered. The number of positive

<sup>&</sup>lt;sup>1</sup> Depending on the capacity of the data collectors.

<sup>&</sup>lt;sup>2</sup> Open Data Kit (ODK) is a free and open-source set of tools for mobile data collection solutions. https://opendatakit.org/

answers is then divided by the total of valid answers (ratio). This way a percentage score is obtained for **each patient**.

Example: For infection prevention and control measures we measured five different aspects. For the first patient none of the aspects we measured was relevant, e.g. no examinations were done.

For the second patient only two of the five aspects were relevant: hand washing before and after the examination. Both actions were not observed. Hence this person had two valid answers but did not achieve any score. So the percentage score achieved for this person was 0.

For the third patient all five actions related to infection prevention and control measures were relevant. However, none of the five actions were observed. So the percentage score is yet once more 0.

The fourth patient was examined and instruments were used. Thus three aspects were relevant, but only one aspect (disinfection of instruments) observed. Hence 1 out of 3 were achieved, translating to a percentage score of 33%.

For the fifth patient all five aspects were considered relevant and all were also adhered to by the doctor. Hence for this person a percentage score of 100% was achieved.

The average index **for the facility** for infection and prevention measures would be calculated as 133/4=33%

Patient	Washed hands before	Washed hands after	Disinfected instruments	used gloves as required	used mask as required	Number of valid answers	Number of positive answers	Ratio (positive/valid answers)
1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
2	no	no	n/a	n/a	n/a	2	0	0
3	no	no	no	no	no	5	0	0
4	no	no	yes	n/a	n/a	3	1	33
5	yes	yes	yes	yes	yes	5	5	100
						Facil	ity Score	133/4=33

Yes/no: as observed; n/a: action was not needed, e.g. no examination conducted

**95% - CI**: A 95% confidence interval (CI) is used to analyse the data presented in Tables 15 - 20 whereby the average is a range with an upper and lower number calculated from a sample. Because the true population average is unknown, this range describes possible values that the mean could be. If multiple samples were drawn from the same population and a 95% CI calculated for each sample, we would expect the population mean to be found within 95% of these CIs. CIs are sensitive to variability in the population (spread of values) and sample size. We could say: we are confident that the real value lies somewhere within this value range. A confidence interval cannot be estimated if there is only one observation or if there is no variation of values.

**n**: number of observations in the sample

**Rank**: The rank provides an indication on the position of the municipality related to certain aspects. In other words: how does the municipality perform in comparison to the other 37 municipalities. In case of ties (=municipalities achieving the same score) the average rank is calculated and assigned, e.g. achievement scores are for two facilities 90, then their potential ranks 8 and 9 and are taken together and divided by 2. This results in the rank 8.5. Hence there is no rank 8 or 9 assigned and the next municipality would be assigned the rank 10.

#### 2.5 Limitations

#### Sample size

The study was designed as a nationwide survey. Hence, in comparison to a census, only randomly selected facilities were included in the study. Due to the different sizes of the municipalities, but also the different utilization patterns in the different municipalities, some municipalities had more facilities included than others. Some of the municipalities had only the MFMC and 1 FMC included. This limits our ability to show possible wider variations in these municipalities.

In addition some facilities had only a few visits from patients on the day(s) of the survey. Thus the numbers of observations or exit interviews varies substantially between the facilities.

#### Interviewer bias

Interviewers were trained and received clear instructions on the data collection, nevertheless variations between interviewers cannot be completely ruled-out.

#### **Clinical observations**

The observations protocols for diabetic and hypertensive patients were very detailed in comparison to other illnesses. Hence, this might partially explain achievement differences between those illnesses and all other.

#### 2.6 Ethical considerations

Before the interviews and observations, participants were given an information leaflet and asked for their consent. For this, participants were informed that a) their participation is voluntary, b) they can withdraw from participation at any time without any consequences, c) non-participation will not have any negative effects. Participants were also informed how the data will be used and that confidentiality is ensured as no names or other identifying aspects will be collected.

Ethical clearance was obtained from the Kosovo Medical Chamber on 3<sup>rd</sup> of August, 2018 (Reference Number: 04/2018).

## 3 Results

## 3.1 Summary of results for municipality Klokot

#### 3.1.1 Infrastructure

- One facility was included in the study PHC Ambulanta Klokot.
- The facility offers limited services.
- The facility received good scores for infrastructure, however communication equipment was missing.
- Cleanliness and hygiene scores were good, except for the safe disposal of infectious waste.
- Public accountability items and guidelines were largely missing from the facility.
- The facility had only limited general medical equipment and many medicines/medical products were not available.

#### 3.1.2 Clinical observation

- There were 8 observations at the facility.
- Four patients came for a general consultation: two attended for referral, two for diabetes. One of these four patients had hypertension.
- The score for the infection prevention was quite good (75%).
- Overall, the health care facility scored well in "adherence to principles of history and physical examination".
- The score for the treatment of patients with diabetes was 30%, with higher scores for questioning the patient (35%) and giving advice and information (39%).
- The score for the treatment of patients with hypertension was 17%. Since there was only one patient in this analysis the findings need to be interpreted with caution.
- The facility achieved a better score for the treatment of patients with medical problems other than hypertension and diabetes (75%), with a 100% score in the subgroup "conducting an examination" and 94% in "questioning the patient".

#### 3.1.3 Exit Interviews

- Seven patients were interviewed. Four were female.
- The majority of the patients had visited the health care facility at least once in the last three months.
- The reasons for the consultations were chronic illnesses (42.9%) and not further specified medical problems (57.1%).
- All patients were either satisfied or very satisfied with their consultation. The satisfaction with the different health care services was mostly very good. None of the patients had to pay for their consultation.

## 3.2 Detailed information on results

## 3.2.1 Overall assessment of municipalities

Table 1 Overview rank of all municipalities in Kosovo, 2018

		Infrastructure		Clinical Co	onsultation	Exit Interview	
Municipaliti es	Number of facilities	Infrastruct ure Score (%)	Infrastruct ure Rank	Clinical Consultatio n Score (%)	Clinical Consultatio n rank	Exit Interview Score (%)	Exit Interview rank
Partes/Pasj ane	1	85	1	84	1	97	1.5
Mitrovica North	1	80	2	68	20	77	34.5
Zvecan	1	78	3	54	34	73	38
Prishtinë	5	77	4	59	30.5	88	21
Strpce	1	76	5	78	8.5	94	5
Zubin Potok	1	73	6	67	22	79	32.5
Mamusha	1	68	7.5	77	10	89	18
Leposavic	1	68	7.5	61	29	75	36
Istog	2	65	10	78	8.5	97	1.5
Kaçanik	2	65	10	75	12	92	10
Gracanica	3	65	10	55	33	79	32.5
Prizren	8	64	13	83	2.5	91	14
Mitrovicë	6	64	13	81	4	87	23
Fushë Kosovë	3	64	13	70	18.5	84	28.5
Obiliq	2	63	15.5	83	2.5	85	26.5
Viti	2	63	15.5	67	22	88	21
Dardanë	2	62	19	79	6.5	93	7.5
Peja	3	62	19	72	17	94	5
Hani I Elezit	1	62	19	67	22	91	14
Rahovec	3	62	19	52	35	93	7.5
Gjakovë	5	62	19	46	36	89	18
Junik	1	61	22	42	37	88	21
Ranilug	1	60	24	75	12	86	24.5
Novo Brdo	2	60	24	75	12	77	34.5
Shtime	2	60	24	74	14.5	89	18
Ferizaj	4	59	26.5	74	14.5	85	26.5
Gjilan	5	59	26.5	64	25	82	30
Dragash	2	58	28	73	16	91	14
Skenderaj	3	57	29.5	80	5	94	5
Therandë	3	57	29.5	65	24	80	31
Klinë	2	56	31	79	6.5	92	10
Drenas	3	55	32.5	63	27	91	14
Vushtrri	3	55	32.5	59	30.5	74	37
Malishevë	3	53	34	63	27	91	14
Podujevë	2	51	35	56	32	84	28.5
Lipjan	5	49	36.5	70	18.5	86	24.5
Deçan	2	49	36.5	41	38	95	3
Klokot	1	44	38	63	27	92	10

#### 3.2.2 Number of observations and overall assessment

Table 2 Number of observations and overall assessment in Klokot Municipality

	Name of the facility	No. of clinical observations	No. of Exit interviews
1	PHC - Ambulanta Klokot	8	7

#### Table 3 Overall quality scores for Klokot Municipality

	PHC - Ambulanta Klokot
Infrastructure score (structural quality)	44%
Clinical score (process quality)	63%
Exit score (outcome quality)	92%

#### 3.2.3 Infrastructure

Table 4 Services offered

	PHC - Ambulanta Klokot
Family planning	no
Antenatal care	no
Obstetric and newborn care	no
Immunization	yes
Child care	yes
Adolescent health	yes
STI services	no
Tuberculosis services	no
NCD services	no
Surgery	no
Outreach activities (mother, newborn and child health)	yes
Lab services	no
X-ray	no
Physician present.	3-4 days per week

Table 5 Facility infrastructure and overall cleanliness and maintenance

Facility	PHC - Ambulanta Klokot
The facility and immediate surroundings (facility yard, waiting area outside) are free from long grass, paper debris and solid waste.	yes
The facility has a rubbish bin which is properly used and not overflowing.	yes
There is a designated waiting room for patients.	yes
The current waiting area is mopped, free of dust, trash; dirt, spider webs, and generally tidy.	yes
There is at least one designated consulting room for women.	no
There is at least one designated consulting room for children.	no
All examination room(s) ensure(s) privacy/confidentiality (door, window blind, curtain).	yes
All examination rooms are mopped, free of dust, trash; dirt, spider webs, and the rooms are generally tidy.	yes
All examination rooms are well illuminated.	yes
The facility has electricity	yes
During the past 7 working days, did you have any power cuts of more than 1 hour during opening hours.	no
Is there routinely a time of year when this facility has a severe shortage or lack of power?	no
If yes, specify:	not applicable
The facility has a functional generator	no
If the health facility has a functional generator: is fuel available today for the generator?	not applicable
The facility has a functional heating system.	yes
If yes, specify:	Drvo
Has the facility a functional communication equipment (functional landline telephone or cell phone) available (either private phone or facility phone)?	no
What type of phone do you have available?	not applicable
The facility has functional computer.	yes
The facility has a functional printer.	no
The facility has internet access.	yes
During the past 7 working days did you have internet for at least 1 hour every day?	yes
The administration shelf is filed and in order.	yes
Does the facility have a patient record system?	yes
In which year was the patient record system introduced?	2013
Are there sufficient empty patient record cards available?	yes

## Table 6 Hygiene

	PHC - Ambulanta Klokot
There is running water in the facility (out of the tap).	yes
There is warm water available (out of the tap).	yes
Is there routinely a time of year when this facility has a severe shortage or lack of water (out of the tap)?	no
If yes, SPECIFY when:	not applicable
If yes: In case there is a severe shortage or lack of water (out of the tap), where do you fetch water?	not applicable
Functional washing points exist in examination rooms and/or entrance hall, and soap or hand disinfectants and water are available.	yes
Labelled containers for medical waste disposal are available in all required areas (e.g. examination rooms).	no
The facility has adequate and safe disposal of sharps (sharps box/container).	no
The facility has adequate and safe disposal of infectious waste.	no
Sharps waste is temporary stored at a protected place.	yes
There is regular and appropriate collection for infectious waste.	no
There is regular and appropriate collection for sharps waste.	no
The facility has essential disinfectants and antiseptics.	yes
The facility has chlorine solution or other disinfectants to disinfect contaminated instruments in all required areas (e.g. in examination rooms).	yes
The facility has at least one accessible and functional toilet for patients.	yes
The facility has at least one accessible and functional toilet for staff.	yes
The toilet(s) or latrine is clean.	yes
A washing point is available near the toilet or latrine.	yes
Soap and water are available at the washing point near toilet or latrine.	yes

#### Table 7 Public accountability items

	PHC - Ambulanta Klokot
Facility visibly displayed	no
Opening hours visible	no
Phone number displayed	no
Tariffs displayed	no
Ministry of Health (MoH) complaints number displayed	no
Flyer about MoH complaints number available	no
Tobacco laws displayed	yes
Patient's rights and responsibilities displayed	yes
Logos of pharmaceutical industries showing	no
Mechanisms to give public opinion on the service	no
Mechanisms for referrals available	no
Year of last quality inspection by the Ministry	2017

#### Table 8 Availability of guidelines and information materials

	PHC - Ambulanta Klokot
Therapeutic standard guideline for PHC	no
List of essential drugs	no
Calendar for health promotion	no
Vaccination calendar	no
Are awareness materials based on standard package info	no

Table 9 Availability of general medical equipment

Facility	PHC - Ambulanta Klokot
Microsurgery	not available
Nebulizer	available, functional
Ambu mask	available, functional
Strong source of light in good condition (portable)	available, functional
Nasal speculum	available, functional
Otoscope	not available
Ophthalmoscope	not available
Doppler	not available
Glucometer	not available
Peak flow meter	not available
Tape measure	available, functional
Pen light	not available
Head light	not available
Neurological hammer	not available
Weight scale for adults	available, functional
Weight scale for children (over 2 years old)	available, not functional
Weight scale for infants and toddlers (up to 2 years old)	available, not functional
Sphygmomanometer for children	not available
Sphygmomanometer for adults	not available
Stethoscope for children	not available
Stethoscope for adults	not available
Obstetrical stethoscope/Fetoscope	not available
Pelvimeter	not available
Sterilization equipment and anti-septical protocol	available, functional
Pulse oximeter	not available
Refrigerator	available, functional
Vaccine refrigerator/portable	available, functional
Height meter board for children (up to two years old)	not available
Meter for height measuring ( children over 2 years old)	available, functional
Thermometer	available, functional
Tuning fork	not available
Table for vision testing	not available
Ear syringe	not available
Scissors	available, functional
Timer	available, functional
Snellen eye chart	not available
Children growth chart	not available
Tongue depressor	available

Table 10 Availability of Gynaecological service equipment

	PHC - Ambulanta Klokot
Gynaecological bed	not available
Gynaecological instruments	not available
Oxygen tank (tube)	available, functional
Vaginal speculum, small size	not available
Vaginal speculum, medium size	not available
Vaginal speculum, large size	not available
Pap smear materials: (brush, spatula, holder)	not available
Gloves (latex)	available
Masks for doctors	not available

Table 11 Availability of advanced equipment

	PHC - Ambulanta Klokot
EKG machine	available, not functional
Sterilizer/Autoclave	available, functional
Photometer	not available
Centrifuge	not available
X-ray	not available
Defibrillator	not available
Ultrasound machine	not available
Microscope	not available

Table 12 Availability of equipment to assess and monitor child growth

	PHC - Ambulanta Klokot
Box of blocks in different colours	no
Rattle, small red ball hung in a piece of thread	no
Book with simple illustrations or some sheets of colour paper with illustrations, i.e. a flower, a girl, a car, a cat, etc.	no
Large and thin pencils, sheets of paper for drawings	no
Doll	no
Hairbrush	no
Small plate and spoon	no
Cups	no
Simple puzzles with 2-3 pieces	no
Sheet with stripes and shapes	no

Table 13 Availability of medical products

Facility  Facility	PHC - Ambulanta Klokot
Vaccines	yes
Water for injections	yes
Atropine sulphate	no
Dextrose solution	
Manitol solution	yes
Diazepam	no
	no
Adrenaline / epinephrine	yes
Furosemid	yes
Natrium chloride solution	yes
Glyceryl trinitrate/nitroglycerin	no
Dexamethason	yes
Antitetanus serum	no
Antivenom imunoglobulin/antivipera serum	no
Oral rehydration salt/tresol (o.r.s)	no
Benzylpenicillin/ bipenicillin	no
Metoclopramide/ methochopramid	yes
Paracetamol/acetaminophen	no
Morphine sulphate	no
Diclofenac	yes
Salbutamol (nebulizer)	no
Hydrocortisone	no
Contraceptives: oral (COC, POP), Injectables, DIU, Condoms	no
Emergency conceptive pill/levonorgestrel	no
Plastic syringes	yes
Needles for syringes	yes
Povidon jod/iodine solution	yes
Surgical gloves	yes
Amoxicillin/erythromycin	no
Chloropiramine/chlorfeniramin (oral antihistamine)	no
Acid acetylsalicylic/aspirin	no
Atenolol/metoprolol	no
Sol. glucose	yes
Hyoscine butylbromide/buscopan	yes
Folic acid	no
Oxygen	yes
Bandages	yes
Gauze	yes
Hydrogen peroxide	yes
	I.

Facility	PHC - Ambulanta Klokot
Hydrophilic cotton	yes
Plastic perfusion system	yes
Spiritus aethylicus 70% (alcohol)	yes
Ranitidine	no
Magnesium sulphate	no
Suture/thread for stitching wounds	no
Kalium (potassium) iodine	no
Test strips for Glucometer	no
Urine protein test strips	no
Urine ketones test strips	no
Urine microalbuminuria test strips	no
Fluorescein strips	no
Blood cholesterol assay	no
Lipid profile	no
Serum creatinine assay	no

#### 3.2.4 Clinical Observations

Table 14 Clinical observations overview table

	PHC - Ambulanta Klokot % (n=8)
Number of observations (patients)	100%
- women	50% (4)
Observations by type of doctors	·
- Family Medical Specialist	0% (0)
- General Practitioner	0% (0)
- Other Specialist	100% (8)
Age of patient	
- <5	0% (0)
- 5 - 18	13% (1)
- 19 - 49	25% (2)
- 50 - 65	38% (3)
- >65	25% (2)
Reason for visit	
- Hypertension	13% (1)
- Diabetes	25% (2)
- Other	50% (4)
-Referral	13% (1)

Table 15 Adherence to principles of history and physical examination

	PHC - Ambulanta Klokot (n=8)
The medical doctor adheres to principles of history and physical examination, i.e  Greets the client Sees the client in privacy/confidentiality Makes the client comfortable (e.g. Seat offered) Asks the client about concerns, allows client to explain his/her health issue Has the patient record Uses the patient record during consultation Documents consultation in patient record (of all who have the patient record) Closed politely the consultation	95% (91% - 100%)

## Table 16 Infection prevention and control

	PHC - Ambulanta Klokot (n=8)
The medical doctor pays attention to infection prevention and control, i.e  - Washes hands before the procedure  - Washes hands after procedure  - Applied proper decontamination procedures  - Puts on gloves where required  - Puts on a mask where required	75% (26% - 100%)

Table 17 Patients with diabetes

Diabetes	PHC - Ambulanta Klokot (n=2)
The medical doctor	
Asks questions, about  - Any specific health complaints  - General weakness  - Urine discharge  - Vulvovaginitis or pruritus  - Appetite  - Eye-sight  - Visit to opthalmalogist  - Alcohol  - Smoking  - Using other medicine  - Sedentary way of life  - Adherence with diabetes treatment (if applicable)	35% (20% - 49%)
Conducts examinations, i.e  - Checks blood pressure  - Weight measurement / calculation of body-mass index  - Of skin, mucus membranes, nodes of lymph, ears, nose, thyroid glands  - Of eyes  - Of chest, auscultation of lungs  - Auscultation of heart  - Of abdomen, palpation of liver and signs of percussion  - Perfusion of legs (veins and feeling of legs)  - And gives clear explanations to the client concerning the purpose of tests and procedures.	6% (0% - 17%)
Advices, explains and instructs, about  Results of examinations  The situation and diagnosis  The prognosis  About needed examinations - Nutrition, i.e. Food intake and weight decrease  On the prevention and treatment of hypoglycaemia and other acute and chronic complications of diabetes  On self-monitoring - glycemia control and prevention of hypoglycaemia  About alcohol  About smoking  About physical exercise  Right ways of care of legs  Potential complication of the illness  Potential risks if illness is not treated  Importance of adherence to treatment  About follow-up visit  About the referral (if applicable)  On prescribed medicines/treatment (if applicable)	39% (0% - 100%)
Overall Score	30% (9% - 51%)

#### Table 18 Patients with hypertension

Hypertension	PHC - Ambulanta Klokot (n=1)
The medical doctor	
Asks questions, about  - Any specific health complaints  - Headache  - The use of medicine other than for hypertension  - The use of contraceptives  - Eye-sight  - Visit to ophthalmologist  - Alcohol  - Smoking  - Sedentary way of life  - High blood pressure (if applicable)  - Adherence with hypertension treatment (if applicable)	27% (Not available)
Conducts examinations, i.e  - Checks blood pressure  - Weight measurement / calculation of body-mass index  - Of skin, mucus membranes, nodes of lymph, ears, nose, thyroid glands  - Of eyes  - Of chest, auscultation of lungs  - Auscultation of heart  - Of abdomen, palpation of liver and signs of percussion, palpation of kidneys  - Perfusion of legs (pulse and perfusion of legs)  - And gives clear explanations to the client concerning the purpose of tests and procedures. Checks blood pressure	11% (Not available)
Advices, explains and instructs, about  Results of examinations  The situation and diagnosis  The prognosis  About needed examinations  About signs of extreme hypertension  About what to do when signs of extreme hypertension occur  Nutrition, i.e. food intake  About alcohol  About smoking  About physical exercise  About oral contraceptives  Potential complication of the illness  Potential risks if illness is not treated  Importance of adherence to treatment  About follow-up visit  About the referral (if applicable)  On prescribed medicines/treatment (if applicable)	13% (Not available)
Overall Score	17% (Not available)

Table 19 Patients consulting for other reasons than diabetes or hypertension

Other diseases	PHC - Ambulanta Klokot (n=4)
The medical doctor	
Asks questions, about Takes patient history (general history, specific to disease) - Asks open ended questions during history taking - Asks about any prescriptions the client is currently taking Listens to the client and responds to client questions.	94% (82% - 100%)
Conducts examinations, i.e Performs medical examinations and other investigations as individually required Gives clear explanations to the patient concerning the purpose of medical examinations and other investigations.	100% (Not available)
Advices, explains and instructs, about  - Results of examinations  - The situation and diagnosis  - The prognosis  - About needed examinations  - About follow-up visit  - About the referral (if applicable)  - On prescribed medicines/treatment (if applicable)  - On risks factors/health education (if applicable)	54% (2% - 100%)
Overall Score	75% (47% - 100%)

Table 20 Patients consulting for referrals

Referrals	PHC - Ambulanta Klokot (n=1)
The medical doctor	
Asks questions, about  - Takes patient history (general history, specific to disease)  - Asks open ended questions during history taking  - Asks about any prescriptions the client is currently taking.  - Listens to the client and responds to client questions.	25% (Not available)
Conducts examinations, i.e Performs medical examinations and other investigations as individually required Gives clear explanations to the patient concerning the purpose of medical examinations and other investigations.	Not applicable
Advices, explains and instructs, about  Results of examinations  The situation and diagnosis  The prognosis  About needed examinations  About follow-up visit  About the referral (if applicable)  On prescribed medicines/treatment (if applicable)  On risks factors/health education (if applicable)	20% (Not available)
Overall Score	22% (Not available)

## 3.2.5 Exit Interviews

Table 21 Socio-demographic attributes among respondents of exit interviews

	PHC - Ambulanta Klokot % (n=7)
Number of interviews	100%
- Women	57% (4)
Education	•
- Never attended school	0% (0)
- Completed lower primary school	0% (0)
- Completed primary school	43% (3)
- Completed high school	57% (4)
- Completed college / university	0% (0)
- Other	0% (0)
Occupation	·
- Farmer	14% (1)
- Employed	0% (0)
- Self-employed	0% (0)
- Housewife	43% (3)
- Governmental employee	0% (0)
- Unemployed	43% (3)
- Pensioner	0% (0)
- Pupil/Student	0% (0)
- Other	0% (0)
Economic or social aid	43% (3)

Table 22 Frequency and reason of visit of exit interviews

	PHC - Ambulanta Klokot % (n=7)	
Excluding today: how often did you access this HC over the past 3 month?		
- Did not access this HC in the past 3 months	43% (3)	
- 1-3 times	43% (3)	
- More than 3 times	14% (1)	
What was the reason for your consultation today?		
- Chronic condition	43% (3)	
- Antenatal care	0% (0)	
- Child health	0% (0)	
- Immunisation	0% (0)	
- Other	57% (4)	

Table 23 Overall satisfaction with health services - exit interviews

	PHC - Ambulanta Klokot % (n=7)
Overall: How satisfied were you with the services you received today	
Very unsatisfied	0% (0)
Unsatisfied	0% (0)
Satisfied	57% (4)
Very satisfied	43% (3)

Table 24 Satisfaction with different aspects of health service - exit interviews

	PHC - Ambulanta Klokot % (n=7)
Patient was given the opportunity to explain the health problem	100% (7)
Patients privacy was ensured	100% (7)
Doctor explained the questioning and physical examinations and the health problem*	100% (5)
Doctor explained the intake of prescribed medicine**	100% (5)
Doctor asked if patient currently takes prescriptions	86% (6)
Patient was given chance to ask questions about the investigation, health problem and treatment	86% (6)
Doctor listened carefully to patients concerns and questions and gave satisfactory answers	86% (6)
Patient got advice on health problem	86% (6)
Medical doctor was polite during consultation	100% (7)

<sup>\*</sup> relevant only when examination was conducted; \*\* only relevant if medicine were prescribed

#### Table 25 Payment for health service - exit interviews

	PHC - Ambulanta Klokot % (n=7)
Did you pay today for your health consultation?	0% (0)
Did you get a receipt for your payment?	Not applicable

## 4 References

Accessible Quality Healthcare (AQH) (2016). "Quality of Care Study 2016 – Technical Report of the Baseline Study." Swiss Tropical and Public Health Institute, Basel.

Boller, C., Wyss, K., et al. (2003). "Quality and comparison of antenatal care in public and private providers in the United Republic of Tanzania." Bull World Health Organization 81(2): 116-122.

Donabedian, A. (1988). "The quality of care. How can it be assessed?" JAMA 260(12): 1743-1748.

Donabedian, A. (1990). "The seven pillars of quality." Archives of pathology & laboratory medicine 114 (November): 1115-1118.

Foundation for Sustainable Development (2014). Quality as the missing link between access to healthcare and improved patient outcomes. Express Newsletter 3/14, URL: http://www.novartisfoundation.org/\_file/205/newsletter-3-14.pdf (Access: 11 February 2015).

Kiefer, S. and Kadesha, B. (2015). Report on the Assessment of Quality of Care in Primary Health Care Facilities in the two Pilot Regions, Health for All project, Albania. Study report. Basel: Swiss TPH.

Lechthaler, F. (2015). Study Protocol on the Quality of Care Study in Chad. Unpublished.

Matthys, B. (2013). Assessment of quality of care in primary health care facilities in two pilot rayons of project Sino. Study report. Basel: Swiss TPH.

World Health Organization (2010). Package of Essential Noncommunicable (PEN) Disease Interventions for Primary Health Care in Low-Resource Settings. Geneva: WHO.

World Health Organization (2015). Service Availability and Readiness Survey (SARA). An annual monitoring system for service delivery. Version 2.2. Geneva: WHO.

## **Appendix A: Abbreviations**

AQH Accessible Quality Healthcare

CI Confidence interval

DHSW Directors of Health and Social Welfare

FM Family Medicine

FMC Family Medicine Centre
GP General Practitioner

MFMC Main Family Medicine Centre

MoH Ministry of Health ODK Open Data Kit

PHC Primary Health Care QoC Quality of Care

SARA Service Availability and Readiness Assessment (SARA)

SDC Swiss Agency for Development and Cooperation

Swiss TPH Swiss Tropical and Public Health Institute

WHO World Health Organisation

# **Appendix B: Questionnaire**

Quality of Care Assessment - Infrastructure Assessment	Answers
Interviewer_ID	
IMEI (International Mobile Equipment Identity)	
inici (international Mobile Equipment Identity)	
Date of interview	
Start time of interview	
Name of municipality	
Name of facility	
Oral consent given by interviewee	yes
	no
Which services do you provide at this facility?	
Family planning	yes
· a, p.ag	no
Antenatal care	yes
/ inchatal date	no
Obstetric and newborn care	yes
	no
Immunization	yes
	no
Child preventative and curative care	yes
	no
Adolescent health	yes
	no
Sexually transmitted infections	yes
	no
Tuberculosis	yes
	no
Non-communicable diseases	yes
	no
Surgery	yes
	no
Do you provide any outreach activities?	yes
	no
If yes, SPECIFY	
Do you have laboratory services?	yes
	no

Do you have X-ray facilities?	yes
	no
How many days of the working week is at least one doctor present to provide general primary health care services?	1-2 days per week
provide general primary ficulti care services:	3-4 days per week
	5 or more days per week
Facility infrastructure and overall cleanliness and maintenance	
The facility and immediate surroundings (facility yard, waiting area	yes
outside) are free from long grass, paper debris and solid waste.	no
The feether has a with in his which is according to a dead act as effective	
The facility has a rubbish bin which is properly used and not overflowing.	yes no
There is a designated waiting room for patients.	yes
	no
The current waiting area is mopped, free of dust, trash; dirt, spider webs,	yes
and generally tidy.	no
and gonorally tay.	
There is at least one designated consulting room for women.	yes
There is at least one designated consulting room for women.	no
There is at least one designated consulting room for children.	yes
ů ů	no
All examination room(s) ensure(s) privacy/confidentiality (door, window	yes
blind, curtain).	no
All examination rooms are mopped, free of dust, trash; dirt, spider webs,	yes
and the rooms are generally tidy.	no
All examination rooms are well illuminated.	yes
	no
The facility has also tricity	
The facility has electricity	yes
	no
During the past 7 working days, did you have any power cuts of more	yes
than 1 hour during opening hours.	no
Is there routinely a time of year when this facility has a severe shortage	yes
or lack of power?	no
If yes, SPECIFY:	
The facility has a functional generator	yes
	no
If the health facility has a functional generator: is fuel available today for	Vec
n the health facility has a full clichal generator. Is fuel available today for	yes
the generator?	no
the generator?	
the generator?  The facility has a functional heating system.	yes

If yes, SPECIFY:	
Has the facility a functional communication equipment (functional landline telephone or cell phone) available (either private phone or facility phone)?	yes no
What type of phone do you have available?	private cell phone of staff
	cell phone of facility
	landline of facility
The facility has functional computer.	yes no
The facility has a functional printer.	yes no
The facility has internet access.	yes no
During the past 7 working days did you have internet for at least 1 hour every day?	yes no
The administration shelf is filed and in order.	yes no
Does the facility have a patient record system?	yes no
In which year was the patient record system introduced?	
Are there sufficient empty patient record cards available?	yes no
Are minimum hygiene and safety standards in the facility ensured?	
There is running water in the facility (out of the tap).	yes no
There is warm water available (out of the tap).	yes no
Is there routinely a time of year when this facility has a severe shortage or lack of water (out of the tap)?	yes no
If yes: In case there is a severe shortage or lack of water (out of the tap), where do you fetch water?	well (protected)
	bottled water
	water tank/storage
	other
If other, please SPECIFY:	

Functional washing points exist in examination rooms and/or entrance hall, and soap or hand disinfectants and water are available.  Labelled containers for medical waste disposal are available in all required areas (e.g. examination rooms).  The facility has adequate and safe disposal of sharps (sharps box/container).  The facility has adequate and safe disposal of infectious waste.  The facility has adequate and safe disposal of infectious waste.  Infectious waste is temporary stored at a protected place.  Sharps waste is temporary stored at a protected place.  Yes no  There is regular and appropriate collection for infectious waste.  Yes no  There is regular and appropriate collection for sharps waste.  Yes no  The facility has essential disinfectants and antiseptics.  Yes no  The facility has chlorine solution or other disinfectants to disinfect contaminated instruments in all required areas (e.g. in examination rooms).  The facility has at least one accessible and functional toilet for patients.  The facility has at least one accessible and functional toilet for staff.  Yes no  The facility has at least one accessible and functional toilet for staff.  Yes no  The facility has at least one accessible and functional toilet for lattrine.  Yes no  The facility has at least one accessible and functional toilet for staff.  Yes no  The facility has at least one accessible and functional toilet for lattrine.  Yes no  A washing point is available near the toilet or lattrine.  Yes no  Public accountability  Is the facility opening hours visibly displayed to the public?  Yes no  Is a contact phone number visibly displayed to the public?  Yes no		1
hall, and soap or hand disinfectants and water are available.  Labelled containers for medical waste disposal are available in all required areas (e.g. examination rooms).  The facility has adequate and safe disposal of sharps (sharps box/container).  The facility has adequate and safe disposal of infectious waste.  The facility has adequate and safe disposal of infectious waste.  The facility has adequate and safe disposal of infectious waste.  The facility has adequate and safe disposal of infectious waste.  There is regular and appropriate collection for infectious waste.  There is regular and appropriate collection for sharps waste.  There is regular and appropriate collection for sharps waste.  The facility has essential disinfectants and antiseptics.  The facility has chlorine solution or other disinfectants to disinfect contaminated instruments in all required areas (e.g. in examination rooms).  The facility has at least one accessible and functional toilet for patients.  The facility has at least one accessible and functional toilet for staff.  The facility has at least one accessible and functional toilet for staff.  The facility has at least one accessible and functional toilet for staff.  The facility has at least one accessible and functional toilet for staff.  The facility has at least one accessible and functional toilet for staff.  The facility has at least one accessible and functional toilet for staff.  The facility has at least one accessible and functional toilet for staff.  The facility has at least one accessible and functional toilet for staff.  The facility has at least one accessible and functional toilet for staff.  The facility has at least one accessible and functional toilet for staff.  The facility has at least one accessible and functional toilet for staff.  The facility has at least one accessible and functional toilet for staff.  The facility has at least one accessible and functional toilet for staff.  The facility has at least one accessible and functional toilet for staff.  Th	Functional washing points exist in examination rooms and/or entrance	yes
Labelled containers for medical waste disposal are available in all required areas (e.g. examination rooms).  The facility has adequate and safe disposal of sharps (sharps box/container).  The facility has adequate and safe disposal of infectious waste.  The facility has adequate and safe disposal of infectious waste.  Infectious waste is temporary stored at a protected place.  Sharps waste is temporary stored at a protected place.  There is regular and appropriate collection for infectious waste.  There is regular and appropriate collection for sharps waste.  The facility has essential disinfectants and antiseptics.  The facility has chlorine solution or other disinfectants to disinfect contaminated instruments in all required areas (e.g. in examination rooms).  The facility has at least one accessible and functional toilet for patients.  The facility has at least one accessible and functional toilet for staff.  Yes no  The toilet(s) or latrine is clean.  A washing point is available near the toilet or latrine.  Yes no  Soap and water are available at the washing point near toilet or latrine.  Yes no  Public accountability  Is the facility opening hours visibly displayed to the public?  Yes no  Are the facility opening hours visibly displayed to the public?  Yes	<del>*</del> :	•
required areas (e.g. examination rooms).  The facility has adequate and safe disposal of sharps (sharps box/container).  The facility has adequate and safe disposal of infectious waste.  The facility has adequate and safe disposal of infectious waste.  Infectious waste is temporary stored at a protected place.  Sharps waste is temporary stored at a protected place.  There is regular and appropriate collection for infectious waste.  There is regular and appropriate collection for sharps waste.  The facility has essential disinfectants and antiseptics.  The facility has essential disinfectants and antiseptics.  The facility has chlorine solution or other disinfectants to disinfect contaminated instruments in all required areas (e.g. in examination rooms).  The facility has at least one accessible and functional toilet for patients.  The facility has at least one accessible and functional toilet for staff.  The facility has at least one accessible and functional toilet for staff.  Soap and water are available at the washing point near toilet or latrine.  Public accountability  Is the facility location visible displayed in public?  yes  no  Are the facility opening hours visibly displayed to the public?  yes  no  Is a contact phone number visibly displayed to the public?  yes	Than, and boap of hard distributants and trater are available.	
required areas (e.g. examination rooms).  The facility has adequate and safe disposal of sharps (sharps box/container).  The facility has adequate and safe disposal of infectious waste.  The facility has adequate and safe disposal of infectious waste.  Infectious waste is temporary stored at a protected place.  Infectious waste is temporary stored at a protected place.  Sharps waste is temporary stored at a protected place.  There is regular and appropriate collection for infectious waste.  There is regular and appropriate collection for sharps waste.  The facility has essential disinfectants and antiseptics.  The facility has chlorine solution or other disinfectants to disinfect contaminated instruments in all required areas (e.g. in examination rooms).  The facility has at least one accessible and functional toilet for patients.  The facility has at least one accessible and functional toilet for staff.  The facility has at least one accessible and functional toilet for staff.  Yes no  The toilet(s) or latrine is clean.  A washing point is available near the toilet or latrine.  Soap and water are available at the washing point near toilet or latrine.  Public accountability  Is the facility location visible displayed in public?  yes no  Is a contact phone number visibly displayed to the public?  yes		
required areas (e.g. examination rooms).  The facility has adequate and safe disposal of sharps (sharps box/container).  The facility has adequate and safe disposal of infectious waste.  The facility has adequate and safe disposal of infectious waste.  Infectious waste is temporary stored at a protected place.  Sharps waste is temporary stored at a protected place.  There is regular and appropriate collection for infectious waste.  There is regular and appropriate collection for sharps waste.  The facility has essential disinfectants and antiseptics.  The facility has essential disinfectants and antiseptics.  The facility has chlorine solution or other disinfectants to disinfect contaminated instruments in all required areas (e.g. in examination rooms).  The facility has at least one accessible and functional toilet for patients.  The facility has at least one accessible and functional toilet for staff.  The facility has at least one accessible and functional toilet for staff.  Soap and water are available at the washing point near toilet or latrine.  Public accountability  Is the facility location visible displayed in public?  yes  no  Are the facility opening hours visibly displayed to the public?  yes  no  Is a contact phone number visibly displayed to the public?  yes		
required areas (e.g. examination rooms).  The facility has adequate and safe disposal of sharps (sharps box/container).  The facility has adequate and safe disposal of infectious waste.  The facility has adequate and safe disposal of infectious waste.  Infectious waste is temporary stored at a protected place.  Sharps waste is temporary stored at a protected place.  There is regular and appropriate collection for infectious waste.  There is regular and appropriate collection for sharps waste.  The facility has essential disinfectants and antiseptics.  The facility has essential disinfectants and antiseptics.  The facility has chlorine solution or other disinfectants to disinfect contaminated instruments in all required areas (e.g. in examination rooms).  The facility has at least one accessible and functional toilet for patients.  The facility has at least one accessible and functional toilet for staff.  yes no  The toilet(s) or latrine is clean.  A washing point is available near the toilet or latrine.  Soap and water are available at the washing point near toilet or latrine.  yes no  Public accountability  Is the facility location visible displayed in public?  yes no  Are the facility opening hours visibly displayed to the public?  yes		
required areas (e.g. examination rooms).  The facility has adequate and safe disposal of sharps (sharps box/container).  The facility has adequate and safe disposal of infectious waste.  The facility has adequate and safe disposal of infectious waste.  Infectious waste is temporary stored at a protected place.  Sharps waste is temporary stored at a protected place.  There is regular and appropriate collection for infectious waste.  There is regular and appropriate collection for sharps waste.  The facility has essential disinfectants and antiseptics.  The facility has essential disinfectants and antiseptics.  The facility has chlorine solution or other disinfectants to disinfect contaminated instruments in all required areas (e.g. in examination rooms).  The facility has at least one accessible and functional toilet for patients.  The facility has at least one accessible and functional toilet for staff.  yes no  The toilet(s) or latrine is clean.  A washing point is available near the toilet or latrine.  Soap and water are available at the washing point near toilet or latrine.  yes no  Public accountability  Is the facility location visible displayed in public?  yes no  Are the facility opening hours visibly displayed to the public?  yes	Labelled containers for medical waste disposal are available in all	yes
The facility has adequate and safe disposal of sharps (sharps box/container).  The facility has adequate and safe disposal of infectious waste.  Infectious waste is temporary stored at a protected place.  Sharps waste is temporary stored at a protected place.  Sharps waste is temporary stored at a protected place.  There is regular and appropriate collection for infectious waste.  There is regular and appropriate collection for sharps waste.  The facility has essential disinfectants and antiseptics.  The facility has chlorine solution or other disinfectants to disinfect contaminated instruments in all required areas (e.g. in examination rooms).  The facility has at least one accessible and functional toilet for patients.  The facility has at least one accessible and functional toilet for staff.  Yes no  The toilet(s) or latrine is clean.  A washing point is available near the toilet or latrine.  Soap and water are available at the washing point near toilet or latrine.  Public accountability  Is the facility location visible displayed in public?  yes no  Sra a contact phone number visibly displayed to the public?  yes		
box/container).  The facility has adequate and safe disposal of infectious waste.  Infectious waste is temporary stored at a protected place.  Infectious waste is temporary stored at a protected place.  Sharps waste is temporary stored at a protected place.  Yes no  There is regular and appropriate collection for infectious waste.  There is regular and appropriate collection for sharps waste.  The facility has essential disinfectants and antiseptics.  Yes no  The facility has chlorine solution or other disinfectants to disinfect contaminated instruments in all required areas (e.g. in examination rooms).  The facility has at least one accessible and functional toilet for patients.  The facility has at least one accessible and functional toilet for staff.  Yes no  The toilet(s) or latrine is clean.  A washing point is available near the toilet or latrine.  Soap and water are available at the washing point near toilet or latrine.  Public accountability  Is the facility opening hours visibly displayed to the public?  yes no  Is a contact phone number visibly displayed to the public?  yes	required areas (e.g. examination rooms).	110
box/container).  The facility has adequate and safe disposal of infectious waste.  Infectious waste is temporary stored at a protected place.  Infectious waste is temporary stored at a protected place.  Sharps waste is temporary stored at a protected place.  Yes no  There is regular and appropriate collection for infectious waste.  There is regular and appropriate collection for sharps waste.  The facility has essential disinfectants and antiseptics.  Yes no  The facility has chlorine solution or other disinfectants to disinfect contaminated instruments in all required areas (e.g. in examination rooms).  The facility has at least one accessible and functional toilet for patients.  The facility has at least one accessible and functional toilet for staff.  Yes no  The toilet(s) or latrine is clean.  A washing point is available near the toilet or latrine.  Soap and water are available at the washing point near toilet or latrine.  Public accountability  Is the facility opening hours visibly displayed to the public?  yes no  Is a contact phone number visibly displayed to the public?  yes		
box/container).  The facility has adequate and safe disposal of infectious waste.  Infectious waste is temporary stored at a protected place.  Infectious waste is temporary stored at a protected place.  Sharps waste is temporary stored at a protected place.  Yes no  There is regular and appropriate collection for infectious waste.  There is regular and appropriate collection for sharps waste.  The facility has essential disinfectants and antiseptics.  Yes no  The facility has chlorine solution or other disinfectants to disinfect contaminated instruments in all required areas (e.g. in examination rooms).  The facility has at least one accessible and functional toilet for patients.  The facility has at least one accessible and functional toilet for staff.  Yes no  The toilet(s) or latrine is clean.  A washing point is available near the toilet or latrine.  Soap and water are available at the washing point near toilet or latrine.  Public accountability  Is the facility opening hours visibly displayed to the public?  yes no  Is a contact phone number visibly displayed to the public?  yes	The feelile been also water and seferalise and of shows the second	<u> </u>
The facility has adequate and safe disposal of infectious waste.  Infectious waste is temporary stored at a protected place.  Sharps waste is temporary stored at a protected place.  Sharps waste is temporary stored at a protected place.  There is regular and appropriate collection for infectious waste.  There is regular and appropriate collection for sharps waste.  The facility has essential disinfectants and antiseptics.  The facility has essential disinfectants and antiseptics.  The facility has shorine solution or other disinfectants to disinfect contaminated instruments in all required areas (e.g. in examination nooms).  The facility has at least one accessible and functional toilet for patients.  The facility has at least one accessible and functional toilet for staff.  The toilet(s) or latrine is clean.  A washing point is available near the toilet or latrine.  Soap and water are available at the washing point near toilet or latrine.  Public accountability  Is the facility location visible displayed in public?  yes no  Are the facility opening hours visibly displayed to the public?  yes  no  Is a contact phone number visibly displayed to the public?  yes		yes
Infectious waste is temporary stored at a protected place.  Sharps waste is temporary stored at a protected place.  Sharps waste is temporary stored at a protected place.  There is regular and appropriate collection for infectious waste.  There is regular and appropriate collection for sharps waste.  Yes no  The facility has essential disinfectants and antiseptics.  The facility has chlorine solution or other disinfectants to disinfect contaminated instruments in all required areas (e.g. in examination no noms).  The facility has at least one accessible and functional toilet for patients.  Yes no  The facility has at least one accessible and functional toilet for staff.  Yes no  The toilet(s) or latrine is clean.  A washing point is available near the toilet or latrine.  Soap and water are available at the washing point near toilet or latrine.  Yes no  Public accountability  Is the facility opening hours visibly displayed to the public?  yes no  Is a contact phone number visibly displayed to the public?  yes	box/container).	no
Infectious waste is temporary stored at a protected place.  Sharps waste is temporary stored at a protected place.  Sharps waste is temporary stored at a protected place.  There is regular and appropriate collection for infectious waste.  There is regular and appropriate collection for sharps waste.  Yes no  The facility has essential disinfectants and antiseptics.  The facility has chlorine solution or other disinfectants to disinfect contaminated instruments in all required areas (e.g. in examination no noms).  The facility has at least one accessible and functional toilet for patients.  Yes no  The facility has at least one accessible and functional toilet for staff.  Yes no  The toilet(s) or latrine is clean.  A washing point is available near the toilet or latrine.  Soap and water are available at the washing point near toilet or latrine.  Yes no  Public accountability  Is the facility opening hours visibly displayed to the public?  yes no  Is a contact phone number visibly displayed to the public?  yes		
Infectious waste is temporary stored at a protected place.  Sharps waste is temporary stored at a protected place.  Sharps waste is temporary stored at a protected place.  There is regular and appropriate collection for infectious waste.  There is regular and appropriate collection for sharps waste.  Yes no  The facility has essential disinfectants and antiseptics.  The facility has chlorine solution or other disinfectants to disinfect contaminated instruments in all required areas (e.g. in examination no noms).  The facility has at least one accessible and functional toilet for patients.  Yes no  The facility has at least one accessible and functional toilet for staff.  Yes no  The toilet(s) or latrine is clean.  A washing point is available near the toilet or latrine.  Soap and water are available at the washing point near toilet or latrine.  Yes no  Public accountability  Is the facility opening hours visibly displayed to the public?  yes no  Is a contact phone number visibly displayed to the public?  yes		
Infectious waste is temporary stored at a protected place.  Sharps waste is temporary stored at a protected place.  There is regular and appropriate collection for infectious waste.  There is regular and appropriate collection for sharps waste.  There is regular and appropriate collection for sharps waste.  The facility has essential disinfectants and antiseptics.  The facility has chlorine solution or other disinfectants to disinfect contaminated instruments in all required areas (e.g. in examination rooms).  The facility has at least one accessible and functional toilet for patients.  The facility has at least one accessible and functional toilet for staff.  The toilet(s) or latrine is clean.  Yes no  A washing point is available near the toilet or latrine.  Yes no  Soap and water are available at the washing point near toilet or latrine.  Public accountability  Is the facility location visible displayed in public?  yes no  Are the facility opening hours visibly displayed to the public?  yes	The facility has adequate and safe disposal of infectious waste.	yes
Sharps waste is temporary stored at a protected place.  Sharps waste is temporary stored at a protected place.  There is regular and appropriate collection for infectious waste.  There is regular and appropriate collection for sharps waste.  The facility has essential disinfectants and antiseptics.  The facility has chlorine solution or other disinfectants to disinfect contaminated instruments in all required areas (e.g. in examination rooms).  The facility has at least one accessible and functional toilet for patients.  The facility has at least one accessible and functional toilet for staff.  The toilet(s) or latrine is clean.  A washing point is available near the toilet or latrine.  Soap and water are available at the washing point near toilet or latrine.  Public accountability  Is the facility location visible displayed in public?  yes no  Is a contact phone number visibly displayed to the public?  yes		no
Sharps waste is temporary stored at a protected place.  Sharps waste is temporary stored at a protected place.  There is regular and appropriate collection for infectious waste.  There is regular and appropriate collection for sharps waste.  The facility has essential disinfectants and antiseptics.  The facility has chlorine solution or other disinfectants to disinfect contaminated instruments in all required areas (e.g. in examination rooms).  The facility has at least one accessible and functional toilet for patients.  The facility has at least one accessible and functional toilet for staff.  The toilet(s) or latrine is clean.  A washing point is available near the toilet or latrine.  Soap and water are available at the washing point near toilet or latrine.  Public accountability  Is the facility location visible displayed in public?  yes no  Is a contact phone number visibly displayed to the public?  yes		
Sharps waste is temporary stored at a protected place.  Sharps waste is temporary stored at a protected place.  There is regular and appropriate collection for infectious waste.  There is regular and appropriate collection for sharps waste.  The facility has essential disinfectants and antiseptics.  The facility has chlorine solution or other disinfectants to disinfect contaminated instruments in all required areas (e.g. in examination rooms).  The facility has at least one accessible and functional toilet for patients.  The facility has at least one accessible and functional toilet for staff.  The toilet(s) or latrine is clean.  A washing point is available near the toilet or latrine.  Soap and water are available at the washing point near toilet or latrine.  Public accountability  Is the facility location visible displayed in public?  yes no  Is a contact phone number visibly displayed to the public?  yes		
Sharps waste is temporary stored at a protected place.  There is regular and appropriate collection for infectious waste.  There is regular and appropriate collection for sharps waste.  There is regular and appropriate collection for sharps waste.  The facility has essential disinfectants and antiseptics.  The facility has chlorine solution or other disinfectants to disinfect contaminated instruments in all required areas (e.g. in examination rooms).  The facility has at least one accessible and functional toilet for patients.  The facility has at least one accessible and functional toilet for staff.  The toilet(s) or latrine is clean.  A washing point is available near the toilet or latrine.  Soap and water are available at the washing point near toilet or latrine.  Public accountability  Is the facility location visible displayed in public?  yes  no  Is a contact phone number visibly displayed to the public?  yes	Infectious waste is temporary stored at a protected place.	yes
Sharps waste is temporary stored at a protected place.  There is regular and appropriate collection for infectious waste.  There is regular and appropriate collection for sharps waste.  There is regular and appropriate collection for sharps waste.  The facility has essential disinfectants and antiseptics.  The facility has chlorine solution or other disinfectants to disinfect contaminated instruments in all required areas (e.g. in examination rooms).  The facility has at least one accessible and functional toilet for patients.  The facility has at least one accessible and functional toilet for staff.  The toilet(s) or latrine is clean.  A washing point is available near the toilet or latrine.  Soap and water are available at the washing point near toilet or latrine.  Public accountability  Is the facility location visible displayed in public?  yes  no  Is a contact phone number visibly displayed to the public?  yes  no  yes		no
There is regular and appropriate collection for infectious waste.  There is regular and appropriate collection for sharps waste.  The facility has essential disinfectants and antiseptics.  The facility has chlorine solution or other disinfectants to disinfect contaminated instruments in all required areas (e.g. in examination rooms).  The facility has at least one accessible and functional toilet for patients.  The facility has at least one accessible and functional toilet for staff.  The toilet(s) or latrine is clean.  A washing point is available near the toilet or latrine.  Soap and water are available at the washing point near toilet or latrine.  Public accountability  Is the facility location visible displayed in public?  yes no  Are the facility opening hours visibly displayed to the public?  yes no		
There is regular and appropriate collection for infectious waste.  There is regular and appropriate collection for sharps waste.  The facility has essential disinfectants and antiseptics.  The facility has chlorine solution or other disinfectants to disinfect contaminated instruments in all required areas (e.g. in examination rooms).  The facility has at least one accessible and functional toilet for patients.  The facility has at least one accessible and functional toilet for staff.  The toilet(s) or latrine is clean.  A washing point is available near the toilet or latrine.  Soap and water are available at the washing point near toilet or latrine.  Public accountability  Is the facility location visible displayed in public?  yes no  Are the facility opening hours visibly displayed to the public?  yes no	Charma wasta in town areas at a small at a small at a	1
There is regular and appropriate collection for infectious waste.  There is regular and appropriate collection for sharps waste.  The facility has essential disinfectants and antiseptics.  The facility has chlorine solution or other disinfectants to disinfect contaminated instruments in all required areas (e.g. in examination rooms).  The facility has at least one accessible and functional toilet for patients.  The facility has at least one accessible and functional toilet for staff.  The toilet(s) or latrine is clean.  A washing point is available near the toilet or latrine.  Soap and water are available at the washing point near toilet or latrine.  Public accountability  Is the facility location visible displayed in public?  Are the facility opening hours visibly displayed to the public?  yes no  Is a contact phone number visibly displayed to the public?  yes no	onarps waste is temporary stored at a protected place.	yes
There is regular and appropriate collection for sharps waste.  The facility has essential disinfectants and antiseptics.  The facility has chlorine solution or other disinfectants to disinfect contaminated instruments in all required areas (e.g. in examination rooms).  The facility has at least one accessible and functional toilet for patients.  The facility has at least one accessible and functional toilet for staff.  The toilet(s) or latrine is clean.  A washing point is available near the toilet or latrine.  Soap and water are available at the washing point near toilet or latrine.  Public accountability  Is the facility location visible displayed in public?  Are the facility opening hours visibly displayed to the public?  yes no  Is a contact phone number visibly displayed to the public?  yes		no
There is regular and appropriate collection for sharps waste.  The facility has essential disinfectants and antiseptics.  The facility has chlorine solution or other disinfectants to disinfect contaminated instruments in all required areas (e.g. in examination rooms).  The facility has at least one accessible and functional toilet for patients.  The facility has at least one accessible and functional toilet for staff.  The toilet(s) or latrine is clean.  A washing point is available near the toilet or latrine.  Soap and water are available at the washing point near toilet or latrine.  Public accountability  Is the facility location visible displayed in public?  Are the facility opening hours visibly displayed to the public?  yes no  Is a contact phone number visibly displayed to the public?  yes		
There is regular and appropriate collection for sharps waste.  The facility has essential disinfectants and antiseptics.  The facility has chlorine solution or other disinfectants to disinfect contaminated instruments in all required areas (e.g. in examination rooms).  The facility has at least one accessible and functional toilet for patients.  The facility has at least one accessible and functional toilet for staff.  The toilet(s) or latrine is clean.  A washing point is available near the toilet or latrine.  Soap and water are available at the washing point near toilet or latrine.  Public accountability  Is the facility location visible displayed in public?  Are the facility opening hours visibly displayed to the public?  yes no  Is a contact phone number visibly displayed to the public?  yes	There is regular and appropriate collection for infectious waste	ves
There is regular and appropriate collection for sharps waste.  yes no  The facility has essential disinfectants and antiseptics.  The facility has chlorine solution or other disinfectants to disinfect contaminated instruments in all required areas (e.g. in examination rooms).  The facility has at least one accessible and functional toilet for patients.  The facility has at least one accessible and functional toilet for staff.  yes no  The toilet(s) or latrine is clean.  A washing point is available near the toilet or latrine.  Soap and water are available at the washing point near toilet or latrine.  Public accountability  Is the facility location visible displayed in public?  Are the facility opening hours visibly displayed to the public?  yes no  Is a contact phone number visibly displayed to the public?  yes	There is regular and appropriate concentration infocuous waste.	
The facility has essential disinfectants and antiseptics.  The facility has chlorine solution or other disinfectants to disinfect contaminated instruments in all required areas (e.g. in examination rooms).  The facility has at least one accessible and functional toilet for patients.  The facility has at least one accessible and functional toilet for staff.  The toilet(s) or latrine is clean.  A washing point is available near the toilet or latrine.  Soap and water are available at the washing point near toilet or latrine.  Public accountability  Is the facility location visible displayed in public?  Are the facility opening hours visibly displayed to the public?  yes no  Is a contact phone number visibly displayed to the public?  yes		no
The facility has essential disinfectants and antiseptics.  The facility has chlorine solution or other disinfectants to disinfect contaminated instruments in all required areas (e.g. in examination rooms).  The facility has at least one accessible and functional toilet for patients.  The facility has at least one accessible and functional toilet for staff.  The toilet(s) or latrine is clean.  A washing point is available near the toilet or latrine.  Soap and water are available at the washing point near toilet or latrine.  Public accountability  Is the facility location visible displayed in public?  Are the facility opening hours visibly displayed to the public?  yes no  Is a contact phone number visibly displayed to the public?  yes		
The facility has essential disinfectants and antiseptics.  The facility has chlorine solution or other disinfectants to disinfect contaminated instruments in all required areas (e.g. in examination rooms).  The facility has at least one accessible and functional toilet for patients.  The facility has at least one accessible and functional toilet for staff.  The toilet(s) or latrine is clean.  A washing point is available near the toilet or latrine.  Soap and water are available at the washing point near toilet or latrine.  Public accountability  Is the facility location visible displayed in public?  Are the facility opening hours visibly displayed to the public?  yes no  Is a contact phone number visibly displayed to the public?  yes	There is regular and appropriate collection for sharps waste.	yes
The facility has essential disinfectants and antiseptics.  The facility has chlorine solution or other disinfectants to disinfect contaminated instruments in all required areas (e.g. in examination rooms).  The facility has at least one accessible and functional toilet for patients.  The facility has at least one accessible and functional toilet for staff.  The facility has at least one accessible and functional toilet for staff.  yes no  The toilet(s) or latrine is clean.  A washing point is available near the toilet or latrine.  Soap and water are available at the washing point near toilet or latrine.  Public accountability  Is the facility location visible displayed in public?  Are the facility opening hours visibly displayed to the public?  yes no  Is a contact phone number visibly displayed to the public?  yes		*
The facility has chlorine solution or other disinfectants to disinfect contaminated instruments in all required areas (e.g. in examination rooms).  The facility has at least one accessible and functional toilet for patients.  The facility has at least one accessible and functional toilet for staff.  The facility has at least one accessible and functional toilet for staff.  Yes no  The toilet(s) or latrine is clean.  A washing point is available near the toilet or latrine.  Soap and water are available at the washing point near toilet or latrine.  Public accountability  Is the facility location visible displayed in public?  Yes no  Are the facility opening hours visibly displayed to the public?  yes no		110
The facility has chlorine solution or other disinfectants to disinfect contaminated instruments in all required areas (e.g. in examination rooms).  The facility has at least one accessible and functional toilet for patients.  The facility has at least one accessible and functional toilet for staff.  The facility has at least one accessible and functional toilet for staff.  Yes no  The toilet(s) or latrine is clean.  A washing point is available near the toilet or latrine.  Soap and water are available at the washing point near toilet or latrine.  Public accountability  Is the facility location visible displayed in public?  Yes no  Are the facility opening hours visibly displayed to the public?  yes no		
The facility has chlorine solution or other disinfectants to disinfect contaminated instruments in all required areas (e.g. in examination rooms).  The facility has at least one accessible and functional toilet for patients.  The facility has at least one accessible and functional toilet for staff.  The facility has at least one accessible and functional toilet for staff.  The toilet(s) or latrine is clean.  A washing point is available near the toilet or latrine.  Soap and water are available at the washing point near toilet or latrine.  Public accountability  Is the facility location visible displayed in public?  Are the facility opening hours visibly displayed to the public?  yes no  Is a contact phone number visibly displayed to the public?  yes	The facility has essential disinfectants and antiseptics.	yes
contaminated instruments in all required areas (e.g. in examination rooms).  The facility has at least one accessible and functional toilet for patients.  The facility has at least one accessible and functional toilet for staff.  The toilet(s) or latrine is clean.  A washing point is available near the toilet or latrine.  Soap and water are available at the washing point near toilet or latrine.  Public accountability  Is the facility location visible displayed in public?  Are the facility opening hours visibly displayed to the public?  yes no  Is a contact phone number visibly displayed to the public?  yes		no
contaminated instruments in all required areas (e.g. in examination rooms).  The facility has at least one accessible and functional toilet for patients.  The facility has at least one accessible and functional toilet for staff.  The toilet(s) or latrine is clean.  A washing point is available near the toilet or latrine.  Soap and water are available at the washing point near toilet or latrine.  Public accountability  Is the facility location visible displayed in public?  Are the facility opening hours visibly displayed to the public?  yes no  Is a contact phone number visibly displayed to the public?  yes		
contaminated instruments in all required areas (e.g. in examination rooms).  The facility has at least one accessible and functional toilet for patients.  The facility has at least one accessible and functional toilet for staff.  The toilet(s) or latrine is clean.  A washing point is available near the toilet or latrine.  Soap and water are available at the washing point near toilet or latrine.  Public accountability  Is the facility location visible displayed in public?  Are the facility opening hours visibly displayed to the public?  yes no  Is a contact phone number visibly displayed to the public?  yes	The facility has chloring solution or other disinfectants to disinfect	VOS
The facility has at least one accessible and functional toilet for patients.  The facility has at least one accessible and functional toilet for staff.  The facility has at least one accessible and functional toilet for staff.  yes no  The toilet(s) or latrine is clean.  A washing point is available near the toilet or latrine.  Soap and water are available at the washing point near toilet or latrine.  Public accountability  Is the facility location visible displayed in public?  Are the facility opening hours visibly displayed to the public?  yes no  ls a contact phone number visibly displayed to the public?  yes		•
The facility has at least one accessible and functional toilet for patients.  The facility has at least one accessible and functional toilet for staff.  The facility has at least one accessible and functional toilet for staff.  yes no  The toilet(s) or latrine is clean.  A washing point is available near the toilet or latrine.  yes no  Soap and water are available at the washing point near toilet or latrine.  Public accountability  Is the facility location visible displayed in public?  Are the facility opening hours visibly displayed to the public?  yes no  Is a contact phone number visibly displayed to the public?  yes	contaminated instruments in all required areas (e.g. in examination	no
The facility has at least one accessible and functional toilet for patients.  The facility has at least one accessible and functional toilet for staff.  The facility has at least one accessible and functional toilet for staff.  yes no  The toilet(s) or latrine is clean.  A washing point is available near the toilet or latrine.  yes no  Soap and water are available at the washing point near toilet or latrine.  Public accountability  Is the facility location visible displayed in public?  Are the facility opening hours visibly displayed to the public?  yes no  Is a contact phone number visibly displayed to the public?  yes	rooms).	
The facility has at least one accessible and functional toilet for staff.  The toilet(s) or latrine is clean.  A washing point is available near the toilet or latrine.  Soap and water are available at the washing point near toilet or latrine.  Public accountability  Is the facility location visible displayed in public?  Are the facility opening hours visibly displayed to the public?  yes no  yes no  yes no	,	
The facility has at least one accessible and functional toilet for staff.  The toilet(s) or latrine is clean.  A washing point is available near the toilet or latrine.  Soap and water are available at the washing point near toilet or latrine.  Public accountability  Is the facility location visible displayed in public?  Are the facility opening hours visibly displayed to the public?  yes no  yes no  yes no		
The facility has at least one accessible and functional toilet for staff.  The toilet(s) or latrine is clean.  A washing point is available near the toilet or latrine.  Soap and water are available at the washing point near toilet or latrine.  Public accountability  Is the facility location visible displayed in public?  Are the facility opening hours visibly displayed to the public?  yes no  yes no  yes no		
The facility has at least one accessible and functional toilet for staff.  The toilet(s) or latrine is clean.  A washing point is available near the toilet or latrine.  Soap and water are available at the washing point near toilet or latrine.  Public accountability  Is the facility location visible displayed in public?  Are the facility opening hours visibly displayed to the public?  yes no  yes no  yes no	The facility has at least one accessible and functional toilet for natients	Ves
The facility has at least one accessible and functional toilet for staff.  yes no  The toilet(s) or latrine is clean.  A washing point is available near the toilet or latrine.  Soap and water are available at the washing point near toilet or latrine.  yes no  Public accountability  Is the facility location visible displayed in public?  Are the facility opening hours visibly displayed to the public?  yes no  Is a contact phone number visibly displayed to the public?  yes	The facility has at least one accessible and functional tollection patients.	
The toilet(s) or latrine is clean.  A washing point is available near the toilet or latrine.  Soap and water are available at the washing point near toilet or latrine.  Public accountability  Is the facility location visible displayed in public?  Are the facility opening hours visibly displayed to the public?  yes no  Are to the facility opening hours visibly displayed to the public?  yes no		no
The toilet(s) or latrine is clean.  A washing point is available near the toilet or latrine.  Soap and water are available at the washing point near toilet or latrine.  Public accountability  Is the facility location visible displayed in public?  Are the facility opening hours visibly displayed to the public?  yes no  Are to facility opening hours visibly displayed to the public?  yes no		
The toilet(s) or latrine is clean.  A washing point is available near the toilet or latrine.  Soap and water are available at the washing point near toilet or latrine.  Public accountability  Is the facility location visible displayed in public?  Are the facility opening hours visibly displayed to the public?  yes no  Are to facility opening hours visibly displayed to the public?  yes no	The facility has at least one accessible and functional toilet for staff.	yes
The toilet(s) or latrine is clean.  A washing point is available near the toilet or latrine.  Soap and water are available at the washing point near toilet or latrine.  Public accountability  Is the facility location visible displayed in public?  Are the facility opening hours visibly displayed to the public?  yes no  Is a contact phone number visibly displayed to the public?  yes		•
A washing point is available near the toilet or latrine.  Soap and water are available at the washing point near toilet or latrine.  Public accountability  Is the facility location visible displayed in public?  Are the facility opening hours visibly displayed to the public?  yes no  Are the facility opening hours visibly displayed to the public?  yes no		1.0
A washing point is available near the toilet or latrine.  Soap and water are available at the washing point near toilet or latrine.  Public accountability  Is the facility location visible displayed in public?  Are the facility opening hours visibly displayed to the public?  yes no  Are the facility opening hours visibly displayed to the public?  yes no		
A washing point is available near the toilet or latrine.  Soap and water are available at the washing point near toilet or latrine.  Public accountability  Is the facility location visible displayed in public?  Are the facility opening hours visibly displayed to the public?  yes no  yes no  yes no	I ne tollet(s) or latrine is clean.	yes
A washing point is available near the toilet or latrine.  Soap and water are available at the washing point near toilet or latrine.  Public accountability  Is the facility location visible displayed in public?  Are the facility opening hours visibly displayed to the public?  yes no  yes no  yes no		no
Soap and water are available at the washing point near toilet or latrine.  Public accountability  Is the facility location visible displayed in public?  Are the facility opening hours visibly displayed to the public?  yes no  Is a contact phone number visibly displayed to the public?  yes		
Soap and water are available at the washing point near toilet or latrine.  Public accountability  Is the facility location visible displayed in public?  Are the facility opening hours visibly displayed to the public?  yes no  Is a contact phone number visibly displayed to the public?  yes	A washing point is available near the toilet or latring	VAS
Soap and water are available at the washing point near toilet or latrine.  Public accountability  Is the facility location visible displayed in public?  Are the facility opening hours visibly displayed to the public?  yes no  yes no  Is a contact phone number visibly displayed to the public?  yes	A washing point is available fleaf the tollet of latifile.	
Public accountability  Is the facility location visible displayed in public?  Are the facility opening hours visibly displayed to the public?  yes no  ls a contact phone number visibly displayed to the public?  yes		no
Public accountability  Is the facility location visible displayed in public?  Are the facility opening hours visibly displayed to the public?  yes no  ls a contact phone number visibly displayed to the public?  yes		
Public accountability  Is the facility location visible displayed in public?  Are the facility opening hours visibly displayed to the public?  yes no  ls a contact phone number visibly displayed to the public?  yes	Soap and water are available at the washing point near toilet or latrine	ves
Public accountability  Is the facility location visible displayed in public?  Are the facility opening hours visibly displayed to the public?  yes no  ls a contact phone number visibly displayed to the public?  yes	point float of latino.	
Is the facility location visible displayed in public?  Are the facility opening hours visibly displayed to the public?  yes no  Is a contact phone number visibly displayed to the public?  yes		TIO
Is the facility location visible displayed in public?  Are the facility opening hours visibly displayed to the public?  yes no  Is a contact phone number visibly displayed to the public?  yes		
Are the facility opening hours visibly displayed to the public?  yes no  Is a contact phone number visibly displayed to the public?  yes	Public accountability	
Are the facility opening hours visibly displayed to the public?  yes no  Is a contact phone number visibly displayed to the public?  yes		
Are the facility opening hours visibly displayed to the public?  yes no  Is a contact phone number visibly displayed to the public?  yes	Is the facility location visible displayed in public?	ves
Are the facility opening hours visibly displayed to the public?  yes no  Is a contact phone number visibly displayed to the public?  yes	12 112 120mily 1000mon 110mile diopidy od in palation	
Is a contact phone number visibly displayed to the public?  yes		TIO
Is a contact phone number visibly displayed to the public?  yes		
Is a contact phone number visibly displayed to the public?  yes	Are the facility opening hours visibly displayed to the public?	yes
Is a contact phone number visibly displayed to the public?  yes		no
		<u>                                     </u>
	Is a contact phone number visibly displayed to the public?	yes
TIO TIO	, , , , , , , , , , , , , , , , , , , ,	
		110

	T
Are the tariffs visibly displayed to the public/patients?	yes
	no
Are the contact details of the Ministry of Health helpline for citizen	yes
complaints publicly displayed?	no
Are information leaflets about the Ministry of Health helpline for citizens	yes
complaints available at the heath facility?	no
Is information on the violation of the Kosovo law against tobacco	yes
displayed to the public?	no
Is the Charter of Patient's Rights and Responsibilities visibly displayed in	yes
the waiting area?	no
Do any of the leaflets/posters at the facility have a logo/trademark from a	yes
pharmaceutical company?	no
pramassansa sempany.	
Does the facility have a box/book to get public opinion on the quality of	yes
services?	no
Does the facility have mechanisms to facilitate referral of emergency	yes
patients to the next level?	no
When was the last quality inspection by the health inspectors from the	
Ministry of Health?	
Is there a document or copy available of the following essential	
treatment / management guidelines for different common conditions treated in your health facility?	
Is the booklet on Therapeutic standard guideline for PHC available at	yes
the facility?	no
Is the list of essential drugs available at the facility?	yes
,	no
Are the following IEC materials visibly displayed to patients?	
The Calendar of health promotion developed by MOH or IPH	yes
The second of th	no
The Calendar of Vaccination/Immunization	yes
	no
Awareness materials (posters, leaflets) (when counseling) based on	yes
standard package info (children, adults, women and reproductive health, seniors, mental health)	no
Does the facility have the following basic/essential medical equipment and supplies and are they functional?	
General medical equipment	
Microsurgery	available, functional
- ,	

	available, NOT functional
	not available
Nebulizer	available, functional
	available, NOT functional
	not available
Ambu mask	available, functional
	available, NOT functional
	not available
Strong source of light in good condition (portable)	available, functional
	available, NOT functional
	not available
Nasal speculum	available, functional
	available, NOT functional
	not available
Otoscope	available, functional
	available, NOT functional
	not available
Ophtalmoscope	available, functional
	available, NOT functional
	not available
Doppler	available, functional
	available, NOT functional
	not available
Glucometer	available, functional
	available, NOT functional
	not available
Peak flow meter	available, functional
	available, NOT functional
	not available
Tape measure	available, functional
	available, NOT functional
	not available

Pen light	available, functional
	available, NOT functional
	not available
Head light	available, functional
	available, NOT functional
	not available
Neurological hammer	available, functional
	available, NOT functional
	not available
Weight scale for adults	available, functional
	available, NOT functional
	not available
Weight scale for children (over 2 years old)	available, functional
	available, NOT functional
	not available
Weight scale for infants and toddlers (up to 2 yers old)	available, functional
	available, NOT functional
	not available
Sphygmomanometer for children	available, functional
	available, NOT functional
	not available
Sphygmomanometer for adults	available, functional
	available, NOT functional
	not available
Stethoscope for children	available, functional
	available, NOT functional
	not available
Stethoscope for adults	available, functional
	available, NOT functional
	not available
Obstetrical stethoscope/Fetoscope	available, functional
	available, NOT functional

Pelvimeter  available, functional available, NOT functional not available  Sterilization equipment and anti-septical protocol  available, NOT functional available, NOT functional not available  Pulse oximeter  available, functional available, NOT functional not available  Refrigerator  available, NOT functional not available, NOT functional available, NOT functional not available not available  Inot available, NOT functional not available, NOT functional not available, NOT functional available, NOT functional available, functional available, NOT functional
Sterilization equipment and anti-septical protocol  Sterilization equipment and anti-septical protocol  available, functional available, NOT functional not available, functional available, NOT functional not available  Refrigerator  available, functional available, functional available, NOT functional not available  Vaccine refrigerator/portable  available, functional available, functional not available, functional available, functional available, NOT functional not available
Sterilization equipment and anti-septical protocol  available, functional available, NOT functional not available, functional available, NOT functional available, NOT functional not available  Refrigerator  available, functional available, NOT functional not available vaccine refrigerator/portable  available, NOT functional not available, functional not available, NOT functional not available, NOT functional available, NOT functional not available
available, NOT functional not available  Pulse oximeter  available, functional available, NOT functional not available  Refrigerator  available, functional available, functional available, NOT functional available, NOT functional not available  available, functional not available, functional not available, NOT functional available, NOT functional not available
Pulse oximeter  available, functional available, NOT functional not available  Refrigerator  available, functional available, NOT functional available, NOT functional not available  Vaccine refrigerator/portable  available, functional available, functional not available, NOT functional not available
Pulse oximeter  available, functional available, NOT functional not available  Refrigerator  available, functional available, NOT functional not available  Vaccine refrigerator/portable  available, functional available, functional not available, functional available, NOT functional not available
Refrigerator  Refrigerator  available, functional available, NOT functional available, NOT functional not available  Vaccine refrigerator/portable  available, functional available, functional available, NOT functional not available
Refrigerator  Refrigerator  available, functional available, NOT functional not available  Vaccine refrigerator/portable  available, functional available, functional available, NOT functional not available
Refrigerator  available, functional available, NOT functional not available  Vaccine refrigerator/portable  available, functional available, functional available, NOT functional not available
available, NOT functional not available  Vaccine refrigerator/portable  available, functional available, NOT functional not available
Vaccine refrigerator/portable  available, functional  available, NOT functional  not available
Vaccine refrigerator/portable  available, functional  available, NOT functional  not available
available, NOT functional not available
not available
Hight meter board for children (up to two years old) available, functional
available, NOT functional
not available
Meter for height measuring ( children over two years of age) available, functional
available, NOT functional
not available
Thermometer available, functional
available, NOT functional
not available
Tuning fork available, functional
available, NOT functional
not available
Table for vision testing available, functional
available, NOT functional
not available
Ear syringe available, functional

	available, NOT functional
	not available
Scissors	available, functional
	available, NOT functional
	not available
Timer	available, functional
	available, NOT functional
	not available
Snellen eye chart	available
	not available
Children growth chart	available
	not available
Tongue depressor	available
	not available
Gynacological service equipment	
Gynecological bed	available, functional
	available, NOT functional
	not available
Gynecological instruments	available, functional
	available, NOT functional
	not available
Oxygen tank (tube)	available, functional
	available, NOT functional
	not available
Vaginal speculum, small size	available
	not available
Vaginal speculum, medium size	available
	not available
Vaginal speculum, large size	available
	not available
Pap smear materials: (brush, spatula, holder)	available
	not available
	1

Gloves (latex)	available
,	
	not available
Masks for doctors	available
	not available
Delivery set: available?	yes
	no
	not applicable
Delivery set: sterile	yes
	no
Does the delivery set contain	
Haemostatic pincette	available, functional
	available, NOT functional
	not available
Obstetrical forceps	available, functional
	available, NOT functional
	not available
Scissors	available, functional
	available, NOT functional
	not available
Sterile cat gut	available, functional
	available, NOT functional
	not available
Sterile gauze	available, functional
	available, NOT functional
	not available
Umbilical cordon clip	available
	not available
Needles and needle bearer	available
	not available
Anatomic pincette	available
	not available
Sterile surgical gloves (two pairs)	available
	not available
	l

Oxytocin ampoule (one) + metergine ampoule (one)     available       Oxytocin ampoule (one) + metergine ampoule (one)     available       Syringes     available       Plastic aspiration tubes for newborns     available       Lydocain (One vial)     available       Lydocain (One vial)     available       Betadine solution (vials)     available       Oxytocin (vials)     available       Advanced equipment     available, functional       EKG machine     available, functional       Sterilizer/Autoclave     available, functional       Sterilizer/Autoclave     available, NOT functional       Photometer     available, NOT functional       Centrifuge     available, functional       Available, functional     available, functional       available, NOT functional     not available       X-ray     available, NOT functional       pot available, NOT functional     available, NOT functional       pot available     not available       Defibrillator     available, functional       available, NOT functional     available, NOT functional       pot available	Surgical coat	available
Syringes    Syringes   available   available   not available		not available
Syringes  available not available, functional available, NOT functional not available, functional available, functional available, NOT functional not available, not available  Photometer  Photometer  Centrifuge  Centrifuge  X-ray  Defibrillator  Defibrillator	Oxytocin ampoule (one) + metergine ampoule (one)	available
Plastic aspiration tubes for newborns  Plastic aspiration tubes for newborns  Evidocain (One vial)  Detadine solution (vials)  Evaluable  available  available  available  not available  not available  not available  not available  available  not available  not available  Residence equipment  EKG machine  EKG machine  EVALUATION (Vials)  Sterilizer/Autoclave  Photometer  Photometer  Photometer  EVALUATION (Vials)  Available, functional available, functional available, NOT functional not available  available, NOT functional available, NOT functional not available, NOT functional available, NOT functional not available, NOT functional not available, NOT functional available, NOT functional not available, NOT functional not available, NOT functional available, NOT functional not available, NOT functional available, NOT functional available, NOT functional not available, NOT functional available, NOT functional available, NOT functional not available, NOT functional functional available, NOT functional available, NOT functional functional available, NOT functional fun		not available
Plastic aspiration tubes for newborns    Plastic aspiration tubes for newborns   available   not available	Syringes	available
Lydocain (One vial)  Evaluation (vials)  Betadine solution (vials)  Oxytocin (vials)  Advanced equipment  EKG machine  Sterilizer/Autoclave  Photometer  Photometer  Centrifuge  Centrifuge  Available, NOT functional available available available available available available available available available, NOT functional available available available available available available available available, NOT functional available available available, NOT functional available, NOT functional available, NOT functional available available, NOT functional available available ava		not available
Lydocain (One vial)  Estadine solution (vials)  Betadine solution (vials)  Oxytocin (vials)  Advanced equipment  EKG machine  EKG machine  Sterilizer/Autoclave  Photometer  Photometer  Centrifuge  Centrifuge  X-ray  Defibriliator  Defibriliator  Available  available  available, available, not functional available, functional available, functional available, functional available, NOT functional available, NOT functional available, NOT functional available, functional available, functional available, functional available, NOT functional	Plastic aspiration tubes for newborns	available
Betadine solution (vials)  Betadine solution (vials)  Advanced equipment  EKG machine  Sterilizer/Autoclave  Photometer  Centrifuge  Centrifuge  X-ray  Defibrillator  Defibrillator  Betadine solution (vials)  available  available  available, functional available, functional available, functional available, NOT functional not available available, NOT functional		not available
Betadine solution (vials)  Poytocin (vials)  Advanced equipment  EKG machine  Sterilizer/Autoclave  Photometer  Centrifuge  Centrifuge  X-ray  Defibrillator  Betadine solution (vials)  available  available  available, functional available, NOT functional not available  available, NOT functional available, functional available, functional available, functional available, functional available, functional available, functional	Lydocain (One vial)	available
Oxytocin (vials)  Advanced equipment  EKG machine  Sterilizer/Autoclave  Photometer  Photometer  Centrifuge  Centrifuge  X-ray  Defibrillator  Defibrillator  available, not available, functional available, functional available, functional available, functional available, functional available, not available available, not available available, functional available, functional available, NOT functional available, functional available, functional available, functional available, functional available, NOT functional available, NOT functional available, NOT functional available, NOT functional		not available
Oxytocin (vials)  Advanced equipment  EKG machine  Sterilizer/Autoclave  Photometer  Centrifuge  Centrifuge  X-ray  Defibrillator  Advanced equipment  available, functional available, functional available, functional available, functional available, not available available, not available available, not functional available, not available available, not available available, not available available, functional available, not available available, not functional available, not available available, not available available, not available available, not available available, not functional available, not available available, not available available, not available available, not available available, not functional available, not available available, not available	Betadine solution (vials)	available
Advanced equipment  EKG machine  EKG machine  Sterilizer/Autoclave  Sterilizer/Autoclave  Photometer  Centrifuge  Centrifuge  X-ray  Defibrillator  Advanced equipment  available, functional available, nOT functional available, not available available, functional available, not available available, not available available, not functional available, not available available, functional available, functional available, not available available, not functional available, not available available, functional available, functional available, functional available, functional available, not available available, not available		not available
Advanced equipment  EKG machine  EKG machine  Sterilizer/Autoclave  Sterilizer/Autoclave  Photometer  Photometer  Centrifuge  Centrifuge  X-ray  Defibrillator  Advanced equipment  available, functional available, NOT functional available, functional available, functional available, functional available, functional available, functional available, NOT functional available, NOT functional available, NOT functional available available, NOT functional	Oxytocin (vials)	available
EKG machine  EKG machine  EKG machine  available, functional available, NOT functional not available, NOT functional available, NOT functional available, NOT functional not available  Photometer  Photometer  Centrifuge  Centrifuge  X-ray  available, functional available, functional available, functional available, functional available, functional available, NOT functional available, NOT functional not available available, NOT functional not available, NOT functional		not available
available, NOT functional not available  Sterilizer/Autoclave  Sterilizer/Autoclave  Available, functional available, not available  Photometer  Photometer  available, NOT functional available, NOT functional not available  Centrifuge  Available, functional available, functional available, functional not available  Available, NOT functional available  Available, NOT functional not available, NOT functional not available, NOT functional available, NOT functional available, NOT functional not available  Defibrillator  available, functional available, not available, not available, functional not available, functional	Advanced equipment	
Sterilizer/Autoclave  Sterilizer/Autoclave  Available, functional available, NOT functional not available, functional available, functional available, NOT functional available, NOT functional not available  Centrifuge  Available, functional available, NOT functional available, NOT functional not available  X-ray  Available, functional available, NOT functional not available, NOT functional	EKG machine	available, functional
Sterilizer/Autoclave  available, functional available, NOT functional not available  Photometer  available, functional available, NOT functional available, NOT functional available  Centrifuge  available, functional available, NOT functional available, NOT functional available, NOT functional not available  X-ray  available, functional available, functional available, NOT functional available, functional available, NOT functional		available, NOT functional
available, NOT functional not available  Photometer  Photometer  available, functional available, NOT functional not available, NOT functional available, functional available, functional available, NOT functional not available, NOT functional not available, NOT functional available, functional available, NOT functional not available, NOT functional not available, NOT functional not available, functional available, functional		not available
Photometer  Photometer  available, functional available, NOT functional not available  Centrifuge  available, functional available, NOT functional available, NOT functional not available  X-ray  available, functional available, NOT functional not available, NOT functional available, NOT functional available, NOT functional not available  Defibrillator  available, functional	Sterilizer/Autoclave	available, functional
Photometer  Photometer  available, functional available, NOT functional not available, functional available, NOT functional available, NOT functional not available  X-ray  available, functional available, functional available, NOT functional available, not available not available available, functional available, functional		available, NOT functional
available, NOT functional not available, functional available, functional available, NOT functional not available  X-ray  available, functional available, functional available, NOT functional available, NOT functional available, NOT functional not available available, functional		not available
Centrifuge  available, functional available, NOT functional not available  X-ray  available, functional available, functional available, NOT functional available, NOT functional available, NOT functional not available  Defibrillator  available, functional	Photometer	available, functional
Centrifuge  available, functional available, NOT functional not available  X-ray  available, functional available, NOT functional available, NOT functional available, NOT functional not available  Defibrillator  available, functional		available, NOT functional
X-ray  Available, NOT functional  not available  available, functional  available, NOT functional  not available  not available  available, functional		not available
X-ray  available, functional available, NOT functional not available  Pefibrillator  available, functional available available, functional	Centrifuge	available, functional
X-ray  available, functional available, NOT functional not available  Defibrillator  available, functional		available, NOT functional
available, NOT functional not available  Defibrillator available, functional		not available
Defibrillator available, functional	X-ray	available, functional
Defibrillator available, functional		available, NOT functional
		not available
available, NOT functional	Defibrillator	available, functional
		available, NOT functional

available, NOT functional not available  Necessary tools/materials to assess and monitor child growth  Box of blocks in different colors  Rattle, small red ball hung in a piece of thread  Book with simple illustrations or some sheets of color paper with illustrations, i.e. a flower, a girl, a car, a cat, etc.  Large and thin pencils, sheets of paper for drawings  Doll  yes no  Hairbrush  yes no  Small plate and spoon  Cups  Simple puzzles with 2-3 pieces  yes no		not available
available, NOT functional not available  Microsope  available, functional available, NOT functional available, NOT functional not available  Necessary tools/materials to assess and monitor child growth  Box of blocks in different colors  Rattle, small red ball hung in a piece of thread  Book with simple illustrations or some sheets of color paper with illustrations, i.e. a flower, a girl, a car, a cat, etc.  Large and thin pencils, sheets of paper for drawings  Doll yes no  Small plate and spoon  Cups  yes no  Simple puzzles with 2-3 pieces  yes no  Sheet with stripes and shapes	Liltracound machine	available functional
Microsope  available, functional available, NOT functional not available  Necessary tools/materials to assess and monitor child growth  Box of blocks in different colors  Rattle, small red ball hung in a piece of thread  Book with simple illustrations or some sheets of color paper with illustrations, i.e. a flower, a girl, a car, a cat, etc.  Large and thin pencils, sheets of paper for drawings  Doll  yes no  Ton  Small plate and spoon  Cups  Simple puzzles with 2-3 pieces  yes no  Sheet with stripes and shapes	Oitrasound machine	available, functional
Microsope  available, functional available, NOT functional not available  Necessary tools/materials to assess and monitor child growth  Box of blocks in different colors  Rattle, small red ball hung in a piece of thread  ges no  Book with simple illustrations or some sheets of color paper with illustrations, i.e. a flower, a girl, a car, a cat, etc.  Large and thin pencils, sheets of paper for drawings  pes no  Doll  yes no  Small plate and spoon  yes no  Cups  yes no  Simple puzzles with 2-3 pieces  yes no  Sheet with stripes and shapes		available, NOT functional
Available, NOT functional not available  Necessary tools/materials to assess and monitor child growth  Box of blocks in different colors  Rattle, small red ball hung in a piece of thread  Book with simple illustrations or some sheets of color paper with illustrations, i.e. a flower, a girl, a car, a cat, etc.  Large and thin pencils, sheets of paper for drawings  Doll  Pairbrush  Small plate and spoon  Cups  yes  no  Simple puzzles with 2-3 pieces  yes  no  Sheet with stripes and shapes		not available
Necessary tools/materials to assess and monitor child growth  Box of blocks in different colors  Rattle, small red ball hung in a piece of thread  Pesson  Book with simple illustrations or some sheets of color paper with illustrations, i.e. a flower, a girl, a car, a cat, etc.  Large and thin pencils, sheets of paper for drawings  Pesson  Doll  yes no  Small plate and spoon  Cups  Simple puzzles with 2-3 pieces  pesson  Sheet with stripes and shapes  yes no	Microsope	available, functional
Necessary tools/materials to assess and monitor child growth  Box of blocks in different colors  Rattle, small red ball hung in a piece of thread  yes no  Book with simple illustrations or some sheets of color paper with illustrations, i.e. a flower, a girl, a car, a cat, etc.  Large and thin pencils, sheets of paper for drawings  Doll  yes no  Pair brush  yes no  Small plate and spoon  Cups  Simple puzzles with 2-3 pieces  yes no  Sheet with stripes and shapes		available, NOT functional
Box of blocks in different colors  Rattle, small red ball hung in a piece of thread  Pesson  Book with simple illustrations or some sheets of color paper with illustrations, i.e. a flower, a girl, a car, a cat, etc.  Large and thin pencils, sheets of paper for drawings  Poll  Poll  Poll  Pesson  Doll  Pesson  Small plate and spoon  Cups  Simple puzzles with 2-3 pieces  Sheet with stripes and shapes  Pesson  yes  no  Sheet with stripes and shapes  Pesson  yes  no  Sheet with stripes and shapes		not available
Rattle, small red ball hung in a piece of thread  yes no  Book with simple illustrations or some sheets of color paper with illustrations, i.e. a flower, a girl, a car, a cat, etc.  Large and thin pencils, sheets of paper for drawings  pes no  Doll  yes no  Hairbrush  yes no  Small plate and spoon  Cups  yes no  Simple puzzles with 2-3 pieces  Sheet with stripes and shapes  yes no  Sheet with stripes and shapes	Necessary tools/materials to assess and monitor child growth	
Rattle, small red ball hung in a piece of thread  Book with simple illustrations or some sheets of color paper with illustrations, i.e. a flower, a girl, a car, a cat, etc.  Large and thin pencils, sheets of paper for drawings  Poll  Poll  Poll  Poll  Poss  Poss	Box of blocks in different colors	yes
Book with simple illustrations or some sheets of color paper with illustrations, i.e. a flower, a girl, a car, a cat, etc.  Large and thin pencils, sheets of paper for drawings  Doll  Pairbrush  Wes no  Small plate and spoon  Cups  Simple puzzles with 2-3 pieces  Sheet with stripes and shapes  pyes no  No  Sheet with stripes and shapes		no
Book with simple illustrations or some sheets of color paper with illustrations, i.e. a flower, a girl, a car, a cat, etc.  Large and thin pencils, sheets of paper for drawings  Doll  Pairbrush  Wes no  Small plate and spoon  Cups  Simple puzzles with 2-3 pieces  Sheet with stripes and shapes  pyes no  No  Sheet with stripes and shapes	Rattle, small red ball hung in a piece of thread	ves
illustrations, i.e. a flower, a girl, a car, a cat, etc.  Large and thin pencils, sheets of paper for drawings  Doll  Pairbrush  Small plate and spoon  Cups  Simple puzzles with 2-3 pieces  Sheet with stripes and shapes  no  no  no  no  no  no  no  no  yes  no  yes  no  Sheet with stripes and shapes		
illustrations, i.e. a flower, a girl, a car, a cat, etc.  Large and thin pencils, sheets of paper for drawings  Doll  Pairbrush  Small plate and spoon  Cups  Simple puzzles with 2-3 pieces  Sheet with stripes and shapes  no  no  no  no  no  no  no  no  yes  no  yes  no  Sheet with stripes and shapes	Book with simple illustrations or some sheets of color paper with	VAS
Large and thin pencils, sheets of paper for drawings  Doll  Pairbrush  Small plate and spoon  Cups  Simple puzzles with 2-3 pieces  Sheet with stripes and shapes  yes no  yes no  yes no  yes no  yes no	· · · · · · · · · · · · · · · · · · ·	
Doll yes no   Hairbrush yes no   Small plate and spoon yes no   Cups yes no   Simple puzzles with 2-3 pieces yes no   Sheet with stripes and shapes yes		
Doll yes no   Hairbrush yes no   Small plate and spoon yes no   Cups yes no   Simple puzzles with 2-3 pieces yes no   Sheet with stripes and shapes yes	Large and thin pencils, sheets of paper for drawings	yes
Hairbrush  Small plate and spoon  Cups  yes no  Cups  yes no  Simple puzzles with 2-3 pieces  Sheet with stripes and shapes  yes no  yes no		no
Hairbrush yes no Small plate and spoon yes no Cups yes no Simple puzzles with 2-3 pieces yes no Sheet with stripes and shapes yes	Doll	yes
Small plate and spoon  Cups  yes no  Simple puzzles with 2-3 pieces  Sheet with stripes and shapes  yes no  yes no		no
Small plate and spoon  Cups  yes no  Simple puzzles with 2-3 pieces  Sheet with stripes and shapes  yes no  yes	Hairbrush	yes
Cups  Simple puzzles with 2-3 pieces  Sheet with stripes and shapes  no  yes  no  yes		no
Cups  yes no  Simple puzzles with 2-3 pieces  yes no  Sheet with stripes and shapes  yes	Small plate and spoon	yes
Simple puzzles with 2-3 pieces  yes no  Sheet with stripes and shapes  yes		no
Simple puzzles with 2-3 pieces  yes no  Sheet with stripes and shapes  yes	Cups	yes
Sheet with stripes and shapes yes		no
Sheet with stripes and shapes yes	Simple puzzles with 2-3 pieces	yes
		no
no	Sheet with stripes and shapes	yes
		no
Were the following products available the day of the visit?	Were the following products available the day of the visit?	
	Do you have all vaccines available today as foreseen by the calendar of	
vaccinations? no	vaccinations?	IIU
Water for injections	Water for injections	
Water for injections yes no	Water for injections	
		1 1 1 <del>-</del>

Atropin sulphat	yes
, mopili odipridi	no
Dextrose solution	yes
	no
Manitol solution	yes
	no
Diazepam	yes
	no
ADRENALINE / Epinephrine	yes
	no
Furosemid	yes
Turosonia	no
Natrium chloride solution	yes
	no
GLYCERYL TRINITRATE/Nitroglycerin	yes
	no
Davamathasan	
Dexamethason	yes
	TIO TIO
Antitetanus serum	yes
	no
ANTIVENOM IMUNOGLOBULIN/Antivipera serum	yes
7 NATIVE NOW INTO TO SEO BOEIN / A MANAGEMENT OF THE MANAGEMENT OF	no
ORAL REHIDRATATION SALT/Tresol (O.R.S)	yes
	no
BENZYLPENICILLIN/ Bipenicillin	yes
	no
METOCLOPRAMIDE/ Methochopramid	Voc
METOCLOPKAMIDE/ Metriochopramid	yes
PARACETAMOL/Acetaminophen	yes
	no
Morphin sulphate	yes
	no
Dialetenes	l vee
Diclofenac	yes
Salbutamol (nebulizer)	yes
	no
Hydrocortison	yes
	no
Contraceptives: oral (COC, POP), Injectables, DIU, Condoms	yes
	no
Emergency conceptive pill / LEVONORGESTREL	yes
	no

Plastic syringes	yes
g.	no
	110
NI - di - f di	
Needles for syringes	yes
	no
POVIDON JOD/lodine solution	yes
	no
Surgical gloves	yes
ourgiour gioves	
	no
A	
Amoxicillin/erythromycin	yes
	no
CHLOROPIRAMINE/Chlorfeniramin (oral antihistaminic)	yes
	no
ACID ACETYLSALICYLIC/Aspirin	yes
NOID NOET LONEIGTEIG/Nophilit	
	no
A4	
Atenolol/metoprolol	yes
	no
Sol.Glucose	yes
	no
HYOSCINE BUTYLBROMIDE/Buscopan	Ves
THOSOINE BUTTEBROWIDE/Buscopail	yes
	no
Folic acid	yes
	no
Oxygen	yes
	no
Bandages	yes
Duridagoo	
	no
Caura	1,122
Gauze	yes
	no
Hydrogen peroxide	yes
	no
Hydrophilic cotton	yes
7	no
	110
Plantia partuaian ayatam	VOC
Plastic perfusion system	yes
	no
Spiritus aethylicus 70% ( alcohol)	yes
	no
Ranitidin	yes
	no
Manus asistes Outshate	
Magnesium Sulphate	yes
	no
	•

SUTURE/Thread for stitching wounds	yes
Service in out of outoning wounds	no
Kalium (potassium) iodine	yes
	no
Test string for Clusemater	Luca .
Test strips for Glucometer	yes
	no
Urine protein test strips	yes
	no
Living ketangg toot atring	, vee
Urine ketones test strips	yes
	no
Urine microalbuminuria test strips	yes
	no
Fluorescein strips	yes
	no
Blood cholesterol assay	yes
	no
Lipid profile	yes
	no
Serum creatinine assay	yes
Gordin Grounding assay	no
Thank you very much for the interview.	
Interviewer comments	
Do you have any indication of cigarette smoke within the premises of the	yes
health facility?	no
End time of interview	
End time of interview	
Quality of Care Assessment - Clinical observation	Answers
Interviewer_ID	
IMEI (International Mobile Equipment Identity)	
Date of interview	
Start time of interview	
Name of municipality	
Name of facility	

Good morning! My name is [NAME]. We are here on behalf of the Accessible Quality Healthcare Project funded by the Swiss Development Cooperation to conduct a survey of selected health facilities of the project. The objective of this study is to assess the quality of health care services provided in health facilities. The Ministry of Health and ethical review board has approved this study.	
Your experiences are very important to improve aspects related to quality of care. Information collected from this interview/questionnaire will be used by the Accessible Quality Healthcare Project. Summaries of findings might also be shared with municipal or national authorities.	
The information collected from you will be kept confidential within the research team. Instead of using your name, we will give a non-personal identification number which cannot be traced individually. We are not interested in your disease or disease history but want to observe some aspects on the care that the doctor provides to you. You are free to decide whether or not you participate in this study. If you decide not to do it, there will be no negative effect.	
Do I have your agreement to observe your consultation?	yes no
Is the patient during the consultation present?	yes no
Patient profile	
Patients' gender	female
	male
Patients' year of birth	
Mother/father/caretaker with child (child is patient)	yes no
Profile of health staff	
Staff name	
Doctors' gender	female
	male
Doctors' year of birth	
Type of doctor that is observed	family doctor
	general doctor
	specialist
Please specify:	
Adherence of medical doctor to principles of clinical history and physical examination	
The medical doctor	yes no

greets the client.	1400
	yes
	no
sees the client in privacy/confidentiality.	yes
ooo alo oliota iii piiraoy, oo maanaany.	no
makes the client comfortable (e.g. seat offered)	yes
	no
asks the client about concerns, allows client to explain his/her health	yes
issue.	no
has the patient medical record	yes
	no
uses the patient card for anamnesis	yes
dood the patient out and her analimosis	no
For which illness is the patient seen?	arterial hypertension
	diabetes
	referral
	other
Assessment of an adult diabetes mellitus patient - Does the medical	
doctor follow the clinical assessment procedures, investigations	
and treatment guidelines?	
Asks questions on the illness about	yes
	no
any specific health complaints	yes
any operation to an plante	no
general weakness	yes
	no
urine discharge	yes
	no
vulvovoginitio or prurituo	Luca
vulvovaginitis or pruritus	yes
	no
appetite	yes
	no
eye-sight	yes
• •	no
visit to opthalmalogist	yes
	no
alcohol	yes
	no
	Vec
	yes
smoking	IIU
smoking	
	ves
using other medicine	yes no
smoking	no

sedentary way of life	Yes
	no
adherence with diabetes treatment	yes
	no
Conducts examination	yes
Conducto Oxaminationin	no
	not applicable
abaaka blaad praggura	1/00
checks blood pressure	yes
	no
weight measurement / calculation of body-mass index	yes
	no
of skin, mucus membranes, nodes of lymph, ears, nose, thyroid	yes
glands	no
of eyes	yes
	no
of chest, auscultation of lungs	yes
	no
	110
auscultation of heart	. Voc
auscultation of neart	yes
	no
of abdomen, palpation of liver and signs of percussion	yes
	no
perfusion of legs (veines and feeling of legs)	yes
	no
and gives clear explanations to the client concerning the purpose of	yes
tests and procedures.	no
·	
Advices, explains, instructs	yes
	no
results of examinations	yes
	no
	_
the situation and diagnosis	yes
	no
	110
the prognosis	VAS
the progression	yes
	no
about needed examinations	VOS
about needed examinations	yes
	no
nutrition, i.e. food intake and weight decrease	yes
	no
on the prevention and treatment of hypoglycemia and other acute and	yes
chronic complications of diabetes	no
on selfmonitoring - glycemia control and prevention of hypoglycaemia	yes
. , , , , , , , , , , , , , , , , , , ,	no
	l

about alcohol	yes
	no
about smoking	yes
about smoking	no
about physical exercise	yes
	no
right ways of care of legs	yes
	no
potential complication of the illness	yesno
potential risks if illness is not treated	yes
	no
importance of adherence to treatment	yes
	no
about follow-up visit	yes
	no
Advices, explains, instructs	yes
	no
	not applicable
about the referral	yes
	no not applicable
	not applicable
on prescribed medicines/treatment	yes no
	not applicable
Assessment of an adult patient with arterial hypertension - Does the	
medical doctor follow the assessment procedures, investigations	
and treatment guidelines?	
Asks questions on the illness about	yes
	no
any specific health complaints	yes
	no
headache	yes
	no
the use of medicine other than for hypertension	yes
	no
the use of contraceptives	yes
	no
eye-sight	yes
	no
visit to opthalmalogist	yes
	no
alcohol	yes
	no
	1

smoking	yes
	no
sedentary way of life	yes
	no
	110
Asks musetians on the illness shout	
Asks questions on the illness about	yes
	no
	not applicable
high blood pressure	yes
	no
	not applicable
adharanaa with hynartanaian traatmant	l van
adherence with hypertension treatment	yes
	no
	not applicable
Conducts examination	yes
	no
checks blood pressure	VAS
oneone blood procedure	yes
	no
	TIO
weight measurement / calculation of body-mass index	yes
	no
of skin, mucus membranes, nodes of lymph, ears, nose, thyroid	yes
glands	no
of eyes	yes
	no
of chest, auscultation of lungs	yes
	no
auscultation of heart	yes
	no
of abdomen, palpation of liver and signs of percussion, palpation of	yes
kidneys	no
···-··-	
perfusion of legs (pulse and perfusion of legs)	yes
portuoisir or rogo (pullos aria portuoisir or rogo)	
	no
and the state and a surface that the Police of the Police	1
and gives clear explanations to the client concerning the purpose of	yes
tests and procedures.	no
Advices, explains, instructs	yes
	no
results of examinations	yes
	no
the cituation and diagnosis	VOC
the situation and diagnosis	yes
	no
the prognosis	yes
	no
L	1

about needed examinations	yes
	no
about signs of extreme hypertension	yes
about eight of oxiteme hypothenicien	no
	110
about what to do when signs of extreme hypertension occur	yes
	no
nutrition, i.e. food intake	yes
	no
about alcohol	yes
	no
	110
about smoking	yes
	no
about physical exercise	yes
	no
about oral contraceptives	VAS
about oral contraceptives	yes
	no
potential complication of the illness	yes
	no
potential risks if illness is not treated	yes
	no
	110
importance of adherence to treatment	V00
importance of adherence to treatment	yes
	no
about follow-up visit	yes
	no
Advices, explains, instructs	Yes
, ,	
	no
	not applicable
	not applicable
-h 4 th	
about the referral	yes
	no
	not applicable
on prescribed medicines/treatment	yes
·	no
	not applicable
Accompany of a motions with other and different and district	
Assessment of a patient with other condition than diabetes or	
arterial hypertension.	
Asks questions on the illness about	yes
	no
	-
takes patient history (general history, specific to disease)	yes
takes patient history (general history, specific to disease)	
	no
	1
asks open ended questions during history taking	yes
asks open ended questions during history taking	yes no
asks open ended questions during history taking	

asks about any prescriptions the client is currently taking.	yes no
listens to the client and responds to client questions.	yes no
Conducts examination	yes no not applicable
performs medical examinations and other investigations as individually required.	yes no not applicable
gives clear explanations to the patient concerning the purpose of medical examinations and other investigations.	yes no not applicable
Advices, explains, instructs	yes no
results of examinations	yes no
the situation and diagnosis	yes no
the prognosis	yes no
about needed examinations	yes no
about follow-up visit	yes no
Advices, explains, instructs	yes no not applicable
about the referral	yes no not applicable
on prescribed medicines/treatment	yes no not applicable
on risks factors/health education	yes no not applicable
Did the medical doctor apply infection prevention and control measures?	
The doctor	

washed hands before the procedure (including use of soap).	yes
	no
	not applicable
was bad banda of so the manadom (includio more of so on)	
washed hands after the procedure (including use of soap).	yes
	no
	not applicable
applied proper decontamination procedures (e.g. soaking	VOC
contaminated instruments into a bucket with chlorine or any other	yes no
disinfectant)	
uisiniectant)	not applicable
put on gloves where required.	yes
The second desired and the second desired desi	no
	not applicable
	The Capping and Ca
put on a mask where required.	yes
·	no
	not applicable
closed the consultation politely.	yes
	no
	not applicable
Does the doctor document the consultation in the patient card?	yes
	no
Thank you very much for the interview.	
Interviewer comments	
I —	
End time of interview	
End time of interview	
Programme Control Cont	Answers
	Answers
	Answers
Quality of Care Assessment - Exit Interview	Answers
Quality of Care Assessment - Exit Interview  Interviewer_ID	Answers
Quality of Care Assessment - Exit Interview  Interviewer_ID  IMEI (International Mobile Equipment Identity)  Date of interview	Answers
Quality of Care Assessment - Exit Interview  Interviewer_ID  IMEI (International Mobile Equipment Identity)  Date of interview  Start time of interview	Answers
Quality of Care Assessment - Exit Interview  Interviewer_ID  IMEI (International Mobile Equipment Identity)  Date of interview  Start time of interview  Name of municipality	Answers
Quality of Care Assessment - Exit Interview  Interviewer_ID  IMEI (International Mobile Equipment Identity)  Date of interview  Start time of interview	Answers
Quality of Care Assessment - Exit Interview  Interviewer_ID  IMEI (International Mobile Equipment Identity)  Date of interview  Start time of interview  Name of municipality  Name of facility  Good morning! My name is [NAME]. We are here on behalf of the	Answers
Quality of Care Assessment - Exit Interview  Interviewer_ID  IMEI (International Mobile Equipment Identity)  Date of interview  Start time of interview  Name of municipality  Name of facility  Good morning! My name is [NAME]. We are here on behalf of the Accessible Quality Healthcare Project funded by the Swiss Development	Answers
Quality of Care Assessment - Exit Interview  Interviewer_ID  IMEI (International Mobile Equipment Identity)  Date of interview  Start time of interview  Name of municipality  Name of facility  Good morning! My name is [NAME]. We are here on behalf of the Accessible Quality Healthcare Project funded by the Swiss Development Cooperation to conduct a survey of health facilities in our project area.	Answers
Quality of Care Assessment - Exit Interview  Interviewer_ID  IMEI (International Mobile Equipment Identity)  Date of interview  Start time of interview  Name of municipality  Name of facility  Good morning! My name is [NAME]. We are here on behalf of the Accessible Quality Healthcare Project funded by the Swiss Development Cooperation to conduct a survey of health facilities in our project area. The objective of this study is to assess the quality of health care services	Answers
Quality of Care Assessment - Exit Interview  Interviewer_ID  IMEI (International Mobile Equipment Identity)  Date of interview  Start time of interview  Name of municipality  Name of facility  Good morning! My name is [NAME]. We are here on behalf of the Accessible Quality Healthcare Project funded by the Swiss Development Cooperation to conduct a survey of health facilities in our project area. The objective of this study is to assess the quality of health care services provided in health facilities. The Ministry of Health and the ethical review	Answers
Quality of Care Assessment - Exit Interview  Interviewer_ID  IMEI (International Mobile Equipment Identity)  Date of interview  Start time of interview  Name of municipality  Name of facility  Good morning! My name is [NAME]. We are here on behalf of the Accessible Quality Healthcare Project funded by the Swiss Development Cooperation to conduct a survey of health facilities in our project area. The objective of this study is to assess the quality of health care services	Answers
Quality of Care Assessment - Exit Interview  Interviewer_ID  IMEI (International Mobile Equipment Identity)  Date of interview  Start time of interview  Name of municipality  Name of facility  Good morning! My name is [NAME]. We are here on behalf of the Accessible Quality Healthcare Project funded by the Swiss Development Cooperation to conduct a survey of health facilities in our project area. The objective of this study is to assess the quality of health care services provided in health facilities. The Ministry of Health and the ethical review board has approved this study.	Answers
Quality of Care Assessment - Exit Interview  Interviewer_ID  IMEI (International Mobile Equipment Identity)  Date of interview  Start time of interview  Name of municipality  Name of facility  Good morning! My name is [NAME]. We are here on behalf of the Accessible Quality Healthcare Project funded by the Swiss Development Cooperation to conduct a survey of health facilities in our project area. The objective of this study is to assess the quality of health care services provided in health facilities. The Ministry of Health and the ethical review	Answers
Interviewer_ID  IMEI (International Mobile Equipment Identity)  Date of interview  Start time of interview  Name of municipality  Name of facility  Good morning! My name is [NAME]. We are here on behalf of the Accessible Quality Healthcare Project funded by the Swiss Development Cooperation to conduct a survey of health facilities in our project area. The objective of this study is to assess the quality of health care services provided in health facilities. The Ministry of Health and the ethical review board has approved this study.  We would like to interview people who have today consulted the medical doctor for their own health issues or for a child. Your experiences are very important to improve aspects related to quality	Answers
Interviewer_ID  IMEI (International Mobile Equipment Identity)  Date of interview  Start time of interview  Name of municipality  Name of facility  Good morning! My name is [NAME]. We are here on behalf of the Accessible Quality Healthcare Project funded by the Swiss Development Cooperation to conduct a survey of health facilities in our project area. The objective of this study is to assess the quality of health care services provided in health facilities. The Ministry of Health and the ethical review board has approved this study.  We would like to interview people who have today consulted the medical doctor for their own health issues or for a child. Your experiences are very important to improve aspects related to quality of care. Information collected from this interview/questionnaire will be	Answers
Interviewer_ID  IMEI (International Mobile Equipment Identity)  Date of interview  Start time of interview  Name of municipality  Name of facility  Good morning! My name is [NAME]. We are here on behalf of the Accessible Quality Healthcare Project funded by the Swiss Development Cooperation to conduct a survey of health facilities in our project area. The objective of this study is to assess the quality of health care services provided in health facilities. The Ministry of Health and the ethical review board has approved this study.  We would like to interview people who have today consulted the medical doctor for their own health issues or for a child.  Your experiences are very important to improve aspects related to quality of care. Information collected from this interview/questionnaire will be used by Accessible Quality Healthcare Project. Summaries of findings	Answers
Interviewer_ID  IMEI (International Mobile Equipment Identity)  Date of interview  Start time of interview  Name of municipality  Name of facility  Good morning! My name is [NAME]. We are here on behalf of the Accessible Quality Healthcare Project funded by the Swiss Development Cooperation to conduct a survey of health facilities in our project area. The objective of this study is to assess the quality of health care services provided in health facilities. The Ministry of Health and the ethical review board has approved this study.  We would like to interview people who have today consulted the medical doctor for their own health issues or for a child. Your experiences are very important to improve aspects related to quality of care. Information collected from this interview/questionnaire will be	Answers
Interviewer_ID  IMEI (International Mobile Equipment Identity)  Date of interview  Start time of interview  Name of municipality  Name of facility  Good morning! My name is [NAME]. We are here on behalf of the Accessible Quality Healthcare Project funded by the Swiss Development Cooperation to conduct a survey of health facilities in our project area. The objective of this study is to assess the quality of health care services provided in health facilities. The Ministry of Health and the ethical review board has approved this study.  We would like to interview people who have today consulted the medical doctor for their own health issues or for a child. Your experiences are very important to improve aspects related to quality of care. Information collected from this interview/questionnaire will be used by Accessible Quality Healthcare Project. Summaries of findings might also be shared with regional or national authorities.	Answers
Interviewer_ID  IMEI (International Mobile Equipment Identity)  Date of interview  Start time of interview  Name of municipality  Name of facility  Good morning! My name is [NAME]. We are here on behalf of the Accessible Quality Healthcare Project funded by the Swiss Development Cooperation to conduct a survey of health facilities in our project area. The objective of this study is to assess the quality of health care services provided in health facilities. The Ministry of Health and the ethical review board has approved this study.  We would like to interview people who have today consulted the medical doctor for their own health issues or for a child. Your experiences are very important to improve aspects related to quality of care. Information collected from this interview/questionnaire will be used by Accessible Quality Healthcare Project. Summaries of findings might also be shared with regional or national authorities.  The information collected from you will be kept confidential within the	Answers
Interviewer_ID  IMEI (International Mobile Equipment Identity)  Date of interview  Start time of interview  Name of municipality  Name of facility  Good morning! My name is [NAME]. We are here on behalf of the Accessible Quality Healthcare Project funded by the Swiss Development Cooperation to conduct a survey of health facilities in our project area. The objective of this study is to assess the quality of health care services provided in health facilities. The Ministry of Health and the ethical review board has approved this study.  We would like to interview people who have today consulted the medical doctor for their own health issues or for a child.  Your experiences are very important to improve aspects related to quality of care. Information collected from this interview/questionnaire will be used by Accessible Quality Healthcare Project. Summaries of findings might also be shared with regional or national authorities.  The information collected from you will be kept confidential within the research team. Instead of using your name, we will give a non-personal	Answers
Interviewer_ID  IMEI (International Mobile Equipment Identity)  Date of interview  Start time of interview  Name of municipality  Name of facility  Good morning! My name is [NAME]. We are here on behalf of the Accessible Quality Healthcare Project funded by the Swiss Development Cooperation to conduct a survey of health facilities in our project area. The objective of this study is to assess the quality of health care services provided in health facilities. The Ministry of Health and the ethical review board has approved this study.  We would like to interview people who have today consulted the medical doctor for their own health issues or for a child. Your experiences are very important to improve aspects related to quality of care. Information collected from this interview/questionnaire will be used by Accessible Quality Healthcare Project. Summaries of findings might also be shared with regional or national authorities.  The information collected from you will be kept confidential within the research team. Instead of using your name, we will give a non-personal identification number which cannot be traced individually. You are free to	Answers
Interviewer_ID  IMEI (International Mobile Equipment Identity)  Date of interview  Start time of interview  Name of municipality  Name of facility  Good morning! My name is [NAME]. We are here on behalf of the Accessible Quality Healthcare Project funded by the Swiss Development Cooperation to conduct a survey of health facilities in our project area. The objective of this study is to assess the quality of health care services provided in health facilities. The Ministry of Health and the ethical review board has approved this study.  We would like to interview people who have today consulted the medical doctor for their own health issues or for a child. Your experiences are very important to improve aspects related to quality of care. Information collected from this interview/questionnaire will be used by Accessible Quality Healthcare Project. Summaries of findings might also be shared with regional or national authorities.  The information collected from you will be kept confidential within the research team. Instead of using your name, we will give a non-personal identification number which cannot be traced individually. You are free to decide whether or not you participate in this study. If you decide not to do	Answers
Interviewer_ID  IMEI (International Mobile Equipment Identity)  Date of interview  Start time of interview  Name of municipality  Name of facility  Good morning! My name is [NAME]. We are here on behalf of the Accessible Quality Healthcare Project funded by the Swiss Development Cooperation to conduct a survey of health facilities in our project area. The objective of this study is to assess the quality of health care services provided in health facilities. The Ministry of Health and the ethical review board has approved this study.  We would like to interview people who have today consulted the medical doctor for their own health issues or for a child. Your experiences are very important to improve aspects related to quality of care. Information collected from this interview/questionnaire will be used by Accessible Quality Healthcare Project. Summaries of findings might also be shared with regional or national authorities.  The information collected from you will be kept confidential within the research team. Instead of using your name, we will give a non-personal identification number which cannot be traced individually. You are free to	Answers

Do I have your consent to proceed?	yes no
Have you been here today for issues related to your own health or the one of a child (child must be with the person)?	yes no
Socio-demographic information	
Patients' gender	female
Tallonio gondor	male
Year of birth	
Mother/father/caretaker older 18 with child (child is patient)	yes no
Satisfaction with health service	
	very unsatisfied
Overall: How satisfied were you with the services you received today?	unsatisfied
Overall. Flow satisfied were you with the services you received today!	satisfied
	very satisfied
Received services	
	did not access this HC in the past 3 months
Excluding today: How often did you over the past 3 month access this HC?	1-3 times
no!	more than 3 times
	chronic condition
	antenatal care
What was the reason for your consultation today?	child health
	immunisation
	other
	conduct an examination
	write you a prescription
Did the medical doctor	Other
Aspects of todays consultation	
At the beginning of the consultation, were you given the opportunity to explain your health problem?	yes no
During your visit today, did the medical doctor ensure your privacy?	yes no
Did the medical doctor explain the questioning and physical examinations and your health problem?	yes no
Did the medical doctor clearly explain the intake of prescribed medicines to you?	yes no
Did the medical doctor ask if you are currently taking any (other) prescriptions?	yes no
During consultation were you given a chance to ask questions about the investigations and your health problem and treatment?	yes no
Did the medical doctor listen carefully to your concerns and questions and did he/she give satisfactory answers?	yes no
During consultation, did you get any advice on your health problem?	yes no
Was the medical doctor polite in general during consultation?	yes no

We would now also like to ask you a few questions on your knowledge and opinion on health. Are you willing to continue the interview with me for some more questions?	yes no
Knowledge, Attitude and Practice	
	cough
	difficult or fast breathing
	fever
	chest in drawing
	chest pain especially when breathing deeply
	blue lips and nail beds (cyanosis)
	seizures
	inability to swallow
In your opinion, what are symptoms that children with Acute Respiratory	inability to drink or breastfeed
Infections (ARI) have?	vomiting after each drinking or
	breastfeeding
	irritation
	dehydration
	comorbidities/polyorganic
	deficiency
	blood streaked sputum don't know
PLEASE SPECIFY	other
FLEASE SPECIFY	air draplata
	air droplets fomites
In your opinion, how do poople got infacted with API2	
In your opinion, how do people get infected with ARI?	dirty hands other
	don't know
PLEASE SPECIFY	dont know
T LEAGE OF LOTE 1	every day
	several days a week
	several days a month
How often do people smoke in the same room where your child is present?	·
prosonic.	once a month or less
	never
	don't know
	strongly agree
Knowing the symptoms and warning signs of ARI will help to visit the	agree neither agree, nor disagree
doctor in time.	disagree
	strongly disagree
	strongly agree
	agree
Smoky surroundings (due to tobacco smoking, fires, etc) have no effect	neither agree, nor disagree
on whether a baby catches pneumonia.	disagree
	strongly disagree
	drinking dirty water
What do you think are causes of diarrhea?	eating contaminated food by unwashed hands after defecation
	eating contaminated food
	food allergies
	other
	don't know

PLEASE SPECIFY	
·	drinking clean water
	protect drinking water from contamination
How can you prevent diarrhea?	washing hands before preparing and eating food
	safe disposal feces by using safe latrine
	other
	don't know
PLEASE SPECIFY	
	visited doctor/family medicine center
What did you do when your child last had diarrhea?	tried applying traditional therapy at home
What did you do when your offind last had diafffica?	nothing specific
	other
	don't know
PLEASE SPECIFY	
Do you give liquids to your child when he or she has diarrhea?	yes no
	medical prescription
How do you got the goodination to tract discuss - 0	your own decision
How do you get the medication to treat diarrhea?	pharmacist recommendation
	other
PLEASE SPECIFY	
	Any infant formula (baby food) [CERELAC, HIPP, NAN, VINNY, NESTOGENE]
	Any bread, rice, noodles, biscuits, cookies, or any other foods made from grains?
	Any dark green, leafy vegetables like parsley, spinach, or coriander?
	Any vegetables/ cucumbers, eggplant, onion, tomato, pumpkins, carrots, potatoes?
Child's food diversity during the last 24 hours: Did you child eat any of the following food items within the last 24 hours?	Any fruits/ apricot, apples, strawberry, bananas?
	Any meat/ beef, pork, lamb, chicken, fish?
	Any eggs? Any foods made from beans, peas, or lentils?
	Any cheese, yogurt or cottage cheese?
	Any food made with oil, fat, or butter?
	Any other food?
PLEASE SPECIFY	
	strongly agree
How much do you gare with the fallening statement therefores	agree
How much do you agree with the following statement: Unsafe water, poor sanitation and hygiene can cause the diarrhea but not ARI	neither agree, nor disagree
Samualon and Hygiono our oddoo the didiniod but not Atti	disagree
	strongly disagree
Non-communicable diseases	
Which risk factors for cardiovascular disease do you know?	diabetes
·	

	high blood pressure
	obesity
	smoking/tobacco use (Nos)
	high cholesterol/high blood fat
	unhealthy diet
	physical inactivity
	family history/genetics
	age
	stress
	other
	don't know
	none
	left-sided chest pain
	-
NA/high of the following is a trained arrestone of a heart attack?	headache
Which of the following is a typical symptom of a heart attack?	feeling thirsty
	pain in the legs
	don't know
	frequent need to urinate
	lower back pain
Which of the following is not a typical symptom caused by diabetes?	tiredness
	unexplained weight loss
	don't know
	strongly agree
	agree
How much do you agree with the following statement: Overweight people are healthier.	neither agree, nor disagree
are ricaltilier.	disagree
	strongly disagree
	strongly agree
	agree
How much do you agree with the following statement: Smoking does not	neither agree, nor disagree
effect the health.	disagree
	strongly disagree
	strongly agree
	agree
How much do you agree with the following statement: Changing my	neither agree, nor disagree
lifestyle today will not affect my health later.	disagree
	strongly disagree
	strongly agree
	agree
How much do you agree with the following statement: I cannot influence	neither agree, nor disagree
my health because it depends on the doctors.	disagree
	strongly disagree
Are you currently taking measures to have a healthy lifestyle?	no, not at the moment
	I am trying from time to time
	yes, sometimes
	yes frequently
	not motivated
How motivated are you to change your lifestlye?	rather not motivated
	rather motivated
	motivated
What have you already changed in your life to decrease your risk of	do more physical exercise
getting cardiovascular disease? (do not read responses)	lose weight

	T
	eat less fat
	eat less sugar
	eat more fruits and vegetables
	stop smoking /stop using Nos
	control my diabetes more actively (if applicable)
	control my high blood pressure more actively (if applicable)
	I have never tried
Now a few last questions	
Basic information	
Did you pay today for your health consultation?	yes no
	benefitting from any economic or social aid scheme
If no, why not?	health insurance
	other
Please, SPECIFY	
Did you get a receipt for your payment?	yes no
Are you benefitting from any economic or social aid scheme?	yes no
This following questions concern the person who answered	
	never attended school
	completed lower primary school (max 5 years)
What school level did you complete?	completed primary school (9 years)
	completed high school (12 years)
	completed college/university
	other
PLEASE SPECIFY	
	farmer
	employed
	self-employed business
	housewife
What is your current occupation?	governmental employee, teacher, administrative / professional,
	unemployed
	pensioner
	Other
PLEASE SPECIFY	
Thank you very much for the interview.	
Interviewer comments	
End time of interview	
	1

